



**THE DATASHEET OF
NSYCVF170M230**





Main

Range	ClimaSys
Product name	ClimaSys CV
Product or Component Type	Fan
Range compatibility	P
Flow rate	Free flow rate 44910.05 Gal/hr(US) (170 m3/h) 50 Hz
Input voltage	230 V 50/60 Hz

Complementary

Absorbed power	17 W
Noise level < at	41 dB
Height	External 4.69 in (119 mm)
Width	External 4.69 in (119 mm)
Depth	External 1.50 in (38 mm)
Net Weight	1.81 lb(US) (0.82 kg)
Material	Protective grille steel
Device composition	1 axial motor 2 protective grille on the front and rear surfaces 1 fixing collar

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
GTIN	3606480151422
Nbr. of units in pkg.	1
Package weight(Lbs)	29.84 oz (846.0 g)
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	2.36 in (6.0 cm)
Package 1 width	5.91 in (15.0 cm)
Package 1 Length	6.69 in (17.0 cm)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Weight	19.74 lb(US) (8.954 kg)
Package 2 Height	7.87 in (20.0 cm)
Package 2 width	15.75 in (40.0 cm)
Package 2 Length	11.81 in (30.0 cm)
Unit Type of Package 3	PAM
Number of Units in Package 3	320
Package 3 Weight	661.39 lb(US) (300.0 kg)

Package 3 Height	29.53 in (75.0 cm)
Package 3 width	39.37 in (100.0 cm)
Package 3 Length	47.24 in (120.0 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information

Contractual warranty

Warranty	18 months
----------	-----------

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View NSYCVF170M230 on WIN SOURCE](#)
- ⊖ [Schneider Electric Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management