




**THE DATASHEET OF
CL-165HR/YG-D-T**



CL-165 Series

Multi-Color Upward-Lighting Type **CL-165 Series**



- 2色発光タイプの小型チップLEDです。
- 2-color illuminated type compact chip LED

●絶対最大定格 Absolute Maximum Rating (Ta 25°C)

Series	Color variation	P ^{*1} (mW)	Pd (mW)	I _F (mA)	I _{FP} (mA)	V _R (V)	Top (°C)	Tst (°C)
CL-165	YG	90	65	25	100 ^{*2}	5	-25~+80	-30~+85
	HR		78	30				



※1 Pは同時点灯時の全許容損失を示します。
 ※1 P means total value of power dissipation when both colors are on.
 ※2 I_{FP}の条件はduty 1/10、パルス巾30msecです。
 ※2 Conditions for I_{FP} are pulse of 1/10 duty and 30msec width.

●電気的光学的特性 Electro-optical Characteristics (Ta 25°C)







Product code	Color variation	V _F			λ _d typ (nm)	Δλ typ (nm)	I _V [*]		
		I _F (mA)	typ (V)	max (V)			I _F (mA)	min (mcd)	typ (mcd)
CL-165HR/YG	Yellow green	20	2.2	2.6	575	30	20	5.0	18
	High brightness red	20	1.8	2.6	640	20	20	5.0	23

※NIST規格に準拠
 ※Per NIST standards

●外形寸法図 Outline drawing





■ 諸特性 Characteristics



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View CL-165HR/YG-D-T on WIN SOURCE](#)
-  [Citizen Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management