




**THE DATASHEET OF
CT3020-100-0**



5kV, 4mm Long-Reach Sheathed Banana Plug Test Lead, PVC Jacket


CT3020-L-#



Features:

- 1,000 V CAT IV, 5 kV non-category with 2 kV transient overvoltage
- 10 A Max
- CE listed
- RoHS 2 compliant

Measurement Drawing: (dimensions in mm, not to scale)



Description:

Due to the extended banana plug length, the double-ended CT3020 operates up to 5 kV when used in non-category environments with transient overvoltages up to 2 kV.^a The test lead is also rated to 1,000 V CAT IV.^b

The CT3020 comes with a specially designed 4 mm long-reach sheathed banana plug and a special high voltage, highly flexible test lead wire, which allows it to interface with the 5kV, 4mm Sheathed Banana Jack Series.

The CT3020 is available in 2 colors and two lengths.

a. Never hold or touch equipment while connected to live voltages.

b. Must be used in conjunction with other similarly rated products.

Order Information:

CT3020-L-#

5kV, 4mm Long-Reach Sheathed Banana Plug Test Lead, PVC Jacket

- Length - replace '-L' with dash number:
-**100** cm, -**150** cm
- Color - replace '-#' with dash number:
-**0** Black, -**2** Red

Contact Info:

Toll Free: 800-572-1028 (US Only)

Phone: 714-221-9330

Fax: 714-921-9849

22820 Savi Ranch Parkway

Yorba Linda, CA 92887-4610 USA



www.caltestelectronics.com



Copyright © 2020, Cal Test Electronics, Inc. All rights reserved. Information in this publication supersedes that in all previously published material. Trade names referenced are the service marks, trademarks or registered trademarks of their respective companies.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View CT3020-100-0 on WIN SOURCE](#)
-  [Cal Test Electronics](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management