




THE DATASHEET OF
095-850-274-048




NOTES:

- 1. MATERIALS AND FINISHES:
TNC STR PLUG - BRASS, NICKLE PLATING
CABLE - RG 58
- 2. ELECTRICAL:
A. IMPEDANCE: 50 OHM
- 3. PACKAGING:
A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED
"AMPHENOL RF, 95-850-274-XXX AND DATE CODE".

REVISIONS				
REV	DESCRIPTION	DATE	ECN	BY
A	RELEASE TO MFG.	03-MAY-21	15670	DSK



SCALE 0.400



LENGTH TABLE		
PART NUMBER (IMPERIAL)	PART NUMBER (METRIC)	LENGTH 'L' IN INCHES [METERS]
95-850-274-006	-	6.00 [0.152]
-	95-850-274M025	9.84 [0.250]
95-850-274-012	-	12.00 [0.305]
95-850-274-018	-	18.00 [0.457]
-	95-850-274M050	19.69 [0.500]
95-850-274-024	-	24.00 [0.610]
-	95-850-274M075	29.53 [0.750]
95-850-274-036	-	36.00 [0.914]
-	95-850-274M100	39.37 [1.000]
95-850-274-048	-	48.00 [1.219]
-	95-850-274M200	78.74 [2.000]
-	95-850-274M300	118.11 [3.000]

TOLERANCE TABLE	
LENGTH IN INCHES/FT [METERS]	TOLERANCE
0" - 23.90" [0 - 0.607]	±0.25" [0.006]
24.00" - 59.00" [0.610 - 1.499]	±0.50" [0.013]
5.0' - 24.9' [1.524 - 7.617]	±2.5%
25.0' & UP [7.620 & UP]	±5.0%

DESIGN REQUIREMENTS:

- FREQUENCY: DC - 6 GHz
- CONTINUITY
- VSWR: _____ 1 MAX.
- HI-POT: 1000 VRMS
- INS. LOSS: _____ dB MAX.
- OTHER

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

<p>NOTICE: These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.</p>		<p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE METRIC [INCHES] AND TOLERANCES ARE: <0.5mm = ±0.05mm [-0.020 = ±0.002] >0.5 - 6mm = ±0.1mm [0.020 - 0.236 = ±0.004] >6.00 - 30mm = ±0.2mm [0.236 - 1.181 = ±0.008] >30.00 - 120mm = ±0.3mm [1.181 - 4.725 = ±0.012]</p>		<p>MATERIAL SEE NOTES</p>		<p>TITLE TNC STR PLUG TO TNC STR PLUG USING RG 58 CABLE VARIOUS LENGTH</p>		<p>Amphenol RF</p>	
<p>THIRD ANGLE PROJ. </p>		<p>REFERENCE</p>		<p>ENGINEER SASI D</p>		<p>DATE 05-APR-21</p>		<p>SHEET NO. 2 OF 2</p>	
<p>EAR# 10604</p>		<p>ANGLES = ±1°</p>		<p>SCALE: 1.8:1.0</p>		<p>SIZE B</p>		<p>DRAWING NO. 95-850-274-XXX ITEM NO. 95-850-274-XXX PART NO. 95-850-274-XXX</p>	

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 095-850-274-048 on WIN SOURCE](#)

 [Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management