



THE DATASHEET OF
095-902-479M100




NOTES:

1. MATERIALS AND FINISHES:
SMA STR PLUG - P/N: 132451
BRASS, GOLD PLATING
CABLE - LMR-240
2. ELECTRICAL:
A. IMPEDANCE: 50 OHM
3. PACKAGING:
A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED
"AMPHENOL, 95-902-479-XXX, AND DATE CODE"


THIRD ANGLE PROJ.

REVISIONS

| REV | DESCRIPTION | DATE | ECN | APPR |
|-----|-----------------|-----------|-------|------|
| A | RELEASE TO MFG. | 24-Oct-17 | 05862 | SV |



SCALE 0.500



| 95-902-479-048 | - | 48.00 [1.219] | 1.50 [0.038] |
|------------------------|----------------------|---------------------------|-----------------------------------|
| - | 95-902-479M100 | 39.37 [1.000] | |
| 95-902-479-036 | - | 36.00 [0.914] | |
| - | 95-902-479M075 | 29.53 [0.750] | |
| 95-902-479-024 | - | 24.00 [0.610] | |
| - | 95-902-479M050 | 19.69 [0.500] | 0.75 [0.019] |
| 95-902-479-018 | - | 18.00 [0.457] | |
| 95-902-479-012 | - | 12.00 [0.305] | |
| - | 95-902-479M025 | 9.84 [0.250] | |
| 95-902-479-006 | - | 6.00 [0.152] | |
| PART NUMBER (IMPERIAL) | PART NUMBER (METRIC) | LENGTH IN INCHES [METERS] | LENGTH 'X' IN INCHES [METERS] MIN |

| 24.00" - 59.00" [0.610 - 1.499] | ±0.50" [0.013] |
|---------------------------------|----------------|
| 0" - 23.90" [0 - 0.607] | ±0.25" [0.006] |
| LENGTH IN INCHES/FT (METERS) | TOLERANCE |
| TOLERANCE TABLE | |

DESIGN REQUIREMENTS

- FREQUENCY: DC TO 6 GHz CONTINUITY
- VSWR: ---- :1 MAX HI-POT: 1000 VRMS
- INS. LOSS: ---- dB MAX OTHER

CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

| | | | | | |
|---|-------------------------------------|-----------------------|-------------------|--|-----------------------------------|
| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm ±0.05mm 0.5 - 6mm ±0.1mm 6 - 30mm ±0.2mm 30 - 120mm ±0.3mm ANGLES ±1° | MATERIAL SEE NOTES | DRAWN S.VO | DATE 22-Sep-17 | TITLE SMA STR PLUG TO SMA STR PLUG ON LMR-240 | Amphenol RF www.amphenolrf.com |
| | REFERENCE EAR# 7992 REF: ---- | ENGINEER S.VO | DATE 22-Sep-17 | | |
| NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data. | CONFIGURATION LEVEL: In Work | APPROVED K.CAPOZZI | DATE 13-Dec-17 | SCALE: 1.0:1.0 SHEET 2 OF 2 | ITEM NO. 95-902-479-XXX |
| | FINISH | CAD FILE | DWG SIZE B | REV A | PART NO. 95-902-479-XXX |

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 095-902-479M100 on WIN SOURCE](#)

 [Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management