



**THE DATASHEET OF  
DELTA20/X/SMAM/RP/S/35**



# 2.4GHz 28.5mm very small stubby WiFi / Bluetooth antenna with SMA male reverse polarity connector

DELTA20/X/SMAM/RP/S/35



## Features

- Compact direct connect WiFi / Bluetooth antenna
- 28.5mm overall length
- SMA male RP connector

The Delta 20 is the compact and straight direct connect 2.4GHz stubby antenna at 28.5mm long including the connector. This antenna is available with the SMA male and the Reverse polarity SMA male connectors. The Delta 25 is the right angle version of the Delta 20. This range of very compact 2.4GHz direct connect antennas is likely to be the most popular stubby antennas given their performance and size.

**Electrical characteristics:**

- Frequency: 2.4~2.5GHz
- VSWR:  $\leq 2.0$
- Gain: 0dBi
- Polarization: vertical
- Max power: 1 Watt
- Antennna type: 5/8 wave monopole
- Impedance 50 ohms

**Mechanical characteristics:**

- Antenna length: 28.5mm
- Operating temp: -25 to +70 degrees
- Storage temp: -35 to +70 degrees

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View DELTA20/X/SMAM/RP/S/35 on WIN SOURCE](#)
- ⊖ [Siretta Ltd Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management