



THE DATASHEET OF
505





505 Digital Hand Tachometer

The 505 is a combination photo and contact tachometer that also measures surface speeds of belts and wheels.



Features:

- Multifunctions : Photo Tach & Contact Tach & Surface Speed
- Wide Measuring Range: 0.5 to 30,000 RPM
- Last Value, Max Value, Min Value: Automatically Saved and Recalled

Use Your 505 For These Applications

- Measure motor input and output shaft speed
- Determine conveyor belt speed
- Confirm fan, motor, and gear RPM
- Measure RPM of flywheels and pumps
- Monitor pulley rotation RPM and turbine speeds

Turn over for technical information and accessory part numbers.



TECHNICAL SPECIFICATIONS AND ACCESSORIES

- Digital
- Multimeters •
- Clamp Meters •
- Hand-held
- Oscilloscopes •
- Refrigerant & Combustible Gas Leak Detectors •
- Temperature Testers •
- BNC Coax Cable •
- Connectors •
- Test Leads •
- Accessories

Test Products International, Inc.

Headquarters:
9615 SW Allen Blvd.
Beaverton, OR 97005
USA
503-502-9197
Fax: 503-520-1225
email:
info@tpi-thevalueleader.com

Test Products International, Ltd.

342 Bronte St. South
Unit 9
Milton, Ontario L9T 5B7
Canada
905-693-8558
Fax: 905-693-0888
email:
info@tpicanada.com

Test Products International UK Ltd.

Longley House, East Park
Crawley, West Sussex
RH10 6AP England
Tel: +44 (0)1293 561212
Fax: +44 (0)1293813465
contactus@tpieurope.com

A505 Digital Hand Tachometer

SPECIFICATIONS

Display	5 digits LCD with function annunciation
Range:	
Photo Tach:	5 ~ 30,000 RPM ($\pm 0.1\%$ + 1 digit)
Contact Tach	0.5 ~ 19,999 RPM ($\pm 0.1\%$ + 1 digit)
Surface Speed	0.05 ~ 1,999.9 (m/min) ($\pm 0.1\%$ + 1 digit) 0.2 ~ 6, 560 (ft/min) ($\pm 0.1\%$ + 1 digit) <i>* when the surface test wheel is 10 cm exactly</i>
Memory	Last / Max/ Min Value
Operating Temperature	0 ~ 50 °C (32°F ~ 122°F)
Operating Humidity	Less than 80% RH
Powering	1.5V AA x 4
STANDARD ACCESSORIES	
Reflective tape	A501
Contact RPM adapter (screw-on)	A502
RPM adapter (cone type)	A503
RPM adapter (funnel type)	A504
Surface speed test wheel	
O.D. 48.7 mm exactly	A505
Carrying case	A915

Distributed By:





To learn about the entire line of TPI products visit:

www.tpi-thevalueleader.com

Copyright © 2006 Test Products International, Inc. L 505-0906

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 505](#) on WIN SOURCE
-  [TPI \(Test Products Int\)](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management