








**THE DATASHEET OF
PL184Y-41-4**





REVISIONS						
REV	ZONE	ECO	DESCRIPTION	DATE	BY	APPR
B	---	---	Change pin for 4mm2 wire	11/03/15	RW	GX
D	---	---	Update Spec.	11/09/16	SW	TS
H	---	---	Add rating current and update part name	03/19/18	YM	JG
I	---	---	Add specification description	08/22/18	ST	JL



Standard Part List (With HVIL)

P/N	Model NO.	Recommended Wire (Ø)	Dimension "A"	Mating Part Model NO.
AC-HA002978	PL184V-4I-2.5	5.0~5.4mm	φ3.70mm	PI084V-4I-2.5
AC-HA002979	PL184V-4I-2.5			PI084V-4I-2.5
AC-HA002980	PL184U-4I-2.5			PI084U-4I-2.5
AC-HA002981	PL184V-4I-2.5			PI084V-4I-2.5
AC-HA002982	PL184V-4I-4			PI084V-4I-4
AC-HA002983	PL184U-4I-4			PI084U-4I-4
AC-HA002984	PL184V-4I-6			PI084V-4I-6
AC-HA002985	PL184V-4I-6			PI084V-4I-6
AC-HA002986	PL184U-4I-6			PI084U-4I-6
AC-HA002986	PL184V-4I-6			PI084V-4I-6
AC-HA002986	PL184V-4I-6			PI084V-4I-6




Standard Part List (Without HVIL)

P/N	Model NO.	Recommended Wire (Ø)	Dimension "A"	Mating Plug Model NO.
AC-HA002969	PL184V-4O-2.5	5.0~5.4mm	φ3.70mm	PI184V-4O-2.5
AC-HA002970	PL184U-4O-2.5			PI184U-4O-2.5
AC-HA002971	PL184U-4O-2.5			PI184U-4O-2.5
AC-HA002972	PL184V-4O-2.5			PI184V-4O-2.5
AC-HA002973	PL184V-4O-4			PI184V-4O-4
AC-HA002974	PL184U-4O-4			PI184U-4O-4
AC-HA002975	PL184V-4O-4			PI184V-4O-4
AC-HA002976	PL184V-4O-6			PI184V-4O-6
AC-HA002977	PL184U-4O-6			PI184U-4O-6
AC-HA002977	PL184V-4O-6			PI184V-4O-6
AC-HA002977	PL184V-4O-6			PI184V-4O-6

Appropriate strain relief of the cable. No stress be fixed to a point structurally contiguous face of the plug and receptacle. No relative movement is permissible. Strain relief distance should be

订购信息 Ordering Information





Amphenol Technical Products International Asia.

PartNo: 40mm 4PDS Plug Conn
PL184-40

签名 SIGNATURE	日期 DATE	第三角投影 THIRD ANGLE PROJECTION	页面 SHEET	幅面 SIZE	版次 REV.	比例 SCALE	零件名称 PART NAME
Shen	08/23/18	1 or 2	A3	1			PartNo: 40mm 4PDS Plug Conn PL184-40
制图 DRAWN	审核 CHECKED	批准 APPROVAL	UNLESS OTHERWISE SPECIFIED				零件号 PART NO.
			1) All dimensions are in metric(mm).				PL184-40
			2) Tolerances are as follows:				N/A
			0 Pl DEC ±1.00				
			1 Pl DEC ±0.50				
			2 Pl DEC ±0.20				
			Angles ±1°				

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View PL184Y-41-4 on WIN SOURCE](#)
-  [Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management