



THE DATASHEET OF E2466NLT



QUALITY

TO +70°C
) +125°C




ILITY AT 245°C REFLOW PROFILE

O MOISTURE SENSITIVE

MAXIMUM THROUGH REFLOW SOLDER

NG ADD A "T" SUFFIX


L BECOMES E2466NLT).



FINAL OUTLINE

All rights reserved. Pulse confidential & proprietary. (05/02/17)

T/LA DRAWING	PS DRAWING	SHEET	PART NO.	DATASHEET REV.
E2466NL-13	PS-0125.001-C	1 OF 3	E2466NL	A



ELECTRICAL CHARACTERISTICS AT +25°C UNLESS OTHER SPECIFIED

PARAMETER	SPECIFICATIONS
TURNS RATIO	(6-8):(11-9) = 1:2 ±3% (1-3):(16-14) = 1:1 ±3%
INDUCTANCE (OCL)	70 uH MIN (AT 100 KHz 20 mVRMS)
CAPACITANCE WINDING TO WINDING	12 pF MAX (AT 100 KHz 20 mVRMS)
DC RESISTANCE	0.6 OHMS MAX
LEAKAGE INDUCTANCE	0.3 uH MAX
INPUT – OUTPUT ISOLATION	1500 VRMS MIN @ 60 SECONDS





NOTE: f IS FREQUENCY IN MHZ.

TTC

All rights reserved. Pulse confidential & proprietary. (05/02/17)

TLA DRAWING	PS DRAWING	SHEET	PART NO.	DATASHEET REV.
22466NL-13	PS-0125.001-C	2 OF 3	E2466NL	A

PHONE:USA:858 674 8100, GERMANY:49 7032 78060, SINGAPORE:65 6287 8998, SHANGHAI:86 21 62787060, TAIWAN:886 3 4356768



WITH THE FOLLOWING REFERENCE ONLY.



All rights reserved. Pulse confidential & proprietary. (05/02/17)

TLA DRAWING 2466NL-13	PS DRAWING PS-0125.001-C	SHEET 3 OF 3	PART NO. E2466NL	DATASHEET REV. A
--------------------------	-----------------------------	-----------------	---------------------	---------------------

PULSE ELECTRONICS.COM(Asia) PHONE: USA:858 674 8100, GERMANY:49 7032 78060, SINGAPORE:65 6287 8998, SHANGHAI:86 21 62787060, TAIWAN:886 3 4356768

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View E2466NLT on WIN SOURCE](#)
-  [Pulse Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management