








**THE DATASHEET OF
PL184X-41-4**





REVISIONS						
REV	ZONE	ECO	DESCRIPTION	DATE	BY	APPR
B	---	---	Change pin for 4mm2 wire	11/03/15	RW	GX
D	---	---	Update Spec.	11/09/16	SW	TS
H	---	---	Add rating current and update part name	03/19/18	YM	JG
I	---	---	Add specification description	08/22/18	ST	JL



Standard Part List (With HVIL)

P/N	Model NO.	Recommended Wire (Ø)	Dimension "A"	Mating Part Model NO.
AC-HA002978	PL184V-41-2.5	5.0~5.4mm	φ3.70mm	PI084V-41-2.5
AC-HA002979	PL184V-41-2.5			PI084V-41-2.5
AC-HA002980	PL184V-41-2.5			PI084V-41-2.5
AC-HA010394	PL184V-41-2.5			PI084V-41-2.5
AC-HA002981	PL184V-41-4			PI084V-41-4
AC-HA002982	PL184V-41-4			PI084V-41-4
AC-HA002983	PL184V-41-4	5.6~6.0mm	△φ4.57mm	PI084V-41-4
AC-HA010395	PL184V-41-4			PI084V-41-4
AC-HA002984	PL184V-41-6	6.4~7.0mm	φ5.80mm	PI084V-41-6
AC-HA002985	PL184V-41-6			PI084V-41-6
AC-HA002986	PL184V-41-6			PI084V-41-6
AC-HA010396	PL184V-41-6			PI084V-41-6




Standard Part List (Without HVIL)

P/N	Model NO.	Recommended Wire (Ø)	Dimension "A"	Mating Plug Model NO.
AC-HA002969	PL184V-40-2.5	5.0~5.4mm	φ3.70mm	PI184V-40-2.5
AC-HA002970	PL184V-40-2.5			PI184V-40-2.5
AC-HA002971	PL184V-40-2.5			PI184V-40-2.5
AC-HA010397	PL184V-40-2.5			PI184V-40-2.5
AC-HA002972	PL184V-40-4	5.6~6.0mm	△φ4.57mm	PI184V-40-4
AC-HA002973	PL184V-40-4			PI184V-40-4
AC-HA002974	PL184V-40-4			PI184V-40-4
AC-HA010398	PL184V-40-4			PI184V-40-4
AC-HA002975	PL184V-40-6	6.4~7.0mm	φ5.80mm	PI184V-40-6
AC-HA002976	PL184V-40-6			PI184V-40-6
AC-HA002977	PL184V-40-6			PI184V-40-6
AC-HA010399	PL184V-40-6			PI184V-40-6

Appropriate strain relief of the cable. No stress be fixed to a point structurally contiguous with the face of the plug and receptacle. No relative movement is permissible. Strain relief distance should be

订购信息 Ordering Information



Amphenol Technical Products International Asia.

签名 SIGNATURE	日期 DATE	第三角投影 THIRD ANGLE PROJECTION	页面 SHEET	幅面 SIZE	版次 REV.	比例 SCALE
Shen	08/23/18	1 or 2	A3	1		

UNLESS OTHERWISE SPECIFIED
 1) All dimensions are in metric(mm),
 2) Tolerances are as follows:
 0 Pl DEC ±1.00
 1 Pl DEC ±0.50
 2 Pl DEC ±0.20
 Angles ±1°

Part No. **PL184-40**



Part Name **Partok 4.0mm 4PDS Plug Conn**

Cust Part # **N/A**

Cust Ref.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View PL184X-41-4 on WIN SOURCE](#)
-  [Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management