



**THE DATASHEET OF  
SEI-120-02-GF-S-M-AT**





SEI-110-02-GF-S-E-TR

SEI-120-02-GF-S

SIBF-10-F-S-AD

SIBF-25-F-S-AD

SIBF-05-F-S-AD

(1.00 mm) .0394" (SEI) (1.27 mm) .050" (SIBF)

SEI, SIBF SERIES

# ONE-PIECE INTERFACE

## SPECIFICATIONS

For complete specifications and recommended PCB layouts see [www.samtec.com?SEI](http://www.samtec.com?SEI) or see [www.samtec.com?SIBF](http://www.samtec.com?SIBF)

### Insulator Material:

SEI = Liquid Crystal Polymer  
SIBF = Black Liquid Crystal Polymer

### Contact Material:

Phosphor Bronze

### Plating:

SEI = Au over 50 μ" (1.27 μm) Ni  
SIBF = Au or Sn over 50 μ" (1.27 μm) Ni

### Current Rating:

SEI = 2.3 A per pin (1 pin powered)  
SIBF = 2.5 A per pin (1 pin powered)

### Operating Temp Range:

-55 °C to +125 °C

### Mating Force:

SEI = 50 g (0.49 N) per contact

### Voltage Rating:

SEI = 250 VAC  
SIBF = 155 VAC

### Cycles:


SEI = 100 min

### Contact Deflection:

SEI = (0.46 mm) .018" nominal

### RoHS Compliant:

Yes



## PROCESSING

### Lead-Free Solderable:

Yes

### SMT Lead Coplanarity (SEI):


(0.10 mm) .004" max (05-25)  
(0.15 mm) .006" max (30)\*  
\*(.004" stencil solution may be available; contact [ipg@samtec.com](mailto:ipg@samtec.com))

### SMT Lead Coplanarity (SIBF):

(0.10 mm) .004" max (05-20)  
(0.15 mm) .006" max (25)\*  
\*(.004" stencil solution may be available; contact [ipg@samtec.com](mailto:ipg@samtec.com))

## RECOGNITIONS

For complete scope of recognitions see [www.samtec.com/quality](http://www.samtec.com/quality)



### ALSO AVAILABLE (MOQ Required)

- Additional positions
- Top or bottom side only alignment pin

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View SEI-120-02-GF-S-M-AT on WIN SOURCE](#)
- ⊖ [Samtec Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management