




THE DATASHEET OF CX4011NLT



RF SPLITTER/COMBINER

For RF Applications in Cable Media Products and Distribution Equipment : 2-Way; 0°



- Operating bandwidth: 5 MHz to 1000 MHz
- Ideal for cable distribution equipment and set top box applications
- High Isolation
- Excellent VSWR
- 235°C peak IR reflow temperature rating

Electrical Specifications @ 25°C — Operating Temperature -40°C to +85°C

Part Number	Frequency	Z (Ω)	Isolation		Return Loss		Insertion Loss			
			5-400 MHz (dB TYP/MIN)	400-1000 MHz (dB TYP/MIN)	INPUT (TYP/MAX)	OUTPUT (TYP/MAX)	5-650 MHz (dB TYP/MAX)	650-750 MHz (dB TYP/MAX)	750-870 MHz (dB TYP/MIN)	870-1000 MHz (dB TYP/MIN)
CX4011NL	5 - 1000	75	24/14	30/16	30/22	20/15	0.35/0.55	0.50/0.60	0.60/0.75	0.70/1.00



Additional Specifications

Part Number	Phase Unbalance		Amplitude Unbalance	
	5-400 MHz (deg MAX)	400-1000 MHz (dB MAX)	5-400 MHz (deg MAX)	400-1000 MHz (dB MAX)
CX4011NL	6	3	0.50	0.50

Note: Optional Tape & Reel packaging can be ordered by adding a "T" suffix to the part number (ex: CX4011T).

Mechanical

CX4011NL



Weight.....0.35 grams
Reel.....2200/reel

Dimensions: $\frac{\text{Inches}}{\text{mm}}$

Unless otherwise specified, all tolerances are $\pm \frac{.005}{0,13}$

For More Information

Pulse Worldwide Headquarters
12220 World Trade Drive
San Diego, CA 92128
U.S.A.

Pulse Europe
Zeppelinstrasse 15
71083 Herrenberg
Germany

Pulse China Headquarters
B402, Shenzhen Academy of
Aerospace Technology Bldg.
10th Kejian Road
High-Tech Zone
Nanshan District
Shenzhen, PR China 518057
Tel: 86 755 33966678
Fax: 86 755 33966700

Pulse North China
Room 2704/2705
Super Ocean Finance Ctr.
2067 Yan An Road West
Shanghai 200336
China
Tel: 86 21 62787060
Fax: 86 2162786973

Pulse South Asia
135 Joo Seng Road
#03-02
PM Industrial Bldg.
Singapore 368363

Pulse North Asia
3F No. 198, Zhongyuan Road
Zhongli City
Taoyuan County (32068)
Taiwan
Tel: 886 3 4356768
Fax: 886 3 4356823

Tel: 858 674 8100
Fax: 858 674 8262

Tel: 49 7032 7806 0
Fax: 49 7032 7806 12

Tel: 65 6287 8998
Fax: 65 6287 8998

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2013. Pulse Electronics, Inc. All rights reserved.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View CX4011NLT on WIN SOURCE](#)

 [Pulse Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management