



**THE DATASHEET OF
S1X1LG6NM**



PANDUCT® Type S — Solid Wall Raceway



Type S Solid Wall Raceway


- Made of rigid PVC (See [pg. 34](#) for material specifications)
- Rated for continuous use temperatures up to 50°C (122°F)
- Available in a variety of colors as a standard part (See [page 36](#) for details)
- Provided with standard mounting holes (dimensions [page 31](#))
- Available without mounting holes (See ordering information below)
- Available with adhesive backing* (See [page 22](#) for details)



Type S — Raceway Standard Colors†:

| | | | | | |
|------------|----|----------------|----|-------|----|
| | LG | | DG | | WH |
| Light Gray | | Dark Gray | | White | |
| | BL | | IB | | |
| Black | | Intrinsic Blue | | | |

Colors shown are approximate.



Ordering Information:


- Order number of feet required in multiples of 6 ft or Std. Carton quantities.
- To order duct with mounting holes, delete NM from Part Number.
- To order with pressure-sensitive adhesive mounting tape applied, add -A to Part Number.
- Part Number shown for Light Gray LG. To order other colors, substitute WH for White, DG for Dark Gray, BL for Black, and IB for Intrinsic Blue

†See [page 36](#) to determine which sizes are available in each color

| Raceway Part Number | Raceway External Dimensions | | Cover Part Number | Raceway Std. Ctn. Qty. | Cover Std. Ctn. Qty. | Std. Lgth |
|--|---|---|-------------------|---|---|-----------|
| | WxH IN. | WxH (mm) | | | | |
| S.5X.5LG6NM S.5X.62LG6NM S.5X1LG6NM S.5X1.25LG6NM S.5X1.75LG6NM S.5X2LG6NM | 0.63 x 0.56 0.63 x 0.68 0.63 x 1.06 0.63 x 1.31 0.63 x 1.81 0.63 x 2.06 | (16.0) x (14.2) (16.0) x (17.3) (16.0) x (26.9) (16.0) x (33.3) (16.0) x (46.0) (16.0) x (52.3) | C.5LG6 | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 6 ft. |
| S.75X.75LG6NM S.75X1LG6NM S.75X1.5LG6NM S.75X2LG6NM | 0.88 x 0.81 0.88 x 1.06 0.88 x 1.56 0.88 x 2.12 | (22.4) x (20.6) (22.4) x (26.9) (22.4) x (39.6) (22.4) x (53.8) | C.75LG6 | 120 ft. 120 ft. 120 ft. 120 ft. | 120 ft. 120 ft. 120 ft. 120 ft. | 6 ft. |
| S1X1LG6NM S1X1.25LG6NM S1X1.5LG6NM S1X2LG6NM S1X2.5LG6NM S1X3LG6NM S1X4LG6NM | 1.14 x 1.12 1.14 x 1.37 1.14 x 1.62 1.14 x 2.12 1.14 x 2.62 1.14 x 3.12 1.14 x 4.12 | (29.0) x (28.4) (29.0) x (34.8) (29.0) x (41.1) (29.0) x (53.8) (29.0) x (66.5) (29.0) x (79.2) (29.0) x (104.6) | C1LG6 | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 6 ft. |
| S1.5X1 LG6NM S1.5X1.5LG6NM S1.5X2LG6NM S1.5X3LG6NM S1.5X4LG6NM | 1.64 x 1.12 1.64 x 1.62 1.64 x 2.12 1.64 x 3.12 1.64 x 4.12 | (41.7) x (28.4) (41.7) x (41.1) (41.7) x (53.8) (41.7) x (79.2) (41.7) x (104.6) | C1.5LG6 | 120 ft. 120 ft. 120 ft. 120 ft. 60 ft. | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 6 ft. |
| S2X1LG6NM S2X1.5LG6NM S2X2LG6NM S2X2.5LG6NM S2X3LG6NM S2X4LG6NM S2X5LG6NM | 2.14 x 1.12 2.14 x 1.62 2.14 x 2.12 2.14 x 2.62 2.14 x 3.12 2.14 x 4.12 2.14 x 5.12 | (54.4) x (28.4) (54.4) x (41.1) (54.4) x (53.8) (54.4) x (66.5) (54.4) x (79.2) (54.4) x (104.6) (54.4) x (130.0) | C2LG6 | 120 ft. 120 ft. 120 ft. 60 ft. 60 ft. 60 ft. 60 ft. | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 6 ft. |
| S2.5X3LG6NM | 2.64 x 3.12 | (67.1) x (79.2) | C2.5LG6 | 60 ft. | 120 ft. | 6 ft. |
| S3X1LG6NM S3X1.25LG6NM S3X2LG6NM S3X3LG6NM S3X4LG6NM S3X5LG6NM | 3.14 x 1.12 3.14 x 1.37 3.14 x 2.12 3.14 x 3.12 3.14 x 4.12 3.14 x 5.12 | (79.8) x (28.4) (79.8) x (34.8) (79.8) x (53.8) (79.8) x (79.2) (79.8) x (104.6) (79.8) x (130.0) | C3LG6 | 120 ft. 120 ft. 60 ft. 60 ft. 60 ft. 60 ft. | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 6 ft. |
| S4X1.5LG6NM S4X2LG6NM S4X3LG6NM S4X4LG6NM S4X5LG6NM | 4.14 x 1.62 4.14 x 2.12 4.14 x 3.12 4.14 x 4.12 4.14 x 5.12 | (105.2) x (41.1) (105.2) x (53.8) (105.2) x (79.2) (105.2) x (104.6) (105.2) x (130.0) | C4LG6 | 120 ft. 60 ft. 60 ft. 60 ft. 60 ft. | 120 ft. 120 ft. 120 ft. 120 ft. 120 ft. | 6 ft. |

See [page 31](#) for complete listing of dimensions. *Adhesive tape is not CSA Certified.

Part Number Nomenclature —



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View S1X1LG6NM on WIN SOURCE](#)

 [Panduit Corp](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management