









**THE DATASHEET OF
SGABM30-AT-C0**



Super-Grip™ Adhesive Backed Cable Tie Mounts

- Low profile design keeps bundle close to mounting surface
- Small overall size allows use where space is limited

- For use with Super-Grip™ Cable Ties found on page B1.38
- New! High Bond Adhesive available



| Part Number | Used with Cable Ties† | Material | Color | Environment | Mounting Method* | Std. Pkg. Qty. | Std. Ctn. Qty. |
|--|--------------------------|---|-------|--------------------|---|----------------|----------------|
| Super-Grip™ Mounts with Pre-Installed Adhesive | | | | | | | |
| SGAMB20-A-C | SGM, SGI | Nylon 6.6 | White | Indoor Use | Rubber Adhesive | 100 | 500 |
| SGAMB20-AT-C0 | | Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | Acrylic Adhesive | 100 | 500 |
| SGAMB20-AV-C300 | | Heat Stabilized Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | High Bond Acrylic Adhesive | 100 | 500 |
| SGAMB25-A-C | SGM, SGI, SGS | Nylon 6.6 | White | Indoor Use | Rubber Adhesive | 100 | 1000 |
| SGAMB25-AT-C0 | | Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | Acrylic Adhesive | 100 | 1000 |
| SGAMB25-AV-C300 | | Heat Stabilized Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | High Bond Acrylic Adhesive | 100 | 1000 |
| SGAMB30-A-C | | Nylon 6.6 | White | Indoor Use | Rubber Adhesive | 100 | 500 |
| SGAMB30-AT-C0 | | Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | Acrylic Adhesive | 100 | 500 |
| SGAMB30-AV-C300 | | Heat Stabilized Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | High Bond Acrylic Adhesive | 100 | 500 |
| SGAMB40-A-L | SGM, SGI, SGS, SGLH, SGH | Nylon 6.6 | White | Indoor Use | Rubber Adhesive | 50 | 500 |
| SGAMB40-AT-L0 | | Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | Acrylic Adhesive | 50 | 500 |
| SGAMB50-A-L | | Nylon 6.6 | White | Indoor Use | Rubber Adhesive | 50 | 500 |
| SGAMB50-AT-L0 | | Weather Resistant Nylon 6.6 | Black | Outdoors/High Temp | Acrylic Adhesive | 50 | 500 |
| Super-Grip™ Mounts for Installation with Screws or User-Supplied Adhesive | | | | | | | |
| SGAMB25-S6-C | SGM, SGI, SGS | Nylon 6.6 | White | Indoors | #6 (M3) Screw | 100 | 1000 |
| SGAMB25-S6-C0 | | Weather Resistant Nylon 6.6 | Black | Outdoors | #6 (M3) Screw or User Supplied Adhesive | 100 | 1000 |

†Cable tie cross section sizes: SGM = Super-Grip® Miniature, SGI = Super-Grip® Intermediate, SGS = Super-Grip® Standard, SGLH = Super-Grip® Light-Heavy, and SGH = Super-Grip® Heavy.

*For proper selection of adhesive see page B2.54.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View SGABM30-AT-C0 on WIN SOURCE](#)

 [Panduit Corp](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management