






THE DATASHEET OF SMFLP2F-2.5



NOTES:

1. COMPONENTS SHIPPED NON-ASSEMBLED.


REV.	DESCR
A	Engineering Release
B	Updated Table For Length
C	ECO-1241: Updated Reco



RECOMMENDED LENS MOUNTING HOLE

TABLE 1 - LENGTH	
LENGTH (L)*	TOLERANCE
1.00" - 16.00"	±0.05"
16.1" - 40.00"	±0.15"
40.1" - 80.00"	±0.30"
80.1" - 3,940.00"	±0.5%

*AVAILABLE IN 0.1" INCREMENTS



INSERT FLEXIBLE LIGHT PIPE INTO ADAPTER TO COMPLETE ASSEMBLY

0.150
2X $\varnothing 0.100\text{in} \begin{matrix} +0.000 \\ -0.005 \end{matrix} \begin{matrix} [2.5 \\ -0.125] \end{matrix}$

LED MOUNTING


RECOMMENDED & MOUNTING

CUSTOMER

STANDARD TOLERANCE

(UNLESS OTHERWISE SPECIFIED)

DECIMALS	ANGULAR
X ±.1	X° ±1°
.XX ±.02	
.XXX ±.010	



DESIGNED:	DATE:
K. BARON	9/14/2005
REVISED:	DATE:
K. BARON	5/9/2024
CHECKED:	DATE:
A. VALDEZ	5/9/2024

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View SMFLP2F-2.5 on WIN SOURCE](#)

 [Bivar Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management