

Metal thin film chip resistors (precision)

RR series

Features

- Precision chip resistors excellent in resistance tolerance, TCR, frequency performance, noise characteristics, and linearity.
- * This product is not currently recommended for use in new design systems. Production may be discontinued in the near future.

Applications

- Consumer electronics that requires precision resistors
- All purpose resistors in any area of electronics



Thin film surface mount resistors



RR series

◆ Part numbering system


RR 0816 P - 102 - D - (M) - (*)**

| | | |
|---------------------------------------|---|---|
| Series code | RR 0816 P - 102 - D - (M) - (***) | only given to 3 digit coders for RR0816 E-96 series |
| Size: RR0306, RR0510, RR0816, RR1220, | | |
| Temperature coefficient of resistance | | |
| Nominal Resistance | RR0306, RR0510, RR0816, RR1220 E-24: 3 digit, RR0306, RR0510, RR0816, RR1220 E-96: 4 digit, | Letter M is added for RR1220 E-96 series 4digit codes |
| | | Resistance tolerance |

◆ Electrical Specification

| Type | Power ratings | Temperature coefficient of resistance (ppm/°C) | Resistance range(Ω) Resistance tolerance | | | Maximum voltage | Resistance value series | Operating temperature | Packaging quantity |
|--------|---------------|--|--|------------|---------|-----------------|-------------------------|-----------------------|--------------------|
| | | | ±0.1% (B) | ±0.5% (D) | ±1% (F) | | | | |
| RR0306 | 1/20W | ±25(P) | — | 33≤R≤22k | | 15V | E-24 | -55°C ~ 125°C | 5,000pcs |
| | | ±100(R) | — | — | 10≤R≤30 | | | | |
| RR0510 | 1/16W | ±25(P) | — | 100≤R≤100k | — | 25V | E-24, E-96 | | 10,000pcs |
| | | ±100(R) | — | 10≤R<100 | — | | | | |
| RR0816 | 1/16W | ±25(P) | — | 100≤R≤360k | — | 75V | | E-24, E-96 | 5,000pcs |
| | | ±50(Q) | — | 10≤R<100 | — | | | | |
| RR1220 | 1/10W | ±25(P) | — | 100≤R≤1M | | 100V | E-24, E-96 | | 5,000pcs |
| | | ±50(Q) | — | 10≤R<100 | — | | | | |

◆ Dimensions





| Type | Size (inch) | L | W | a | b | t |
|--------|-------------|-----------|-----------|-----------|-----------|-----------|
| RR0306 | 0201 | 0.60±0.05 | 0.30±0.05 | 0.12±0.05 | 0.12±0.05 | 0.23±0.03 |
| RR0510 | 0402 | 1.00±0.05 | 0.50±0.05 | 0.20±0.10 | 0.25±0.05 | 0.35±0.05 |
| RR0816 | 0603 | 1.60±0.20 | 0.80±0.20 | 0.30±0.20 | 0.30±0.20 | 0.40±0.10 |
| RR1220 | 0805 | 2.00±0.20 | 1.25±0.20 | 0.40±0.20 | 0.40±0.20 | 0.40±0.10 |

(unit : mm)

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View RR0816Q-330-D on WIN SOURCE](#)
-  [Susumu Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management