




**THE DATASHEET OF
VLP-500-R**




REV.	
G	VLP-700-R/F Obsolete
H	Updated Slot Dimensions
J	Updated Material No.
K	Revised Typo.
L	Added Color Options




VLP-XXX-R
ROUND FACE

PART NO.	OVERALL
VLP-200-R/F	0.200" ()
VLP-250-R/F	0.250" ()
VLP-300-R/F	0.300" ()
VLP-350-R/F	0.350" ()
VLP-400-R/F	0.400" ()
VLP-450-R/F	0.450" ()
VLP-500-R/F	0.500" ()
VLP-550-R/F	0.550" ()
VLP-600-R/F	0.600" ()
VLP-640-R/F	0.640" ()
VLP-650-R/F	0.650" ()



VLP-XXX-F
FLAT FACE



Recommended Mounting Holes

STANDARD TOLERANCES
(UNLESS OTHERWISE SPECIFIED)

DECIMALS	ANGU
.X ±.1	X°
.XX ±.01	
.XXX ±.005	



DESIGNED: **Michael Chen**

CHECKED: **D. Green**


DATE: **10/2**

DATE: **10/2**

2. MATERIAL: POLYCARBONATE, 94V-0, CLEAR.
1. GENERAL SPECIFICATIONS: BIVAR MOLDED COMPONENT SPECIFICATION BV00-E101.

OTHER AVAILABLE COLORS
 * SEE TABLE FOR ORDERING INFORMATION

REV.	SEE SHEET #1



COLOR	Order Code
BLUE	BE
BLACK	BK
GREEN	GN
GRAY	GY
RED	RD
YELLOW	YW



NOTE: LEAVE ORDER CODE BLANK
 IF NO COLOR IS DESIRED.

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED)	DESIGNED:	DATE:	01/2
DECIMALS	K. Aukshunas	DATE:	01/2
ANGU	CHECKED:	DATE:	01/2
	J. Chiang		

3. PARTS ARE DYED TO COLOR UPON REQUEST.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View VLP-500-R on WIN SOURCE](#)
-  [Bivar Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management