




**THE DATASHEET OF
VLP-650-F**




REV.	
G	VLP-700-R/F Obsolete
H	Updated Slot Dimensions
J	Updated Material No.
K	Revised Typo.
L	Added Color Options




VLP-XXX-R
ROUND FACE

PART NO.	OVERALL
VLP-200-R/F	0.200" ()
VLP-250-R/F	0.250" ()
VLP-300-R/F	0.300" ()
VLP-350-R/F	0.350" ()
VLP-400-R/F	0.400" ()
VLP-450-R/F	0.450" ()
VLP-500-R/F	0.500" ()
VLP-550-R/F	0.550" ()
VLP-600-R/F	0.600" ()
VLP-640-R/F	0.640" ()
VLP-650-R/F	0.650" ()



VLP-XXX-F
FLAT FACE



Recommended Mounting Holes

STANDARD TOLERANCES (UNLESS OTHERWISE SPECIFIED)	
DECIMALS	ANGULAR
.X ±.1	X°
.XX ±.01	
.XXX ±.005	




DESIGNED:	DATE:
Michael Chen	10/2
CHECKED:	DATE:
D. Green	10/2

2. MATERIAL: POLYCARBONATE, 94V-0, CLEAR.
1. GENERAL SPECIFICATIONS: BIVAR MOLDED COMPONENT SPECIFICATION BV00-E101.


OTHER AVAILABLE COLORS
 * SEE TABLE FOR ORDERING INFORMATION

REV.	SEE SHEET #1



COLOR	Order Code
BLUE	BE
BLACK	BK
GREEN	GN
GRAY	GY
RED	RD
YELLOW	YW

NOTE: LEAVE ORDER CODE BLANK
 IF NO COLOR IS DESIRED.

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED) DECIMALS ANGULAR		DESIGNED:	DATE: 01/2
		K. Aukshunas	01/2
		CHECKED:	DATE: 01/2
		J. Chiang	

3. PARTS ARE DYED TO COLOR UPON REQUEST.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View VLP-650-F on WIN SOURCE](#)

 [Bivar Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management