



**THE DATASHEET OF
06T-JWPF-VSLE-D**




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO J.S.T. AND SHALL NOT BE USED OR SHOWN WITHOUT WRITTEN PERMISSION.

Item No.	Part No.	Description
1	SWPT-001T-P025	JWPF Connector Contact
2	UL1007, 22 AWG	Black

Electrical Specifications
Current: 3.0A AC/DC
Voltage: 100V AC/DC

APPLICABLE HOUSINGS	
NO. OF CIRCUITS	HOUSING PART NO.
2	02T-JWPF-VSLE-S
3	03T-JWPF-VSLE-S
4	04T-JWPF-VSLE-S
6	06T-JWPF-VSLE-D
8	08T-JWPF-VSLE-D



All dimensions are in millimeters with a default tolerance of +/- 5.0 unless otherwise specified.		CUSTOMER NAME	
Drawn By: Larissa Mosley		DESCRIPTION	
Checked By: Steven Pilkington		2.0mm Pitch JWPF Series Standard Leads - 10" Inside Length DOUBLE END LEADS, M-M	
SIZE	CUSTOMER PART NO.	PART NO.	REV
SCALE	DRAWING NO.	DATE	
1:1	GAM-360	5/9/2018	

ZONE	REV	DESCRIPTION	DATE	APPROVED
1	1	Add Electrical Specifications	7/02/2018	LM

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 06T-JWPF-VSLE-D on WIN SOURCE](#)
-  [JST Sales America Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management