

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 14JAN, 2004.
 © COPYRIGHT 2004 By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	C	ECR-06-021030	22SEP06	AM	FWK
	C1	REVISED PER ECO-10-000444	18JAN10	KK	HMR
	C2	ECR-10-022205	01FEB11	KK	HMR



NOTES

- FOR TECHNICAL DATA REFER TO YOUR LOCAL TYCO ELECTRONICS SALES OFFICE.
- ALL DIMENSIONS ARE NOMINAL FOR REFERENCE ONLY UNLESS OTHERWISE STATED.
- RATING
 3.1 RATING : 3 AMPS
 3.2 OPERATING TEMPERATURE : - 40°C TO +105°C
- ELECTRICAL SPECIFICATION
 4.1 INSULATION RESISTANCE
 5000 MΩ MINIMUM
 4.2 WITHSTAND VOLTAGE
 500V AC
- MATERIALS
 5.1 CONTACT - BRASS, POST PLATE
 Au 0.25µm (10µinch) IN CONTACT AREA
 Sn 2 TO 3µm (80 TO 120µinch) IN SOLDER AREA.
 5.2 HOUSING - BLACK NYLON 6T UL 94V-0

- △ 6 NUMBER OF CONTACT POSITIONS TO BE INDICATED IN AREA SHOWN.
XX = NUMBER OF POSITONS.
- △ 7 TYCO LOGO TO BE PRESENT IN AREA INDICATED.
- △ 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

△ 8	OBSOLETE	78.74	88.93	64	6-1634688-4
	OBSOLETE	73.66	83.85	60	6-1634688-0
		60.96	71.15	50	5-1634688-0
		48.26	58.45	40	4-1634688-0
		40.64	50.83	34	3-1634688-4
		30.48	40.67	26	2-1634688-6
		22.86	33.05	20	2-1634688-0
		17.78	27.97	16	1-1634688-6
		15.24	25.43	14	1-1634688-4
		10.16	20.35	10	1-1634688-0
		A	B	No Of Contacts	TE Part No
		Dimensions			

Recommended P.C.Board Hole Layout



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	A.MOREY	14JAN04
DIMENSIONS: mm		CHK	J.SANDWELL	14JAN04
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	F.WHEELER-KING	14JAN04
0 PLC	± -	NAME		
1 PLC	± -	PRODUCT SPEC		
2 PLC	± 0.2	APPLICATION SPEC		
3 PLC	± -	SIZE	A3	CAGE CODE
4 PLC	± -	DRAWING NO	C-1634688	RESTRICTED TO
ANGLES	± 3'	WEIGHT	-	
MATERIAL	-	CUSTOMER DRAWING		
FINISH	-	SCALE	NTS	SHEET

OBSELETE TE Connectivity
 BOX HEADER STRAIGHT
 NOT the LATEST REVISION
 SCALE NTS SHEET 1 OF 1 REV C2

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 1-1634688-0 on WIN SOURCE](#)

 [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management