






**NEW**  
From Wiha

**Wiha Insulated Hex L-keys**

**Insulation Test Standards:**  
Insulation according to ASTM,  
F-1505-01, EN/IEC 60900



**1000V**

**Insulation**  
Applied directly  
onto blade for  
permanent  
bonding

**Each tool individually  
tested to 10,000 volts  
and certified to 1000  
Volt ac or 1500 Volt dc**



**1000Volt**

**SHOP**

**136 Inch Insulated Hex L-keys, With Insulated Handle**

**Insulation According to IEC 60900 specification, up to 1000 Volt.  
Individually Tested.** Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	↔
No.	Inch	mm	Inch	lbs.	pkg.
136 63	1/8	104	4.1	.04	1
136 65	5/32	104	4.1	.05	1
136 66	3/16	134	5.3	.10	1
136 67	7/32	134	5.3	.12	1
136 68	1/4	134	5.3	.14	1
136 69	5/16	144	5.7	.24	1
136 62	3/8	234	9.2	.51	1
136 64	1/2	234	9.2	.77	1



**1000Volt**

**SHOP**

**136 90 Set 8 Pcs. Insulated Inch Hex L-keys**

Item No.	ØMM	OAL	ØMM	OAL	↔		
No.	Inch	Inch	Inch	Inch	lbs.		
136 90	136 63	1/8	4.1	136 68	1/4	5.3	2.10
	136 65	5/32	4.1	136 69	5/16	5.7	
	136 66	3/16	5.3	136 62	3/8	9.2	
	136 67	7/32	5.3	136 64	1/2	9.2	



**1000Volt**

**SHOP**

**136 Metric Insulated Hex L-keys, With Insulated Handle**

**Insulation According to IEC 60900 specification, up to 1000 Volt.  
Individually Tested.** Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	↔
No.	mm	mm	Inch	lbs.	pkg.
136 53	3	130	5.1	.04	1
136 54	4	120	4.7	.06	1
136 55	5	140	5.5	.10	1
136 56	6	140	5.5	.13	1
136 58	8	150	5.9	.24	1
136 59	10	220	8.7	.51	1
136 57	12	260	10.2	.77	1

**1000Volt**

**SHOP**

**136 91 Set 7 Pcs. Insulated Metric Hex L-keys**

Item No.	ØMM	OAL	ØMM	OAL	↔	
No.	mm	mm	mm	mm	lbs.	
136 91	136 53	3	130	136 58	8	1.85
	136 54	4	120	136 59	10	220
	136 55	5	140	136 57	12	260
	136 56	6	140			

**Wiha Insulated 3/8" Bit Sockets & Set**



**1000Volt**

**SHOP**

**318 Insulated 3/8" Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 specification, up to 1000 Volt.**

**Individually Tested.** Chrome-vanadium steel, forged, oil-hardened.

Item No.	Inch	OAL	↔	↔
No.	Inch	OAL	lbs.	pkg.
318 05	3/16	3.1"	.13	1
318 07	7/32	3.1"	.14	1
318 09	1/4	3.1"	.14	1
318 11	5/16	3.1"	.16	1
318 13	3/8	3.1"	.18	1
318 15	7/16	3.1"	.20	1
318 17	1/2	3.1"	.22	1

\*Sockets must be used with insulated ratchets & extensions



**1000Volt**

**SHOP**


**318 90 7 Pc. Insulated 3/8" Drive Socket Set - Inch**

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No.	Set includes the following:
318 90	↔ lbs. 1.7      3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 31890 on WIN SOURCE](#)

 [Wiha Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management