









**THE DATASHEET OF
ZSS-104-01-G-D-540-LL**



DIMENSIONS ARE IN INCHES		TOLERANCES ARE:		TITLE:	DWG NO:
ONE PLACE DECIMALS ± .1	THREE PLACE DECIMALS ± .005	ANGLES	± 2°	ZSS-ASSEMBLY	ZSS-1XX-XX-XXX-X-XXXX-XX-XX
TWO PLACE DECIMALS ± .01	FOUR PLACE DECIMALS ± .0020				ZSS-1XX-XX-XXX-X-XXXX-XX-XX
					SHEET 1 OF 1




- G: 10μ" GOLD IN CONTACT AREA, 3μ" GOLD ON TAIL
- T: MATTE TIN CONTACT AND TAIL
- S: 30μ" SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL
- H: 30μ" GOLD IN CONTACT AREA, 3μ" GOLD ON TAIL
- L: 10μ" SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL
- F: 3μ" SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL
- STL: 30μ" SELECTIVE GOLD IN CONTACT AREA, (90/10 +/-5%) TAIL (ONLY AVAILABLE IN -06 LEAD STYLE)



LEAD STYLE	TERMINAL	MAX. STACKING HEIGHT	"A"
-01	T-156-15-XX-2	.540	.630
-02	T-156-09-XX-2	.640	.730
-03	T-156-10-XX-2	.740	.830
-04	T-156-11-XX-2	.840	.930
-05	T-156-12-XX-2	.940	1.030
-06	T-156-20-XX-2	1.040	1.130
-07	T-156-13-XX-2	1.140	1.230
-08	T-156-19-XX-2	1.240	1.330
-09	T-156-14-XX-2	1.340	1.430

ASSEMBLY OPERATION	IN-PROCESS INSPECTION
MOUNT BODY	*C1, C2, C4
2ND PRESS	*C1
CRIMP	C3

*WHERE APPLICABLE



- NOTES:
- TERMINAL PUSH-OUT FORCE 3 LBS.
 - ASSEMBLE GOLD PLATE END AS SHOWN.
 - (⊕) REPRESENTS CRITICAL DIMENSION FOR STATISTICAL PROCESS CONTROL.
 - TERMINALS TO BE FLUSH TO .010 BELOW TOP OF SHRPOUD.
 - INSULATOR MATERIALS: PBT, UL 94 VO
 - FOR ADDED MECHANICAL STABILITY, SAMTEC RECOMMENDS MECHANICAL BOARD SPACERS BE USED IN APPLICATIONS WITH GOLD OR SELECTIVE GOLD PLATED CONNECTORS.
 - MAX ALLOWABLE CUT FLASH: .020.
 - PARTS TO BE PACKAGED IN LAYER.
 - FOR 2 POSITION PARTS, RTSW BODY CAN BE ORIENTED WITH CUT END FACING ANY DIRECTION.



520 PARK EAST BLVD., NEW ALBANY, INDIANA 47150
PHONE (812) 944-6733 P.O. BOX 1147
CODE 55322

Samtec
EHS9000 ASSEMBLY 100
ZSS-ASM

MADE BY: TIM PLUMMER
ZSS-1XX-XX-XXX-X-XXXX-XX-XX
SHEET 1 OF 1

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View ZSS-104-01-G-D-540-LL on WIN SOURCE](#)
-  [Samtec Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management