








**THE DATASHEET OF
25SH-B-05-TR**



Rev	AWO #	Description	Date	Appr
-		RELEASED	12/17/09	
A		UPDATED 1 & B DIMENSIONS	1/15/15	
B		UPDATE DRAWING	6/7/18	AV/KC



RECOMMENDED PCB LAYOUT



Positions: 02 thru 20
 A = .098 [2.50] x of Spoces
 B = .098 [2.50] x of Spoces + .197 [5.00]
 C = .098 [2.50] x of Spoces + .138 [3.50]

UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE INCHES [MM]
 TOLERANCES: EXCEPT AS NOTED
 INCHES Holes ±.10 ±.020 ±.015
 .XX ±.020 ±.015
 .XXX ±.015 ±.010

ADAM TECH
 INTERCONNECTS
 909 Rahway Avenue,
 Union, NJ 07083
 Phone: 908-687-5000
 Fax: 908-687-5710

in VAC for 1 minute



APPROVALS	DATE
DRAWN DY	12/17/09
CHECKED	
APPROVED	

TITLE	SIZE	PART NO.	REV.
.098 [2.50] SHROUDED HEADER, RIGHT ANGLE	X	25SH-B-XX-TR	B
REF: S00124T	SCALE: NTS	SHEET 1 OF 1	

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View 25SH-B-05-TR on WIN SOURCE](#)
- ⊖ [Adam Technologies, Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management