








**THE DATASHEET OF  
DF56C-30S-0.3V(51)**



Jun.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




NOTES 1. LEAD CO-PLANARITY SHALL BE 0.1mmMAX.  
2. PER REEL : 5000 COMPONENTS.  
3. THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.  
4 REFER TO JIS 0806. (PACKING OF COMPONENTS FOR AUTO HANDRING)  
5 DO NOT MOUNT ANY OTHER COMPONENTS TO THE INDICATED AREA WHEN USING OUR RECOMMENDED TOOL.  
6 LOCATION OF THE CONNECTOR AND RECOMMENDED PCB LAYOUT ARE ALIGNED WITH THOSE CENTERS.

RECOMMENDED METAL MASK  
THICKNESS 0.1mm  
OPENING RATIO 100% (LEAD PAD)  
100% (GND PAD)

2	LCP	UL94V-0, BLACK	6	PS	BLACK			
1	PHOSPHOR BRONZE	CONTACT AREA : Au PLATING 0.1μmMIN LEAD AREA : Au PLATING 0.05μmMIN UNDER PLATING : Ni PLATING 1μmMIN	5	POLYESTER	CLEAR			
			4	PS	CLEAR			
			3	PHOSPHOR BRONZE	WHOLE AREA : Sn PLATING 1μmMIN UNDER PLATING:Cu PLATING 0.3μmMIN			
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS			
UNITS	mm	SCALE	FREE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
APPROVED : TS. SAKATA		12.06.12	DRAWING NO.		EDC3-344840-01			
CHECKED : HS. OZAWA		12.06.12	PART NO.		DF56C-30S-0.3V(51)			
DESIGNED : TP. MATSUMOTO		12.06.12	CODE NO.		CL662-5616-0-51			
DRAWN : TP. MATSUMOTO		12.06.12						

Jun.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View DF56C-30S-0.3V\(51\) on WIN SOURCE](#)
- ⊖ [Hirose Electric Co Ltd Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management