




THE DATASHEET OF
17030551201




Alle Rechte vorbehalten/ All rights reserved



Kontakt-Maße
contact dimensions

(Längen der Steck- und Anschlußseite gelten für eingepreßte Steckverbinder)
(*mating and termination length of contacts apply to pressed in connectors*)



Kontaktbelegung
contact loading

f	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
e	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
d	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
c	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
b	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
a	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
z																				
	1	3	5	7	9	11														
	2	4	6	8	10															

Lochbild
board drillings



1 **Empfohlener Lochaufbau und weitere Informationen siehe: DS 17 00 110 0101**
recommended configuration of plated through holes and further information see: DS 17 00 110 0101

All Dimensions in mm Original Size DIN A 3			Techn. Character.			
Mod.	Dat.	Name	Detail.	Insp.	Stand.	Maßstab/Scale
35962	16.12.09	Hage.				2:1
35560	20.08.09	Hage.	30.10.97	Hm		
34337	21.05.07	Hage.	30.10.97	Ko		
28487	01.03.01	HL.				
26971	19.11.99	HL.				
22849	28.08.98	HL.	HARTING Electronics GmbH & Co. KG D-32339 ESPELKAMP			

17 03 055 4201	S4
17 03 055 2201	2
17 03 055 1201	1
Bestell-Nr. <i>part-no.</i>	Anforderungsstufe <i>performance level</i> 1

Nicht tolerierte Maße / *Free size tolerances*
IEC 61076-4-101

har-bus HM Messerleiste Typ C
55pol., Anschlußlänge 3,7mm
har-bus HM male connector type C
55pol., termination length 3,7mm

TB 17 03 055 x201 Blatt/ page

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 17030551201 on WIN SOURCE](#)

 [HARTING Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management