



THE DATASHEET OF
1767





Slow Vibration Sensor Switch (Hard to trigger)

PRODUCT ID: 1767



Description

The "poor man's" accelerometer/motion sensor! These spring-vibration switches are **low sensitivity** non-directional vibration induced trigger switches. Inside is a stiff spring coiled around a long metal pin. When the switch is moved, the spring touches the center pole to make contact. So, when there's motion, the two pins will act like a closed switch. When everything is still, the switch is open. Great for basic projects and wearables!


We also have a version with a less stiff spring which makes it a little easier to trigger, and a version with a very soft spring which makes it much easier to trigger!

Technical Details

- Electrical characteristics:
 - **Maximum Voltage:** 12V
 - **Contact Resistance:** <10 ohm
 - **Contact Time:** 2 ms
 - **Maximum Current:** 20mA
 - **Insulation Resistance:** >10M ohm
 - **Temperature Range:** -40 to 80°C
 - **Operating lifespan:** 100,000 cycles
 - Diameter: 5mm/0.2"
 - Height (w/ pins): 21mm/0.8"
 - Height (w/o pins): 11mm/0.4"
 - Weight: 0.30g

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 1767 on WIN SOURCE](#)
-  [Adafruit Industries LLC Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management