








THE DATASHEET OF
3030-20-0103-00





Dimension In

Circuits	Dim. A
6	5.08
8	7.62
10	10.1
12	12.7
14	15.2
16	17.7
18	20.3
20	22.8
24	27.9
26	30.4

Mating Part Number



3020-ALL	3010-XX-001-11-XX	3010-XX-001-13-XX
3010-XX-002-13-XX	3010-XX-003-13-XX	

REV	DATE	FILE	BY	APPROVAL: RORY	CHECKED: JERRY	DRAWN: JAMIE	GENERAL TOLERANCE: .X = ±0.20 .XX = ±0.15	Industrial DESCRIPTION: 2.54MM Flat Cable PART NO: 30
	05-FEB-2020							

Specific
Current
Voltage
Contact
Withsta
Insulati
Temper
Material
Insulat
Stand
Contac
Finish: S

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 3030-20-0103-00 on WIN SOURCE](#)
-  [CNC Tech Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management