




**THE DATASHEET OF
SS-52400-003**





2

3

4



SECTION A-A
SCALE 5 : 1



A

THIRD ANGLE	
DO NOT SCALE	
DRAWING CHANGE WORK	
DIMENSIONS UNLESS OTHERWISE SPECIFIED	
ANGLES UNLESS OTHERWISE SPECIFIED	
SHEET NO. 1	



2

3

4


C T Jack



2

3

4



B



A

RECOMMENDED PCB LAYOUT
 TOLERANCE $\pm .002$ [0.05]
 PCB THICKNESS =
 .039 [1.00] FOR .059 [1.50] SOLDER TAIL
 .063 [1.60] FOR .075 [1.90] SOLDER TAIL



THIRD ANG	
DO NOT S	
DRAWING	
CHANGE W	
DIMENSIONS	
UNLESS OTH	
TOLERANCES	
ANGLE	
SHEET NO.	2



2

3


4

C T Jack




3

2

4



B



700 PCS/REEL
9 REELS =
6300 PCS/CARTON



A

THIRD ANGLE	
DO NOT SCALE	
DRAWING CHANGE W/	
DIMENSIONS	
UNLESS OTHERWISE SPECIFIED	
TOLERANCES	
ANGLE	
SHEET NO.	3

4

3

4

2

C T Jack

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

[View SS-52400-003 on WIN SOURCE](#)

[Stewart Connector Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management