




THE DATASHEET OF CR9580-10

Current Sensor



OUTLINE DRAWING



PART NUMBER									
CR						-			

9521	.27" dia. Window
9550	.61" dia. Window
9580	.40" Splitcore

INPUT RANGE
10
20
50

M	Mounting Case (optional)
---	--------------------------

The **CR9500** Series Current Sensors provides a cost effective method for monitoring electrical current. The sensor generates a 0-5 VDC signal proportional to the input AC current. The output signal is average sensing, calibrated to RMS. The sensor is used with process control and industrial instrumentation equipment. Especially suited for OEM applications that require a low cost solution for numerous monitoring locations. The DC output can be connected directly to an analog input connection without additional signal conditioning. Care must be taken to ensure the burden impedance of the instrumentation is greater than 1.0 megohm. The unit will operate with lower burden impedance but at reduced accuracy.

Applications

- OEM Current Sensing
- Home Automation
- Monitor Motor Operation

Features

- Low Cost
- Low Fixed Trip Point
- Fully Isolated, Reverse Polarity Protected
- Self-Powered
- Available in Mountable Package
- Output Overload Protected

Specifications

- Accuracy: $\pm 0.5\%$ Full Scale (FS)
- Ripple: 1% Max
- Signal Out: 0-5 VDC
- Max. Signal Out: 12 VDC
- Frequency * : 50 to 400 Hz
- Insulation Class: 600 V
- Operating Temperature: -30 C to + 60 C
- Storage Temperature: -55 C to + 85 C
- Shipping Weight: 2 oz. (.06 Kg.)
- Dielectric Withstand: 2,500 Vrms
- Response Time: 250 ms. max. 10-90% FS
- Calibration: Avg. Sensing, RMS Calibrated
- Output Load: 1.0 Megohm or greater for rated accuracy
- Weight 0.11 LBS.
- * All specifications for operation at 60 Hz

Regulatory Agencies



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View CR9580-10](#) on WIN SOURCE

 [CR Magnetics Inc.](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management