



**THE DATASHEET OF
1631910000**





General ordering data

Order No.	1631910000
Part designation	WKM 8/30
Version	Conductor markers, L x W: 30 x 8 mm, Polypropylene, transparent
EAN	4008190206666
Qty.	50 pc(s).

Markings

Cadmium	no
Can be labelled with thermal transfer printers	No
Can be printed with plotter	No
Can be written with dot-matrix printer	No
Can be written with laser printer	No
Conductor O.D., max.	317 mm
Conductor O.D., min.	10 mm
Conductor cross-section, max.	150 mm ²
Conductor cross-section, min.	16 mm ²
Function	Conductor and cable markers
Halogen	no
Height	3.5 mm
Insulation cross-section, max.	40 mm
Length	30 mm
Material	Polypropylene
Material colour	transparent
Max. temperature, continuous	80 °C
Min. temperature, continuous	-40 °C
Pin can be written (STI)	No
PrintJet	No
Printed characters	without
Silicone	no
Speed marking laser	No
Type of printing	Neutral
UL 94 flammability class	HB
Width	8 mm

Markings

Approvals

Approvals institutes **n.a.**

Classifications

ETIM 2.0	EC001530
ETIM 3.0	EC001530
eClass 4.1	24-19-02-19
eClass 5.0	27-14-91-03
eClass 5.1	27-14-91-03

Similar products

Order No.	Part designation	Version
1610700000	WKM 18/43	Conductor markers, L x W: 43 x 18 mm, Polypropylene, transparent
1753490000	WKM 8/20	Conductor markers, L x W: 20 x 8 mm, Polypropylene, transparent

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 1631910000 on WIN SOURCE](#)

 [Weidmuller Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management