




THE DATASHEET OF
17130952201




Alle Rechte vorbehalten/ All rights reserved




Kontakt-Maße
contact dimensions

(Längen der Steck- und Anschlußseite gelten für eingepreßte Steckverbinder)
(mating and termination length of contacts apply to pressed in connectors)


Kontakt-Typ — A B C K L M N P Q R S T
pin type



Kontaktbelegung
contact loading



Lochbild
board drillings



Empfohlener Lochaufbau und weitere Informationen siehe: DS 17 00 110 0101
recommended configuration of plated through holes and further information see: DS 17 00 110 0101

| | |
|----------------------|--|
| 17 13 095 4201 | S4 |
| 17 13 095 2201 | 2 |
| 17 13 095 1201 | 1 |
| Bestell-Nr. part-no. | Anforderungsstufe performance level 1 |

| | | | | | |
|-------|----------|-------------------|------------------------------|---|---------------------------|
| | | Techn. Character. | | Nicht tolerierte Maßel/Free size tolerances IEC 61076-4-101 | |
| | | Dat. | Name | Maßstab/Scale | |
| | | Detail. | 01.06.01 HL. | 2:1 | |
| | | Insp. | 01.06.01 Ko | | |
| 35994 | 04.02.10 | Hage. | Stand. | HARTING Electronics GmbH & Co. KG D-32339 ESPELKAMP | |
| 34337 | 31.05.07 | Cla | | | |
| 29812 | | | | | |
| Mod. | Dat. | Name | HARTING D-32339 ESPELKAMP | | TB 17 13 095 x201 Sub. |

Blatt/page

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 17130952201 on WIN SOURCE](#)

 [HARTING](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management