





THE DATASHEET OF GT17H-4P-2DSA




RoHS, ELV COMPLIANT


Modify the printed content and layout



RECOMMENDED PCB PATTERN (SOLDERING SIDE)



RECOMMENDED PANEL LAYOUT



- NOTE1. APPLICABLE CONNECTOR : GT17H-4S-ASSY
GT17HS-4S-ASSY
2. APPLICABLE PC BOARD : T=1.6mm
3. PACKAGE STYLE : TRAY

2	BRASS	TIN PLATING							
1	PPS	LIGHT GRAY		3	COPPER ALLOY	TIN PLATING			
NO.	MATERIAL	FINISH	REMARKS	NO.	MATERIAL	FINISH	REMARKS		
UNITS		SCALE	COUNT	DESCRIPTION OF REVISIONS			DESIGNED	CHECKED	DATE
mm		2 : 1	1	DIS-T-00003628			YT. TAKANASHI	TH. MIZUGUCHI	18.08.02
HRS		HIROSE ELECTRIC CO., LTD.		APPROVED : NH. NAKATA	15.01.23	DRAWING NO. EDC3-167040-00			
				CHECKED : TS. KUBOTA	15.01.23	PART NO. GT17H-4P-2DSA			
				DESIGNED : KK. FURUKAWA	15.01.22	CODE NO. CL767-0181-2-00			
				DRAWN : KK. FURUKAWA	15.01.22	1/1			

Jun.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved. In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[GT17H-4P-2DS\(A\)](#)

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View GT17H-4P-2DSA on WIN SOURCE](#)
- ⊖ [Hirose Electric Co Ltd Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management