




**THE DATASHEET OF  
VLP-500-F**




REV.	
G	VLP-700-R/F Obsolete
H	Updated Slot Dimensions
J	Updated Material No.
K	Revised Typo.
L	Added Color Options




VLP-XXX-R  
ROUND FACE

PART NO.	OVERALL
VLP-200-R/F	0.200" ( )
VLP-250-R/F	0.250" ( )
VLP-300-R/F	0.300" ( )
VLP-350-R/F	0.350" ( )
VLP-400-R/F	0.400" ( )
VLP-450-R/F	0.450" ( )
VLP-500-R/F	0.500" ( )
VLP-550-R/F	0.550" ( )
VLP-600-R/F	0.600" ( )
VLP-640-R/F	0.640" ( )
VLP-650-R/F	0.650" ( )



VLP-XXX-F  
FLAT FACE



Recommended Mounting Holes

STANDARD TOLERANCES  
(UNLESS OTHERWISE SPECIFIED)

DECIMALS	ANGULAR
.X ±.1	X°
.XX ±.01	
.XXX ±.005	




DESIGNED: **Michael Chen**  
CHECKED: **D. Green**

DATE: **10/2**  
DATE: **10/2**

2. MATERIAL: POLYCARBONATE, 94V-0, CLEAR.
1. GENERAL SPECIFICATIONS: BIVAR MOLDED COMPONENT SPECIFICATION BV00-E101.


OTHER AVAILABLE COLORS  
 \* SEE TABLE FOR ORDERING INFORMATION

REV.	SEE SHEET #1



COLOR	Order Code
BLUE	BE
BLACK	BK
GREEN	GN
GRAY	GY
RED	RD
YELLOW	YW

NOTE: LEAVE ORDER CODE BLANK  
 IF NO COLOR IS DESIRED.

STANDARD TOLERANCE ( UNLESS OTHERWISE SPECIFIED )	DESIGNED: <b>K. Aukshunas</b>	DATE: <b>01/2</b>	
DECIMALS ANGU	CHECKED: <b>J. Chiang</b>	DATE: <b>01/2</b>	

3. PARTS ARE DYED TO COLOR UPON REQUEST.

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View VLP-500-F on WIN SOURCE](#)

 [Bivar Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management