




THE DATASHEET OF
750310784





| | | |
|-------------------|------|---------------|
| CUSTOMER TERMINAL | RoHS | LEAD(Pb)-FREE |
| Sn96%, Ag4% | Yes | Yes |



ELECTRICAL SPECIFICATIONS @ 25°C un

| PARAMETER | | TEST CONDITION |
|--------------------|-----|-------------------------------|
| D.C. RESISTANCE | 1-3 | @20°C |
| D.C. RESISTANCE | 4-6 | @20°C |
| INDUCTANCE | 1-3 | 10kHz, 100mVAC |
| INDUCTANCE | 4-6 | 10kHz, 100mVAC |
| LEAKAGE INDUCTANCE | 1-3 | tie(4+6), 100kHz, 100mVAC, Ls |
| DIELECTRIC | 1-6 | 1875VAC, 1 seco |
| TURNS RATIO | | (1-3):(6-4) |



RECOMMENDED
 P.C. PATTERN, COMPONENT SIDE

GENERAL SPECIFICATIONS:
 RATED CURRENT: 170mArms current that will cause temperature rise from ambient

| REV. | DATE | Packaging Specifications |
|------|-------|---------------------------------------|
| 6D | 11/11 | Method: Tray 66 |
| 6C | 6/09 | PKG-0847 |
| 6B | 3/09 | www.we-online.com/midcom |
| 6A | 6/08 | SEE REVISION SHEET FOR REVISION LEVEL |



Tolerances unless otherwise specified:
 Angles: ±1° Decimals: ±.005 [.13]
 Fractions: ±1/64 Footprint: ±.001 [.03]
 This drawing is dual dimensioned. Dimensions in brackets are in millimeters.

DRAWING TITLE
TRANSFORMER

eISos p/n: 750310784





SPE

PART

7

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 750310784 on WIN SOURCE](#)
-  [Wurth Electronics Inc Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management