

To _____

No. A229-040403L-01

Date 3rd Apr. '04

Type No.
CRAB5

Data Sheet

CDMA800 Rx SAW Filter	
Application	: Rx Filter for CDMA800
Center Frequency	: 881.5MHz
Size	: 2.0x1.4mm, 5pin-layout
Impedance	: 50-100ohms unbalance-balance
Part No.	: EFCH881MTCA7

Issued M. Takada

Check K. Nishimura

CIRCUIT COMPONENTS BUSINESS UNIT

MATSUSHITA ELECTRONIC COMPONENTS CO.,LTD

KADOMA, OSAKA, JAPAN

CDMA Rx SAW Filter

----- Unbalanced input and balanced output -----

Part No. :



Design No. : T881J1

Parameter		Frequency	Your request			Our preliminary spec.			Unit
			Min.	Typ.	Max.	Min.	Typ.	Max.	
Passband			869 ... 894			869 ... 894			MHz
Insertion loss		869 ... 894MHz					1.5	2.0	dB
Ripple in passband		869 ... 894MHz					0.4	1.0	dB
Amplitude imbalance		869 ... 894MHz				-1.0	-0.2 +0.4	+1.0	dB
Phase imbalance		869 ... 894MHz				-10	-1.0 +5.0	10	deg.
Attenuation	Att1	DC ... 824MHz				50	68		dB
	Att2	824 ... 849MHz				40	50		dB
	Att3	915 ... 1000MHz				20	23		dB
	Att4	1000 ... 1738MHz				40	52		dB
	Att5	1738 ... 6000MHz				50	60		dB
VSWR	Input	869 ... 894MHz					1.6	2.0	
	Output	869 ... 894MHz					1.6	2.0	
Input impedance (Single Ended)						50			Ohm
Output impedance (Differential)						100			Ohm
Maximum drive level								13	dBm
Operating temperature						-30		+85	deg. C
Storage temperature						-40		+85	deg. C

2003.11.20


CDMA Rx SAW Filter

----- Unbalanced input and balanced output -----




CDMA Rx SAW Filter

----- Unbalanced input and balanced output -----




CDMA Rx SAW Filter

----- Unbalanced input and balanced output -----



UNLESS OTHERWISE SPECIFIED	
BASIC DIMENSIONS	TOLERANCE
UP TO	INCL
TO	INCL
TO	INCL
TO	INCL
ABOVE	



Input impedance : 50 Ohm (Single ended)
 Output Impedance : 100 Ohm (Differential)

ISSUE	REVISIONS	DATE
MATERIAL	FINISH	SCALE
DESIGN		
DRAW		
CHECK		
APPROVAL		
DRAWING NO.		



NAME	TYPE NO.
SAW Filter	

CERAMIC BUSINESS UNIT, LCR DEVICE COMPANY
 MATSUSHITA ELECTRONIC COMPONENTS CO.,LTD.
 KADOMA, OSAKA, JAPAN

Fig. 2

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View EFCH881MTCA7](#) on WIN SOURCE
-  [Panasonic](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management