






**THE DATASHEET OF
UE76-3GA20-2600T**



A	<p>MATERIAL:</p> <p>CONNECTOR - SMT PLASTIC HOUSING: LCP, FLAMMABILITY RATING UL94-V0 CONTACT: PHOSPHOR BRONZE PLATING: SEE AMPHENOL PART NUMBER</p>	<p>PACKAGING: TAPE AND REEL (500 PER)</p> <p>OPERATION TEMPRATURE RANGE: -55°C TO +85°C</p>	<p>AMPHENOL PART NUMBER CONFIGURATION: UE76 - 3GA20 - X600 I</p>	<p>REV. ECN</p> <p>F</p> <p>G</p> <p>H</p> <p>J</p> <p>ADD PCB OF</p> <p>UPDATE OPP</p> <p>U</p> <p>UPT</p>	<p>PLATING</p> <p>2 = 0.7 GC</p> <p>3 = 0.7 3.C</p> <p>5 = 0.3 GC</p> <p>6 = 0.3 3.C</p> <p>GC</p> <p>NIC</p> <p>NIC</p>	5
B		 <p>DATE CODE</p> <p>PART NUMBER (DOES NOT INCLUDING PACKAGING TYPE)</p>	<p>AMPHENOL PART NUMBER CONFIGURATION: UE76 - 3GA20 - X600 I</p>	<p>REV. ECN</p> <p>F</p> <p>G</p> <p>H</p> <p>J</p> <p>ADD PCB OF</p> <p>UPDATE OPP</p> <p>U</p> <p>UPT</p>	<p>PLATING</p> <p>2 = 0.7 GC</p> <p>3 = 0.7 3.C</p> <p>5 = 0.3 GC</p> <p>6 = 0.3 3.C</p> <p>GC</p> <p>NIC</p> <p>NIC</p>	4
C	<p>DO NOT SCALE DRAWING</p> <p>THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.</p>	<p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</p> <p>DECIMALS ANGLES</p> <p>X.X ± 0.25 ± 1°</p> <p>X.XX ± 0.15</p> <p>MATERIAL AND FINISH</p> <p>SEE NOTES</p> <p>REF. X</p> <p>CODE IDENT NO. 03554</p>	<p>APPROVALS</p> <p>DRAWN J.SI</p> <p>DESIGNED</p> <p>CHECKED</p> <p>QA APPD</p> <p>IE APPD</p> <p>DWG APPD</p>	<p>APPROVALS</p> <p>DRAWN J.SI</p> <p>DESIGNED</p> <p>CHECKED</p> <p>QA APPD</p> <p>IE APPD</p> <p>DWG APPD</p>	<p>DATE</p> <p>JUL/19/13</p>	3
D	<p>DO NOT SCALE DRAWING</p> <p>THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.</p>	<p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</p> <p>DECIMALS ANGLES</p> <p>X.X ± 0.25 ± 1°</p> <p>X.XX ± 0.15</p> <p>MATERIAL AND FINISH</p> <p>SEE NOTES</p> <p>REF. X</p> <p>CODE IDENT NO. 03554</p>	<p>APPROVALS</p> <p>DRAWN J.SI</p> <p>DESIGNED</p> <p>CHECKED</p> <p>QA APPD</p> <p>IE APPD</p> <p>DWG APPD</p>	<p>APPROVALS</p> <p>DRAWN J.SI</p> <p>DESIGNED</p> <p>CHECKED</p> <p>QA APPD</p> <p>IE APPD</p> <p>DWG APPD</p>	<p>DATE</p> <p>JUL/19/13</p>	2



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE
DECIMALS	X.X ± 0.25	DRAWN	J.SI	JUL/19/13
ANGLES	± 1°	DESIGNED		
	X.XX ± 0.15	CHECKED		
MATERIAL AND FINISH		QA APPD		
SEE NOTES		IE APPD		
REF.	X	DWG APPD		
CODE IDENT NO.	03554			

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		



REV.	ECN	DATE
F		
G		
H		
J		

REV.	ECN	DATE
F		
G		
H		
J		

NOTE:

1. SOME OF UL TRAPORT CAGES PCB LAYOUT NOT ALLOWED HAVING SIGNAL TRACES ON THE TOP OF THE SURFACE. PLEASE CONTACT AMPHENOL HIGH SPEED INTERCONNECTS FOR CAGES AVAILABILITY FOR THE APPLICATIONS.
2. FOR SPECIAL CUSTOMER APPLICATION ONLY.
3. THE SPECIAL FOOTPRINTS CAN APPLY TO AMPHENOL UE76-3GA20-X600T (X REPRESENTS VARIOUS PLATING OPTIONS)

A



B

C

D

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:

- DECIMALS $\pm 1^\circ$
- X.X ± 0.25
- X.XX ± 0.15

MATERIAL AND FINISH

SEE NOTES

REF. X

CODE IDENT NO. 03554

APPROVALS

DRAWN J.SI

DESIGNED

CHECKED

QA APPD

IE APPD

DWG APPD

DATE

JUL/19/13

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View UE76-3GA20-2600T on WIN SOURCE](#)

 [Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management