








**THE DATASHEET OF  
UE78-A163H-0033T**



A		2	3	4	5																																				
B					<b>R</b> REV. ECN E F G H UPD/ MORE DIMS STANDC																																				
C	MATERIAL: (R) CAGE - THRU COPPER PLATINUM CONNECTOR PLASTIC HPUS HIGH T FLAMM				CONTACTS: PHOSPHOR PLATINUM PACKAGING TAPE A TEMPERATURE -40°C Amphenol part UE78-A163H-4																																				
D		<p style="text-align: center;"><b>DO NOT SCALE DRAWING</b></p> <p>THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.</p>	<table border="1"> <thead> <tr> <th colspan="2">UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</th> <th colspan="2">APPROVALS</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>DECIMALS</td> <td>ANGLES</td> <td>DRAWN</td> <td>J.SI</td> <td>APR29/08</td> </tr> <tr> <td>X.X ± 0.25</td> <td>± 1°</td> <td>DESIGNED</td> <td>J.SI</td> <td>APR29/08</td> </tr> <tr> <td>X.XX ± 0.15</td> <td></td> <td>CHECKED</td> <td>X</td> <td>X</td> </tr> <tr> <td>MATERIAL AND FINISH</td> <td></td> <td>QA APPD</td> <td>X</td> <td>X</td> </tr> <tr> <td>REF.</td> <td></td> <td>IE APPD</td> <td>X</td> <td>X</td> </tr> <tr> <td></td> <td></td> <td>DWG APPD</td> <td></td> <td></td> </tr> </tbody> </table>	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE	DECIMALS	ANGLES	DRAWN	J.SI	APR29/08	X.X ± 0.25	± 1°	DESIGNED	J.SI	APR29/08	X.XX ± 0.15		CHECKED	X	X	MATERIAL AND FINISH		QA APPD	X	X	REF.		IE APPD	X	X			DWG APPD			<table border="1"> <tr> <td>CODE IDENT NO.</td> <td>03554</td> </tr> </table>	CODE IDENT NO.	03554
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE																																					
DECIMALS	ANGLES	DRAWN	J.SI	APR29/08																																					
X.X ± 0.25	± 1°	DESIGNED	J.SI	APR29/08																																					
X.XX ± 0.15		CHECKED	X	X																																					
MATERIAL AND FINISH		QA APPD	X	X																																					
REF.		IE APPD	X	X																																					
		DWG APPD																																							
CODE IDENT NO.	03554																																								

1	2	3	4	5
<b>R</b>				
REV.		ECN		
E				
F		UPD/		
G		MORE DIMS		
H		STANDC		




**DO NOT SCALE DRAWING**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.25 X.XX ± 0.15 ANGLES ± 1° MATERIAL AND FINISH N/A REF. X	APPROVALS	DATE
	DRAWN J.SI	APR29/08
	DESIGNED J.SI	APR29/08
	CHECKED X	X
	QA APPD X	X
	IE APPD X	X
CODE IDENT NO.	03554	

1	2	3
---	---	---



**DO NOT SCALE DRAWING**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS                    ANGLES X.X ± 0.25                    ± 1° X.XX ± 0.15	<b>APPROVALS</b> DRAWN                    J.SI DESIGNED                J.SI CHECKED                 X	<b>DATE</b> APR29/08 APR29/08
MATERIAL AND FINISH N/A	QA APPD                X IE APPD                 X DWG APPD	X X X
REF.                      X		
CODE IDENT. NO.        03554		



# Mouser Electronics

Authorized Distributor


Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[UE78-A163H-0033T](#)

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View UE78-A163H-0033T on WIN SOURCE](#)

 [Amphenol Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management