





THE DATASHEET OF
292206-7



REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
B1		ECR-20-004164	29MAR2020	T.Q W.H



LDNKG(F) UL94V-0 COLD DR GRAY, BLUE
 -TIN 0.5mm SQ. BRASS WIRE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	

FINISH	SEE NOTE 1
0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±-
4 PLC ANGLES	±-

MATERIAL	SEE NOTE 1
----------	------------

STE TE Connectivity

DWN	06DEC02
S.YAO	31JAN03
CHK T.SASAKI	31JAN03
APVD T.SASAKI	31JAN03
PRODUCT SPEC	108-60018
APPLICATION SPEC	114-5223
WEIGHT	SEE TABLE

NAME	AMP Mini CT Connector 1.5mm Pitch Single Row HDR with Kink DIP Staggered Type
SIZE	A3
CAGE CODE	00779
DRAWING NO	292206
RESTRICTED TO	

CUSTOMER DRAWING

SCALE NON SHEET 1 OF 2 REV B1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DMN	AP/0
-	-	SEE SHEET 1	-	-	-

3

2

1

0.28	2.5	8.5	6.6	4.5	4			9-2922206-4
0.23	2.5	7.0	5.1	3.0	3			9-2922206-3
1.11	3.0	32.5	30.6	28.5	20	7-2922206-0	4-2922206-0	2-2922206-0
1.06	3.0	31.0	29.1	27.0	19	6-2922206-9	3-2922206-9	1-2922206-9
1.01	3.0	29.5	27.6	25.5	18	6-2922206-8	3-2922206-8	1-2922206-8
0.96	3.0	28.0	26.1	24.0	17	6-2922206-7	3-2922206-7	1-2922206-7
0.91	3.0	26.5	24.6	22.5	16	6-2922206-6	3-2922206-6	1-2922206-6
0.86	3.0	25.0	23.1	21.0	15	6-2922206-5	3-2922206-5	1-2922206-5
0.81	3.0	23.5	21.6	19.5	14	6-2922206-4	3-2922206-4	1-2922206-4
0.75	3.0	22.0	20.1	18.0	13	6-2922206-3	3-2922206-3	1-2922206-3
0.70	3.0	20.5	18.6	16.5	12	6-2922206-2	3-2922206-2	1-2922206-2
0.65	3.0	19.0	17.1	15.0	11	6-2922206-1	3-2922206-1	1-2922206-1
0.60	3.0	17.5	15.6	13.5	10	6-2922206-0	3-2922206-0	1-2922206-0
0.54	3.0	16.0	14.1	12.0	9	5-2922206-9	2-2922206-9	2922206-9
0.49	3.0	14.5	12.6	10.5	8	5-2922206-8	2-2922206-8	2922206-8
0.44	3.0	13.0	11.1	9.0	7	5-2922206-7	2-2922206-7	2922206-7
0.40	3.0	11.5	9.6	7.5	6	5-2922206-6	2-2922206-6	2922206-6
0.34	3.0	10.0	8.1	6.0	5	5-2922206-5	2-2922206-5	2922206-5
0.29	3.0	8.5	6.6	4.5	4	5-2922206-4	2-2922206-4	2922206-4
0.24	3.0	7.0	5.1	3.0	3	5-2922206-3	2-2922206-3	2922206-3
0.19	3.0	5.5	3.6	1.5	2	5-2922206-2	2-2922206-2	2922206-2
WEIGHT <g>	D	C	B	A	Pos.	BLUE	BLACK	GRAY
DIMENSIONS								
PART NO								

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN	0808E002		
		CHK	S.YAO	31JAN03	
		T.SASAKI		31JAN03	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PIC ±-		AMP Mini CT Connector 1.5mm Pitch	
		1 PIC ±-		Single Row HDR with Kink	
		2 PIC ±-		DIP Staggered Type	
		3 PIC ±-		SIZE	
		4 PIC ±-		A3	
MATERIAL: SEE NOTE 1		FINISH: SEE NOTE 1		PAGE CODE	
				C=2922206	
		WEIGHT SEE TABLE		DRAWING NO	
		CUSTOMER DRAWING		NON	
		SCALE		SHEET	
		NON		2 OF 2	
				REV	
				B1	

A

B

C

D

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 292206-7 on WIN SOURCE](#)

 [TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management