





THE DATASHEET OF
292251-3



ION	3	2	1
FORMED.	ES	00	
LOC	ES	00	
DIST			
REVISIONS			
P	LTR	DESCRIPTION	DATE
B2		ECR-14-006619	12MAY2014
			T.Q
			W.H



NOTES:
1. MATERIAL: HOUSING - NYLON 66 (UL94V-0)
POST - TIN BRASS



1 (PUNCHED HOLE)
0.05 (DRILLED HOLE)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2

Ø PLG	±
1 PLG	±
2 PLG	±
3 PLG	±
4 PLG	±
ANGLES	±
FINISH	±

MATERIAL SEE NOTE

DWN S.XU 06NOV03

CHK S.YAO 06NOV03

APVD T. SASAKI 06NOV03

PRODUCT SPEC 108-60016

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

STE TE Connectivity


POST HEADER ASS'Y POLARIZE TYPE (BOX-V TYPE)
(AMP CT CONNECTOR 2mm PITCH)

SIZE A3 CAGE CODE 00779 DRAWING NO G=292251

SCALE 5:1 SHEET 1 OF 2 REV B2





Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 292251-3 on WIN SOURCE](#)

 [TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management