



**THE DATASHEET OF**  
**624100128015**



1

2

3

4

5

CHARACTERISTICS:


MATERIAL:  
COLOR: BLACK  
STYLE: UL1007

ENVIRONMENTAL  
OPERATING TEMPERATURE: -20°C UP TO 80°C  
COMPLIANCE: LEAD FREE AND ROHS

WIRE DIMENSION:  
AWG: 28

PACKAGING:  
10 PCS/BAG

Wire end A



3 mm Pre-stripped

Wire end B


Wire Length 150mm

Wire end A	62400113722
Wire end B	Pre-stripped

RoHS Compliant

G			
F			
E			
D			
C			
B	06-AUG-13	CHARACTERISTIC	QL
A	02-JUL-12	PDF	GG
REV	DATE	FILE	BY

PROJECTION:



GENERAL TOLERANCE

.X = +/- 0.2  
.XX = +/- 0.15



APPROVAL: RJ

UNIT: MM

DESCRIPTION: 2.00 MM DUAL ROW PRE-CRIMPED CONTACT

SIZE

SCALE:

WERI PART NO: 624100128015

**A4**

SHEET: 1/2

DRAW: QL

A

B

C

D

1

2

3

4

5


A

B

C

D

Note:  
 1.Dimension  
 Carton Size:40\*30\*20(CM)  
 2.Quantity: 5000 Pcs/Carton



RoHS Compliant

G			
F			
E			
D			
C			
B			
A			
REV	DATE	FILE	BY

PROJECTION:

GENERAL TOLERANCE  
 .X = +/- 0.2  
 .XX = +/- 0.15

APPROVAL: RJ

UNIT: MM  
 SCALE:  
 SHEET: 2/2  
 DRAW: QL

DESCRIPTION: WR-WTB DUAL ROW 2.00MM PRE-CRIMPED CONTACT  
 WERI PART NO: 620 100 126 015

SIZE  
**A4**

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 624100128015 on WIN SOURCE](#)

 [Wurth Electronics Inc Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management