



**THE DATASHEET OF  
CGA3EDX7T1A106M080AU**



# MULTILAYER CERAMIC CHIP CAPACITORS


Automotive grade, general (Up to 75V)

## CGA series

---

|             |                        |
|-------------|------------------------|
| <b>CGA1</b> | <b>0603 [EIA 0201]</b> |
| <b>CGA2</b> | <b>1005 [EIA 0402]</b> |
| <b>CGA3</b> | <b>1608 [EIA 0603]</b> |
| <b>CGA4</b> | <b>2012 [EIA 0805]</b> |
| <b>CGA5</b> | <b>3216 [EIA 1206]</b> |
| <b>CGA6</b> | <b>3225 [EIA 1210]</b> |
| <b>CGA8</b> | <b>4532 [EIA 1812]</b> |
| <b>CGA9</b> | <b>5750 [EIA 2220]</b> |

\* Dimensions code: JIS[EIA]



## REMINDERS FOR USING THESE PRODUCTS

Before using these products, be sure to request the delivery specifications.

### SAFETY REMINDERS

Please pay sufficient attention to the warnings for safe designing when using this products

### REMINDERS

1. The products listed in this specification are intended for use in automotive applications under normal operation and usage conditions. The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality requires a more stringent level of safety or reliability, or whose failure, malfunction or defect could cause serious damage to society, person or property.

Please understand that we are not responsible for any damage or liability caused by use of the products in any of the applications below or for any other use exceeding the range or conditions set forth in this specification sheet. If you intend to use the products in the applications listed below or if you have special requirements exceeding the range or conditions set forth in this specification, please contact us.

- |  |  |
|--|--|
| (1) Aerospace/aviation equipment   | (7) Transportation control equipment   |
| (2) Transportation equipment (electric trains, ships, etc.)                          | (8) Public information-processing equipment                                  |
| (3) Medical equipment (excepting Pharmaceutical Affairs Law classification Class1,2) | (9) Military equipment   |
| (4) Power-generation control equipment   | (10) Electric heating apparatus, burning equipment                           |
| (5) Atomic energy-related equipment  | (11) Disaster prevention/crime prevention equipment                          |
| (6) Seabed equipment   | (12) Safety equipment  |
|  | (13) Other applications that are not considered general-purpose applications |

When designing your equipment involving the Products, you are kindly requested to take into consideration securing protection circuit/equipment or providing backup circuits, etc. in your equipment, to ensure higher safety.

- We may modify products or discontinue production of a product listed in this catalog without prior notification.
- We provide "Delivery Specification" that explain precautions for the specifications and safety of each product listed in this catalog. We strongly recommend that you exchange these delivery specifications with customers that use one of these products.
- If you plan to export a product listed in this catalog, keep in mind that it may be a restricted item according to the "Foreign Exchange and Foreign Trade Control Law". In such cases, it is necessary to acquire export permission in harmony with this law.
- Any reproduction or transferring of the contents of this catalog is prohibited without prior permission from our company.
- We are not responsible for problems that occur related to the intellectual property rights or other rights of our company or a third party when you use a product listed in this catalog. We do not grant license of these rights.
- This catalog only applies to products purchased through our company or one of our company's official agencies. This catalog does not apply to products that are purchased through other third parties.

Notice: Effective January 2013, TDK will use a new catalog number which adds product thickness and packaging specification detail. This new catalog number should be referenced on all catalog orders going forward, and is not applicable for OEM part number orders. Please be aware the last five digits of the catalog number will differ from the item description (internal control number) on the product label. Contact your local TDK Sales representative for more information.

(Example)

| Catalog issued date    | Catalog number        | Item description (on delivery label) |
|------------------------|-----------------------|--------------------------------------|
| Prior to January 2013  | C1608C0G1E103J(080AA) | C1608C0G1E103JT000N                  |
| January 2013 and later | C1608C0G1E103J080AA   | C1608C0G1E103JT000N                  |

# CGA series

## General (Up to 75V)



Type: CGA1/0603 [EIA 0201], CGA2/1005 [EIA 0402], CGA3/1608 [EIA 0603],  
CGA4/2012 [EIA 0805], CGA5/3216 [EIA 1206], CGA6/3225 [EIA 1210],  
CGA8/4532 [EIA 1812], CGA9/5750 [EIA 2220]

### SERIES OVERVIEW

General type CGA series is a surface-mounted component, which multilayer dielectrics and inner electrodes are stacked alternately. The monolithic structure ensures superior mechanical strength and high reliability. Also, outstanding frequency characteristics such as low ESR and low ESL are provided owing to the simpler structure than other capacitors. The capacitance range is up to 100 $\mu$ F and the lineup has been expanding to a range of the film capacitor and electrolytic capacitor.

### FEATURES

- Superior mechanical strength and high reliability due to the monolithic structure
- Outstanding frequency characteristics such as low ESR and low ESL by the simple structure
- Low self-heating value and high resistance to ripple on account of the low ESR
- No polarity
- Qualified based on AEC-Q200

### SHAPE & DIMENSIONS



|   |                  |
|---|------------------|
| L | Body length      |
| W | Body width       |
| T | Body height      |
| B | Terminal width   |
| G | Terminal spacing |

Dimensions in mm


| Type | L               | W               | T               | B         | G         |
|------|-----------------|-----------------|-----------------|-----------|-----------|
| CGA1 | 0.60 $\pm$ 0.03 | 0.30 $\pm$ 0.03 | 0.30 $\pm$ 0.03 | 0.10 min. | 0.20 min. |
| CGA2 | 1.00 $\pm$ 0.05 | 0.50 $\pm$ 0.05 | 0.50 $\pm$ 0.05 | 0.10 min. | 0.30 min. |
| CGA3 | 1.60 $\pm$ 0.10 | 0.80 $\pm$ 0.10 | 0.80 $\pm$ 0.10 | 0.20 min. | 0.30 min. |
| CGA4 | 2.00 $\pm$ 0.20 | 1.25 $\pm$ 0.20 | 1.25 $\pm$ 0.20 | 0.20 min. | 0.50 min. |
| CGA5 | 3.20 $\pm$ 0.20 | 1.60 $\pm$ 0.20 | 1.60 $\pm$ 0.20 | 0.20 min. | 1.00 min. |
| CGA6 | 3.20 $\pm$ 0.40 | 2.50 $\pm$ 0.30 | 2.50 $\pm$ 0.30 | 0.20 min. | -         |
| CGA8 | 4.50 $\pm$ 0.40 | 3.20 $\pm$ 0.40 | 2.50 $\pm$ 0.30 | 0.20 min. | -         |
| CGA9 | 5.70 $\pm$ 0.40 | 5.00 $\pm$ 0.40 | 2.50 $\pm$ 0.30 | 0.20 min. | -         |

\* Dimensional tolerances are typical values.

### APPLICATION

- Smoothing and decoupling use in power lines for automotive applications such as ADAS, autonomous driving system ECU
- LC resonance circuit (C0G type)
- Applications requiring high reliability

### PRODUCT STRUCTURE



The structure which multilayer dielectrics and inner electrodes are stacked alternately. The monolithic and simple structure contributes to superior mechanical strength and excellent frequency characteristics.

# MULTILAYER CERAMIC CHIP CAPACITORS



## CATALOG NUMBER CONSTRUCTION

|            |          |          |          |            |           |            |          |            |          |          |
|------------|----------|----------|----------|------------|-----------|------------|----------|------------|----------|----------|
| <b>CGA</b> | <b>6</b> | <b>P</b> | <b>1</b> | <b>X7T</b> | <b>OG</b> | <b>107</b> | <b>M</b> | <b>250</b> | <b>A</b> | <b>C</b> |
| (1)        | (2)      | (3)      | (4)      | (5)        | (6)       | (7)        | (8)      | (9)        | (10)     | (11)     |

### (1)Series

### (2)Dimensions L x W (mm)

| Code | EIA  | Length | Width | Terminal width |
|------|------|--------|-------|----------------|
| 1    | 0201 | 0.60   | 0.30  | 0.10           |
| 2    | 0402 | 1.00   | 0.50  | 0.10           |
| 3    | 0603 | 1.60   | 0.80  | 0.20           |
| 4    | 0805 | 2.00   | 1.25  | 0.20           |
| 5    | 1206 | 3.20   | 1.60  | 0.20           |
| 6    | 1210 | 3.20   | 2.50  | 0.20           |
| 8    | 1812 | 4.50   | 3.20  | 0.20           |
| 9    | 2220 | 5.70   | 5.00  | 0.20           |

### (3)Thickness code

| Code | Thickness |
|------|-----------|
| A    | 0.30 mm   |
| B    | 0.50 mm   |
| C    | 0.60 mm   |
| E    | 0.80 mm   |
| F    | 0.85 mm   |
| H    | 1.15 mm   |
| J    | 1.25 mm   |
| L    | 1.60 mm   |
| M    | 2.00 mm   |
| N    | 2.30 mm   |
| P    | 2.50 mm   |
| Q    | 2.80 mm   |
| R    | 3.20 mm   |

### (4)Voltage condition for life test

| Symbol | Condition  |
|--------|------------|
| 1      | 1 x R.V.   |
| 2      | 2 x R.V.   |
| 3      | 1.5 x R.V. |

### (5)Temperature characteristics

| Temperature characteristics | Temperature coefficient or capacitance change | Temperature range |
|-----------------------------|---|-------------------|
| C0G                         | 0±30 ppm/°C                                   | -55 to +125°C     |
| X5R                         | ±15%  | -55 to +85°C      |
| X7R                         | ±15%  | -55 to +125°C     |
| X7S                         | ±22%  | -55 to +125°C     |
| X7T                         | +22,-33%                                      | -55 to +125°C     |

### (6)Rated voltage (DC)

| Code | Voltage (DC) |
|------|--------------|
| 0E   | 2.5V         |
| 0G   | 4V           |
| 0J   | 6.3V         |
| 1A   | 10V          |
| 1C   | 16V          |
| 1E   | 25V          |
| 1V   | 35V          |
| 1H   | 50V          |
| 1N   | 75V          |

### (7)Nominal capacitance (pF)

The capacitance is expressed in three digit codes and in units of pico Farads (pF). The first and second digits identify the first and second significant figures of the capacitance. The third digit identifies the multiplier. R designates a decimal point.

(Example) 0R5 = 0.5pF  
 101 = 100pF  
 225 = 2,200,000pF = 2.2μF

### (8)Capacitance tolerance

| Code | Tolerance |
|------|-----------|
| C    | ±0.25pF   |
| D    | ±0.50pF   |
| J    | ±5%       |
| K    | ±10%      |
| M    | ±20%      |

### (9)Thickness

| Code | Thickness |
|------|-----------|
| 030  | 0.30 mm   |
| 050  | 0.50 mm   |
| 060  | 0.60 mm   |
| 080  | 0.80 mm   |
| 085  | 0.85 mm   |
| 115  | 1.15 mm   |
| 125  | 1.25 mm   |
| 160  | 1.60 mm   |
| 200  | 2.00 mm   |
| 230  | 2.30 mm   |
| 250  | 2.50 mm   |
| 280  | 2.80 mm   |
| 320  | 3.20 mm   |

### (10)Packaging style

| Code | Style                 |
|------|-----------------------|
| A    | 178mm reel, 4mm pitch |
| B    | 178mm reel, 2mm pitch |
| K    | 178mm reel, 8mm pitch |


### (11)Special reserved code

| Code  | Description                |
|-------|----------------------------|
| A,B,C | TDK internal code          |
| U     | Derating guarantee product |

## Capacitance range chart

## CGA1/0603 [EIA 0201]

| Capacitance |      | COG         |             | X7R         |             |             |             |              | X7T        |
|-------------|------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|------------|
| (pF)        | Code | 1H<br>(50V) | 1E<br>(25V) | 1H<br>(50V) | 1E<br>(25V) | 1C<br>(16V) | 1A<br>(10V) | 0J<br>(6.3V) | 0G<br>(4V) |
| 1.0         | 010  | ■           | ■           |             |             |             |             |              |            |
| 1.5         | 1R5  | ■           | ■           |             |             |             |             |              |            |
| 2.0         | 020  | ■           | ■           |             |             |             |             |              |            |
| 2.2         | 2R2  | ■           | ■           |             |             |             |             |              |            |
| 3.0         | 030  | ■           | ■           |             |             |             |             |              |            |
| 3.3         | 3R3  | ■           | ■           |             |             |             |             |              |            |
| 4.0         | 040  | ■           | ■           |             |             |             |             |              |            |
| 4.7         | 4R7  | ■           | ■           |             |             |             |             |              |            |
| 5.0         | 050  | ■           | ■           |             |             |             |             |              |            |
| 6.0         | 060  | ■           | ■           |             |             |             |             |              |            |
| 6.8         | 6R8  | ■           | ■           |             |             |             |             |              |            |
| 7.0         | 070  | ■           | ■           |             |             |             |             |              |            |
| 8.0         | 080  | ■           | ■           |             |             |             |             |              |            |
| 9.0         | 090  | ■           | ■           |             |             |             |             |              |            |
| 10          | 100  | ■           | ■           |             |             |             |             |              |            |
| 12          | 120  | ■           | ■           |             |             |             |             |              |            |
| 15          | 150  | ■           | ■           |             |             |             |             |              |            |
| 18          | 180  | ■           | ■           |             |             |             |             |              |            |
| 22          | 220  | ■           | ■           |             |             |             |             |              |            |
| 27          | 270  | ■           | ■           |             |             |             |             |              |            |
| 33          | 330  | ■           | ■           |             |             |             |             |              |            |
| 39          | 390  | ■           | ■           |             |             |             |             |              |            |
| 47          | 470  | ■           | ■           |             |             |             |             |              |            |
| 56          | 560  | ■           | ■           |             |             |             |             |              |            |
| 68          | 680  | ■           | ■           |             |             |             |             |              |            |
| 82          | 820  | ■           | ■           |             |             |             |             |              |            |
| 100         | 101  |             |             | ■           | ■           | ■           |             |              |            |
| 150         | 151  |             |             |             |             |             |             |              |            |
| 220         | 221  |             |             |             |             |             |             |              |            |
| 330         | 331  |             |             |             |             |             |             |              |            |
| 470         | 471  |             |             |             |             |             |             |              |            |
| 680         | 681  |             |             |             |             |             |             |              |            |
| 1,000       | 102  |             |             |             |             |             |             |              |            |
| 1,500       | 152  |             |             |             |             |             |             |              |            |
| 2,200       | 222  |             |             |             |             |             |             |              |            |
| 3,300       | 332  |             |             |             |             |             |             |              |            |
| 4,700       | 472  |             |             |             |             |             |             |              |            |
| 6,800       | 682  |             |             |             |             |             |             |              |            |
| 10,000      | 103  |             |             |             |             |             | ■           | ■            |            |
| 100,000     | 104  |             |             |             |             |             |             |              | ■          |

Standard thickness  0.30 mm

■ Click the charts for details.

■ For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

MULTILAYER CERAMIC CHIP CAPACITORS TDK

Capacitance range chart

CGA2/1005 [EIA 0402]

| Capacitance |      | COG      | X5R      |          |          |          |          | X7R      |          |          |          |          | X7S       |          | X7T      |         |
|-------------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|---------|
| (pF)        | Code | 1H (50V) | 1H (50V) | 1V (35V) | 1E (25V) | 1C (16V) | 1A (10V) | 1H (50V) | 1V (35V) | 1E (25V) | 1C (16V) | 1A (10V) | 0J (6.3V) | 1C (16V) | 1A (10V) | 0G (4V) |
| 1.0         | 010  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 1.5         | 1R5  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 2.0         | 020  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 2.2         | 2R2  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 3.0         | 030  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 3.3         | 3R3  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 4.0         | 040  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 4.7         | 4R7  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 5.0         | 050  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 6.0         | 060  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 6.8         | 6R8  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 7.0         | 070  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 8.0         | 080  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 9.0         | 090  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 10          | 100  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 12          | 120  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 15          | 150  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 18          | 180  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 22          | 220  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 27          | 270  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 33          | 330  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 39          | 390  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 47          | 470  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 56          | 560  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 68          | 680  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 82          | 820  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 100         | 101  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 120         | 121  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 150         | 151  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 180         | 181  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 220         | 221  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 270         | 271  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 330         | 331  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 390         | 391  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 470         | 471  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 560         | 561  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 680         | 681  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 820         | 821  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 1,000       | 102  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 1,500       | 152  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 2,200       | 222  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 3,300       | 332  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 4,700       | 472  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 6,800       | 682  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 10,000      | 103  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 15,000      | 153  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 22,000      | 223  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 33,000      | 333  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 47,000      | 473  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 68,000      | 683  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 100,000     | 104  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 150,000     | 154  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 220,000     | 224  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 330,000     | 334  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 470,000     | 474  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |
| 1,000,000   | 105  |          |          |          |          |          |          |          |          |          |          |          |           |          |          |         |

Standard thickness  0.50 mm

Background gray: These products are not recommended for new designs.

Click the charts for details.




For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.

## Capacitance range chart

## CGA3/1608 [EIA 0603]

| Capacitance |      | COG         | X5R         | X7R         |
|-------------|------|-------------|-------------|-------------|
| (pF)        | Code | 1H<br>(50V) | 1H<br>(50V) | 1H<br>(50V) |
| 1.0         | 010  |             |             |             |
| 1.5         | 1R5  |             |             |             |
| 2.0         | 020  |             |             |             |
| 2.2         | 2R2  |             |             |             |
| 3.0         | 030  |             |             |             |
| 3.3         | 3R3  |             |             |             |
| 4.0         | 040  |             |             |             |
| 4.7         | 4R7  |             |             |             |
| 5.0         | 050  |             |             |             |
| 6.0         | 060  |             |             |             |
| 6.8         | 6R8  |             |             |             |
| 7.0         | 070  |             |             |             |
| 8.0         | 080  |             |             |             |
| 9.0         | 090  |             |             |             |
| 10          | 100  |             |             |             |
| 12          | 120  |             |             |             |
| 15          | 150  |             |             |             |
| 18          | 180  |             |             |             |
| 22          | 220  |             |             |             |
| 27          | 270  |             |             |             |
| 33          | 330  |             |             |             |
| 39          | 390  |             |             |             |
| 47          | 470  |             |             |             |
| 56          | 560  |             |             |             |
| 68          | 680  |             |             |             |
| 82          | 820  |             |             |             |
| 100         | 101  |             |             |             |
| 120         | 121  |             |             |             |
| 150         | 151  |             |             |             |
| 180         | 181  |             |             |             |
| 220         | 221  |             |             |             |
| 270         | 271  |             |             |             |
| 330         | 331  |             |             |             |
| 390         | 391  |             |             |             |
| 470         | 471  |             |             |             |
| 560         | 561  |             |             |             |
| 680         | 681  |             |             |             |
| 820         | 821  |             |             |             |
| 1,000       | 102  |             |             |             |
| 1,200       | 122  |             |             |             |
| 1,500       | 152  |             |             |             |
| 1,800       | 182  |             |             |             |
| 2,200       | 222  |             |             |             |
| 2,700       | 272  |             |             |             |
| 3,300       | 332  |             |             |             |
| 3,900       | 392  |             |             |             |
| 4,700       | 472  |             |             |             |
| 5,600       | 562  |             |             |             |
| 6,800       | 682  |             |             |             |
| 8,200       | 822  |             |             |             |
| 10,000      | 103  |             |             |             |
| 15,000      | 153  |             |             |             |
| 22,000      | 223  |             |             |             |
| 33,000      | 333  |             |             |             |
| 47,000      | 473  |             |             |             |
| 68,000      | 683  |             |             |             |


Standard thickness  0.80 mm Background gray: These products are not recommended for new designs. Click the charts for details. For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

## Capacitance range chart

## CGA3/1608 [EIA 0603]

| Capacitance |      | X5R         |             |             |             |             | X7R          |             |             |             |             | X7S          |             |             | X7T        |             |              |            |
|-------------|------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|------------|-------------|--------------|------------|
| (pF)        | Code | 1H<br>(50V) | 1V<br>(35V) | 1E<br>(25V) | 1C<br>(16V) | 1A<br>(10V) | 0J<br>(6.3V) | 1H<br>(50V) | 1V<br>(35V) | 1E<br>(25V) | 1C<br>(16V) | 0J<br>(6.3V) | 1C<br>(16V) | 1A<br>(10V) | 0G<br>(4V) | 1A<br>(10V) | 0J<br>(6.3V) | 0G<br>(4V) |
| 100,000     | 104  | ■           | ■           | ■           |             |             |              | ■           | ■           | ■           |             |              |             |             |            |             |              |            |
| 150,000     | 154  | ■           | ■           | ■           |             |             |              | ■           | ■           | ■           |             |              |             |             |            |             |              |            |
| 220,000     | 224  | ■           | ■           | ■           | ■           |             |              | ■           | ■           | ■           | ■           |              |             |             |            |             |              |            |
| 330,000     | 334  | ■           | ■           | ■           | ■           | ■           |              | ■           | ■           | ■           | ■           |              |             |             |            |             |              |            |
| 470,000     | 474  | ■           | ■           | ■           | ■           | ■           |              | ■           | ■           | ■           | ■           |              |             |             |            |             |              |            |
| 680,000     | 684  | ■           | ■           | ■           | ■           | ■           |              | ■           | ■           | ■           | ■           |              |             |             |            |             |              |            |
| 1,000,000   | 105  |             |             |             |             |             |              |             |             |             |             | ■            | ■           | ■           |            |             |              |            |
| 1,500,000   | 155  |             |             |             |             |             |              |             |             |             |             | ■            | ■           | ■           |            |             |              |            |
| 2,200,000   | 225  |             |             |             |             |             |              |             |             |             |             | ■            | ■           | ■           |            |             |              |            |
| 3,300,000   | 335  |             |             |             |             |             |              |             |             |             |             | ■            | ■           | ■           |            |             |              |            |
| 4,700,000   | 475  |             |             |             |             |             |              |             |             |             |             | ■            | ■           | ■           | ■          | ■           | ■            | ■          |
| 10,000,000  | 106  |             |             |             |             |             |              |             |             |             |             | ■            | ■           | ■           | ■          | ■           | ■            | ■          |

Standard thickness  0.80 mm

 Background gray: These products are not recommended for new designs.

 Click the charts for details.

 For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

# MULTILAYER CERAMIC CHIP CAPACITORS



## Capacitance range chart

## CGA4/2012 [EIA 0805]

| Capacitance |      | COG      | X5R      |          |          |          |          | X7R      |          |          |          |          | X7S       |          |          | X7T      |           |
|-------------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|-----------|
| (pF)        | Code | 1H (50V) | 1H (50V) | 1V (35V) | 1E (25V) | 1C (16V) | 1A (10V) | 1H (50V) | 1V (35V) | 1E (25V) | 1C (16V) | 1A (10V) | 0J (6.3V) | 1E (25V) | 1C (16V) | 1A (10V) | 0J (6.3V) |
| 1,000       | 102  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 1,200       | 122  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 1,500       | 152  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 1,800       | 182  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 2,200       | 222  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 2,700       | 272  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 3,300       | 332  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 3,900       | 392  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 4,700       | 472  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 5,600       | 562  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 6,800       | 682  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 8,200       | 822  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 10,000      | 103  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 15,000      | 153  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 22,000      | 223  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 33,000      | 333  | █        |          |          |          |          |          |          |          |          |          |          |           |          |          |          |           |
| 150,000     | 154  |          | █        |          |          |          |          | █        |          |          |          |          |           |          |          |          |           |
| 220,000     | 224  |          | █        |          |          |          |          | █        |          |          |          |          |           |          |          |          |           |
| 330,000     | 334  |          | █        | █        |          |          |          | █        | █        |          |          |          |           |          |          |          |           |
| 470,000     | 474  |          | █        | █        | █        |          |          | █        | █        | █        |          |          |           |          |          |          |           |
| 680,000     | 684  |          | █        | █        | █        | █        |          | █        | █        | █        | █        |          |           |          |          |          |           |
| 1,000,000   | 105  |          | █        | █        | █        | █        |          | █        | █        | █        | █        |          |           |          |          |          |           |
| 1,500,000   | 155  |          | █        | █        | █        | █        | █        | █        | █        | █        | █        | █        |           |          |          |          |           |
| 2,200,000   | 225  |          | █        | █        | █        | █        | █        | █        | █        | █        | █        | █        | █         |          |          |          |           |
| 3,300,000   | 335  |          | █        | █        | █        | █        | █        | █        | █        | █        | █        | █        | █         | █        |          |          |           |
| 4,700,000   | 475  |          | █        | █        | █        | █        | █        | █        | █        | █        | █        | █        | █         | █        | █        |          |           |
| 6,800,000   | 685  |          | █        | █        | █        | █        | █        | █        | █        | █        | █        | █        | █         | █        | █        | █        |           |
| 10,000,000  | 106  |          | █        | █        | █        | █        | █        | █        | █        | █        | █        | █        | █         | █        | █        | █        | █         |
| 22,000,000  | 226  |          | █        | █        | █        | █        | █        | █        | █        | █        | █        | █        | █         | █        | █        | █        | █         |

Standard thickness █ 0.60 mm █ 0.85 mm █ 1.25 mm

█ Background gray: These products are not recommended for new designs.


█ Click the charts for details.

█ For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

# MULTILAYER CERAMIC CHIP CAPACITORS TDK

## Capacitance range chart

## CGA5/3216 [EIA 1206]



Standard thickness █ 0.60 mm █ 0.85 mm █ 1.15 mm █ 1.60 mm


Background gray: These products are not recommended for new designs.

█ Click the charts for details.

█ For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

## Capacitance range chart

## CGA6/3225 [EIA 1210]



Standard thickness █ 1.25 mm █ 1.60 mm █ 2.00 mm █ 2.30 mm █ 2.50 mm

Background gray: These products are not recommended for new designs.

█ Click the charts for details.

█ For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

⚠ Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.

# MULTILAYER CERAMIC CHIP CAPACITORS

## Capacitance range chart

## CGA8/4532 [EIA 1812]

| Capacitance |      | COG      | X7R      |          |          |
|-------------|------|----------|----------|----------|----------|
| (pF)        | Code | 1H (50V) | 1H (50V) | 1E (25V) | 1C (16V) |
| 47,000      | 473  | █        |          |          |          |
| 68,000      | 683  | █        |          |          |          |
| 100,000     | 104  | █        |          |          |          |
| 150,000     | 154  | █        |          |          |          |
| 220,000     | 224  | █        |          |          |          |
| 1,500,000   | 155  |          | █        |          |          |
| 2,200,000   | 225  |          | █        |          |          |
| 3,300,000   | 335  |          | █        |          |          |
| 4,700,000   | 475  |          | █        | █        |          |
| 6,800,000   | 685  |          | █        | █        |          |
| 10,000,000  | 106  |          |          | █        |          |
| 15,000,000  | 156  |          |          | █        |          |
| 22,000,000  | 226  |          |          | █        | █        |
| 33,000,000  | 336  |          |          |          | █        |

Standard thickness  1.60 mm  2.00 mm  2.30 mm  2.50 mm  2.80 mm  3.20 mm

 Background gray: These products are not recommended for new designs.

■ Click the charts for details.


■ For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

## Capacitance range chart

## CGA9/5750 [EIA 2220]

| Capacitance |      | X7R      |          |          |          |
|-------------|------|----------|----------|----------|----------|
| (pF)        | Code | 1H (50V) | 1V (35V) | 1E (25V) | 1C (16V) |
| 4,700,000   | 475  | █        |          |          |          |
| 6,800,000   | 685  | █        |          |          |          |
| 10,000,000  | 106  | █        |          | █        |          |
| 15,000,000  | 156  |          |          | █        |          |
| 22,000,000  | 226  | █        | █        | █        |          |
| 47,000,000  | 476  |          | █        | █        | █        |

Standard thickness  2.00 mm  2.30 mm  2.50 mm

 Background gray: These products are not recommended for new designs.

■ Click the charts for details.

■ For details such as the catalog numbers, please refer to the capacitance range table on page 12 and after.

⚠ Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.


# MULTILAYER CERAMIC CHIP CAPACITORS

## Capacitance range table

Temperature characteristic: COG (-55 to +125 °C ,0±30ppm/ °C )

| Capacitance | Dimensions | Thickness (mm) | Capacitance tolerance | Catalog number                       |                                      |
|-------------|------------|----------------|-----------------------|--------------------------------------|--------------------------------------|
|             |            |                |                       | Rated voltage Edc: 50V               | Rated voltage Edc: 25V               |
| 1pF         | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H010C030BA</a> | <a href="#">CGA1A2C0G1E010C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H010C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H010C080AA</a> |                                      |
| 1.5pF       | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H1R5C030BA</a> | <a href="#">CGA1A2C0G1E1R5C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H1R5C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H1R5C080AA</a> |                                      |
| 2pF         | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H020C030BA</a> | <a href="#">CGA1A2C0G1E020C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H020C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H020C080AA</a> |                                      |
| 2.2pF       | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H2R2C030BA</a> | <a href="#">CGA1A2C0G1E2R2C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H2R2C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H2R2C080AA</a> |                                      |
| 3pF         | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H030C030BA</a> | <a href="#">CGA1A2C0G1E030C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H030C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H030C080AA</a> |                                      |
| 3.3pF       | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H3R3C030BA</a> | <a href="#">CGA1A2C0G1E3R3C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H3R3C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H3R3C080AA</a> |                                      |
| 4pF         | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H040C030BA</a> | <a href="#">CGA1A2C0G1E040C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H040C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H040C080AA</a> |                                      |
| 4.7pF       | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H4R7C030BA</a> | <a href="#">CGA1A2C0G1E4R7C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H4R7C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H4R7C080AA</a> |                                      |
| 5pF         | 0603       | 0.30±0.03      | ±0.25pF               | <a href="#">CGA1A2C0G1H050C030BA</a> | <a href="#">CGA1A2C0G1E050C030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.25pF               | <a href="#">CGA2B2C0G1H050C050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.25pF               | <a href="#">CGA3E2C0G1H050C080AA</a> |                                      |
| 6pF         | 0603       | 0.30±0.03      | ±0.50pF               | <a href="#">CGA1A2C0G1H060D030BA</a> | <a href="#">CGA1A2C0G1E060D030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.50pF               | <a href="#">CGA2B2C0G1H060D050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.50pF               | <a href="#">CGA3E2C0G1H060D080AA</a> |                                      |
| 6.8pF       | 0603       | 0.30±0.03      | ±0.50pF               | <a href="#">CGA1A2C0G1H6R8D030BA</a> | <a href="#">CGA1A2C0G1E6R8D030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.50pF               | <a href="#">CGA2B2C0G1H6R8D050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.50pF               | <a href="#">CGA3E2C0G1H6R8D080AA</a> |                                      |
| 7pF         | 0603       | 0.30±0.03      | ±0.50pF               | <a href="#">CGA1A2C0G1H070D030BA</a> | <a href="#">CGA1A2C0G1E070D030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.50pF               | <a href="#">CGA2B2C0G1H070D050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.50pF               | <a href="#">CGA3E2C0G1H070D080AA</a> |                                      |
| 8pF         | 0603       | 0.30±0.03      | ±0.50pF               | <a href="#">CGA1A2C0G1H080D030BA</a> | <a href="#">CGA1A2C0G1E080D030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.50pF               | <a href="#">CGA2B2C0G1H080D050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.50pF               | <a href="#">CGA3E2C0G1H080D080AA</a> |                                      |
| 9pF         | 0603       | 0.30±0.03      | ±0.50pF               | <a href="#">CGA1A2C0G1H090D030BA</a> | <a href="#">CGA1A2C0G1E090D030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.50pF               | <a href="#">CGA2B2C0G1H090D050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.50pF               | <a href="#">CGA3E2C0G1H090D080AA</a> |                                      |
| 10pF        | 0603       | 0.30±0.03      | ±0.50pF               | <a href="#">CGA1A2C0G1H100D030BA</a> | <a href="#">CGA1A2C0G1E100D030BA</a> |
|             | 1005       | 0.50±0.05      | ±0.50pF               | <a href="#">CGA2B2C0G1H100D050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±0.50pF               | <a href="#">CGA3E2C0G1H100D080AA</a> |                                      |
| 12pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H120J030BA</a> | <a href="#">CGA1A2C0G1E120J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H120J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H120J080AA</a> |                                      |
| 15pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H150J030BA</a> | <a href="#">CGA1A2C0G1E150J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H150J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H150J080AA</a> |                                      |
| 18pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H180J030BA</a> | <a href="#">CGA1A2C0G1E180J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H180J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H180J080AA</a> |                                      |
| 22pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H220J030BA</a> | <a href="#">CGA1A2C0G1E220J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H220J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H220J080AA</a> |                                      |
| 27pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H270J030BA</a> | <a href="#">CGA1A2C0G1E270J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H270J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H270J080AA</a> |                                      |
| 33pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H330J030BA</a> | <a href="#">CGA1A2C0G1E330J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H330J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H330J080AA</a> |                                      |
| 39pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H390J030BA</a> | <a href="#">CGA1A2C0G1E390J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H390J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H390J080AA</a> |                                      |
| 47pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H470J030BA</a> | <a href="#">CGA1A2C0G1E470J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H470J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H470J080AA</a> |                                      |

Click the part numbers for details.

 Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.

## MULTILAYER CERAMIC CHIP CAPACITORS



## Capacitance range table

Temperature characteristic: COG (-55 to +125 °C ,0±30ppm/ °C )

| Capacitance | Dimensions | Thickness (mm) | Capacitance tolerance | Catalog number                       |                                      |
|-------------|------------|----------------|-----------------------|--------------------------------------|--------------------------------------|
|             |            |                |                       | Rated voltage Edc: 50V               | Rated voltage Edc: 25V               |
| 56pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H560J030BA</a> | <a href="#">CGA1A2C0G1E560J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H560J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H560J080AA</a> |                                      |
| 68pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H680J030BA</a> | <a href="#">CGA1A2C0G1E680J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H680J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H680J080AA</a> |                                      |
| 82pF        | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H820J030BA</a> | <a href="#">CGA1A2C0G1E820J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H820J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H820J080AA</a> |                                      |
| 100pF       | 0603       | 0.30±0.03      | ±5%                   | <a href="#">CGA1A2C0G1H101J030BA</a> | <a href="#">CGA1A2C0G1E101J030BA</a> |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H101J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H101J080AA</a> |                                      |
| 120pF       | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H121J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H121J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H151J050BA</a> |                                      |
| 150pF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H151J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H181J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H181J080AA</a> |                                      |
| 220pF       | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H221J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H221J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H271J050BA</a> |                                      |
| 270pF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H271J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H331J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H331J080AA</a> |                                      |
| 330pF       | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H391J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H391J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H471J050BA</a> |                                      |
| 470pF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H471J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H561J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H561J080AA</a> |                                      |
| 560pF       | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H681J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H681J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H821J050BA</a> |                                      |
| 820pF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H821J080AA</a> |                                      |
|             | 1005       | 0.50±0.05      | ±5%                   | <a href="#">CGA2B2C0G1H102J050BA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H102J080AA</a> |                                      |
| 1nF         | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H102J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H122J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H122J060AA</a> |                                      |
| 1.2nF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H152J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H152J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H182J080AA</a> |                                      |
| 1.5nF       | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H182J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H222J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H222J060AA</a> |                                      |
| 1.8nF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H272J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H272J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H332J080AA</a> |                                      |
| 2.2nF       | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H332J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H472J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H472J060AA</a> |                                      |
| 2.7nF       | 3216       | 0.60±0.15      | ±5%                   | <a href="#">CGA5C2C0G1H472J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H562J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H562J060AA</a> |                                      |
| 5.6nF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H682J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H682J060AA</a> |                                      |
|             | 3216       | 0.60±0.15      | ±5%                   | <a href="#">CGA5C2C0G1H682J060AA</a> |                                      |
| 6.8nF       | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H822J080AA</a> |                                      |
|             | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H822J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H103J080AA</a> |                                      |
| 8.2nF       | 2012       | 0.60±0.15      | ±5%                   | <a href="#">CGA4C2C0G1H103J060AA</a> |                                      |
|             | 1608       | 0.80±0.10      | ±5%                   | <a href="#">CGA3E2C0G1H153J085AA</a> |                                      |
|             | 2012       | 0.85±0.15      | ±5%                   | <a href="#">CGA4F2C0G1H153J085AA</a> |                                      |
| 15nF        | 3216       | 0.60±0.15      | ±5%                   | <a href="#">CGA5C2C0G1H153J060AA</a> |                                      |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

## Capacitance range table

Temperature characteristic: COG (-55 to +125 °C ,0±30ppm/ °C )

| Capacitance | Dimensions | Thickness<br>(mm) | Capacitance<br>tolerance | Catalog number                       |
|-------------|------------|-------------------|--------------------------|--------------------------------------|
|             |            |                   |                          | Rated voltage Edc: 50V               |
| 22nF        | 2012       | 1.25±0.20         | ±5%                      | <a href="#">CGA4J2C0G1H223J125AA</a> |
|             | 3216       | 0.60±0.15         | ±5%                      | <a href="#">CGA5C2C0G1H223J060AA</a> |
|             | 3225       | 1.25±0.20         | ±5%                      | <a href="#">CGA6J2C0G1H223J125AA</a> |
| 33nF        | 2012       | 1.25±0.20         | ±5%                      | <a href="#">CGA4J2C0G1H333J125AA</a> |
|             | 3216       | 0.85±0.15         | ±5%                      | <a href="#">CGA5F2C0G1H333J085AA</a> |
|             | 3225       | 1.60±0.20         | ±5%                      | <a href="#">CGA6L2C0G1H333J160AA</a> |
| 47nF        | 3216       | 1.15±0.15         | ±5%                      | <a href="#">CGA5H2C0G1H473J115AA</a> |
|             | 3225       | 2.00±0.20         | ±5%                      | <a href="#">CGA6M2C0G1H473J200AA</a> |
|             | 4532       | 1.60±0.20         | ±5%                      | <a href="#">CGA8L2C0G1H473J160KA</a> |
| 68nF        | 3216       | 1.60±0.20         | ±5%                      | <a href="#">CGA5L2C0G1H683J160AA</a> |
|             | 3225       | 2.00±0.20         | ±5%                      | <a href="#">CGA6M2C0G1H683J200AA</a> |
|             | 4532       | 1.60±0.20         | ±5%                      | <a href="#">CGA8L2C0G1H683J160KA</a> |
| 100nF       | 3216       | 1.60±0.20         | ±5%                      | <a href="#">CGA5L2C0G1H104J160AA</a> |
|             | 3225       | 2.50±0.30         | ±5%                      | <a href="#">CGA6P2C0G1H104J250AA</a> |
|             | 4532       | 2.00±0.20         | ±5%                      | <a href="#">CGA8M2C0G1H104J200KA</a> |
| 150nF       | 4532       | 2.50±0.30         | ±5%                      | <a href="#">CGA8P2C0G1H154J250KA</a> |
| 220nF       | 4532       | 3.20±0.30         | ±5%                      | <a href="#">CGA8R2C0G1H224J320KA</a> |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

# MULTILAYER CERAMIC CHIP CAPACITORS


## Capacitance range table

Temperature characteristic: X5R (-55 to +85 °C ,±15%)

| Capacitance | Dimensions | Thickness (mm) | Capacitance tolerance | Catalog number                       |                                      |                                      |
|-------------|------------|----------------|-----------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                |                       | Rated voltage Edc: 50V               | Rated voltage Edc: 35V               | Rated voltage Edc: 25V               |
| 220pF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H221K050BA</a> |                                      |                                      |
|             |            |                | ±20%                  | <a href="#">CGA2B2X5R1H221M050BA</a> |                                      |                                      |
| 330pF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H331K050BA</a> |                                      |                                      |
|             |            |                | ±20%                  | <a href="#">CGA2B2X5R1H331M050BA</a> |                                      |                                      |
| 470pF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H471K050BA</a> |                                      |                                      |
|             |            |                | ±20%                  | <a href="#">CGA2B2X5R1H471M050BA</a> |                                      |                                      |
| 680pF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H681K050BA</a> |                                      |                                      |
|             |            |                | ±20%                  | <a href="#">CGA2B2X5R1H681M050BA</a> |                                      |                                      |
| 1nF         | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H102K050BA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H102K080AA</a> |                                      |                                      |
| 1.5nF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H152K050BA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H152K080AA</a> |                                      |                                      |
| 2.2nF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H222K050BA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H222K080AA</a> |                                      |                                      |
| 3.3nF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H332K050BA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H332K080AA</a> |                                      |                                      |
| 4.7nF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H472K050BA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H472K080AA</a> |                                      |                                      |
| 6.8nF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X5R1H682K050BA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H682K080AA</a> |                                      |                                      |
| 10nF        | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B3X5R1H103K050BB</a> | <a href="#">CGA2B3X5R1V103K050BB</a> | <a href="#">CGA2B2X5R1E103K050BA</a> |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H103K080AA</a> | <a href="#">CGA2B3X5R1V103M050BB</a> | <a href="#">CGA2B2X5R1E103M050BA</a> |
| 15nF        | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B3X5R1H153K050BB</a> | <a href="#">CGA2B3X5R1V153K050BB</a> | <a href="#">CGA2B2X5R1E153K050BA</a> |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H153K080AA</a> | <a href="#">CGA2B3X5R1V153M050BB</a> | <a href="#">CGA2B2X5R1E153M050BA</a> |
| 22nF        | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B3X5R1H223K050BB</a> | <a href="#">CGA2B3X5R1V223K050BB</a> | <a href="#">CGA2B2X5R1E223K050BA</a> |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H223K080AA</a> | <a href="#">CGA2B3X5R1V223M050BB</a> | <a href="#">CGA2B2X5R1E223M050BA</a> |
| 33nF        | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B3X5R1H333K050BB</a> | <a href="#">CGA2B3X5R1V333K050BB</a> | <a href="#">CGA2B2X5R1E333K050BA</a> |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H333K080AA</a> | <a href="#">CGA2B3X5R1V333M050BB</a> | <a href="#">CGA2B2X5R1E333M050BA</a> |
| 47nF        | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B3X5R1H473K050BB</a> | <a href="#">CGA2B3X5R1V473K050BB</a> | <a href="#">CGA2B2X5R1E473K050BA</a> |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H473K080AA</a> | <a href="#">CGA2B3X5R1V473M050BB</a> | <a href="#">CGA2B2X5R1E473M050BA</a> |
| 68nF        | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B3X5R1H683K050BB</a> | <a href="#">CGA2B3X5R1V683K050BB</a> | <a href="#">CGA2B3X5R1E683K050BB</a> |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H683K080AA</a> | <a href="#">CGA2B3X5R1V683M050BB</a> | <a href="#">CGA2B3X5R1E683M050BB</a> |
| 100nF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA2B3X5R1H104K050BB</a> | <a href="#">CGA2B3X5R1V104K050BB</a> | <a href="#">CGA2B3X5R1E104K050BA</a> |
|             | 1608       | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X5R1H104K080AA</a> | <a href="#">CGA2B3X5R1V104M050BB</a> | <a href="#">CGA3E2X5R1E104M080AA</a> |
| 150nF       | 1005       | 0.50±0.05      | ±10%                  | <a href="#">CGA3E3X5R1H154K080AB</a> | <a href="#">CGA3E3X5R1V154K080AB</a> | <a href="#">CGA3E2X5R1E154K080AA</a> |
|             | 1608       | 0.80±0.10      | ±20%                  | <a href="#">CGA3E3X5R1H154M080AB</a> | <a href="#">CGA3E3X5R1V154M080AB</a> | <a href="#">CGA3E2X5R1E154M080AA</a> |

■ Gray items: These products are not recommended for new designs.

Click the part numbers for details.

 Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.

# MULTILAYER CERAMIC CHIP CAPACITORS

## Capacitance range table

Temperature characteristic: X5R (-55 to +85 °C ,±15%)

| Capacitance | Dimensions | Thickness (mm)  | Capacitance tolerance                | Catalog number                       |                                      |                                      |
|-------------|------------|-----------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                 |                                      | Rated voltage Edc: 50V               | Rated voltage Edc: 35V               | Rated voltage Edc: 25V               |
| 220nF       | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E3X5R1H224K080AB</a> | <a href="#">CGA3E3X5R1V224K080AB</a> | <a href="#">CGA3E2X5R1E224K080AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X5R1H224M080AB</a> | <a href="#">CGA3E3X5R1V224M080AB</a> | <a href="#">CGA3E2X5R1E224M080AA</a> |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J2X5R1H224K125AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA4J2X5R1H224M125AA</a> |                                      |                                      |
| 330nF       | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E3X5R1H334K080AB</a> | <a href="#">CGA3E3X5R1V334K080AB</a> | <a href="#">CGA3E3X5R1E334K080AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X5R1H334M080AB</a> | <a href="#">CGA3E3X5R1V334M080AB</a> | <a href="#">CGA3E3X5R1E334M080AB</a> |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J2X5R1H334K125AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA4J2X5R1H334M125AA</a> |                                      |                                      |
| 470nF       | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E3X5R1H474K080AB</a> | <a href="#">CGA3E3X5R1V474K080AB</a> | <a href="#">CGA3E3X5R1E474K080AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X5R1H474M080AB</a> | <a href="#">CGA3E3X5R1V474M080AB</a> | <a href="#">CGA3E3X5R1E474M080AB</a> |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X5R1H474K125AB</a> | <a href="#">CGA4J3X5R1V474K125AB</a> | <a href="#">CGA4J2X5R1E474K125AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X5R1H474M125AB</a> | <a href="#">CGA4J3X5R1V474M125AB</a> | <a href="#">CGA4J2X5R1E474M125AA</a> |
| 680nF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L2X5R1H474K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L2X5R1H474M160AA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E3X5R1H684K080AB</a> | <a href="#">CGA3E3X5R1V684K080AB</a> | <a href="#">CGA3E3X5R1E684K080AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X5R1H684M080AB</a> | <a href="#">CGA3E3X5R1V684M080AB</a> | <a href="#">CGA3E3X5R1E684M080AB</a> |
| 2012        | 1.25±0.20  | ±10%            | <a href="#">CGA4J3X5R1H684K125AB</a> | <a href="#">CGA4J3X5R1V684K125AB</a> | <a href="#">CGA4J2X5R1E684K125AA</a> |                                      |
|             |            | ±20%            | <a href="#">CGA4J3X5R1H684M125AB</a> | <a href="#">CGA4J3X5R1V684M125AB</a> | <a href="#">CGA4J2X5R1E684M125AA</a> |                                      |
| 1µF         | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L2X5R1H684K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L2X5R1H684M160AA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E3X5R1H105K080AB</a> | <a href="#">CGA3E3X5R1V105K080AB</a> | <a href="#">CGA3E3X5R1E105K080AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X5R1H105M080AB</a> | <a href="#">CGA3E3X5R1V105M080AB</a> | <a href="#">CGA3E3X5R1E105M080AB</a> |
| 2012        | 1.25±0.20  | ±10%            | <a href="#">CGA4J3X5R1H105K125AB</a> | <a href="#">CGA4J3X5R1V105K125AB</a> | <a href="#">CGA4J2X5R1E105K125AA</a> |                                      |
|             |            | ±20%            | <a href="#">CGA4J3X5R1H105M125AB</a> | <a href="#">CGA4J3X5R1V105M125AB</a> | <a href="#">CGA4J2X5R1E105M125AA</a> |                                      |
| 1.5µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L2X5R1H105K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L2X5R1H105M160AA</a> |                                      |                                      |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X5R1H155K125AB</a> | <a href="#">CGA4J3X5R1V155K125AB</a> | <a href="#">CGA4J3X5R1E155K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X5R1H155M125AB</a> | <a href="#">CGA4J3X5R1V155M125AB</a> | <a href="#">CGA4J3X5R1E155M125AB</a> |
| 2.2µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X5R1H155K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X5R1H155M160AA</a> |                                      |                                      |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X5R1H225K125AB</a> | <a href="#">CGA4J3X5R1V225K125AB</a> | <a href="#">CGA4J3X5R1E225K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X5R1H225M125AB</a> | <a href="#">CGA4J3X5R1V225M125AB</a> | <a href="#">CGA4J3X5R1E225M125AB</a> |
| 3.3µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X5R1H225K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X5R1H225M160AA</a> |                                      |                                      |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X5R1H335K125AB</a> | <a href="#">CGA4J3X5R1V335K125AB</a> | <a href="#">CGA4J3X5R1E335K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X5R1H335M125AB</a> | <a href="#">CGA4J3X5R1V335M125AB</a> | <a href="#">CGA4J3X5R1E335M125AB</a> |
| 4.7µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X5R1H335K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X5R1H335M160AA</a> |                                      |                                      |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X5R1H475K125AB</a> | <a href="#">CGA4J3X5R1V475K125AB</a> | <a href="#">CGA4J3X5R1E475K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X5R1H475M125AB</a> | <a href="#">CGA4J3X5R1V475M125AB</a> | <a href="#">CGA4J3X5R1E475M125AB</a> |
| 6.8µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X5R1H475K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X5R1H475M160AA</a> |                                      |                                      |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X5R1H685K160AB</a> | <a href="#">CGA5L3X5R1V685K160AB</a> | <a href="#">CGA5L3X5R1E685K160AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X5R1H685M160AB</a> | <a href="#">CGA5L3X5R1V685M160AB</a> | <a href="#">CGA5L3X5R1E685M160AB</a> |
| 10µF        | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X5R1H106K160AB</a> | <a href="#">CGA5L3X5R1V106K160AB</a> | <a href="#">CGA5L3X5R1E106K160AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X5R1H106M160AB</a> | <a href="#">CGA5L3X5R1V106M160AB</a> | <a href="#">CGA5L3X5R1E106M160AB</a> |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

⚠ Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use.  
Please note that the contents may change without any prior notice due to reasons such as upgrading.

## MULTILAYER CERAMIC CHIP CAPACITORS



## Capacitance range table

Temperature characteristic: X5R (-55 to +85 °C ,±15%)

| Capacitance | Dimensions | Thickness (mm)  | Capacitance tolerance | Catalog number                       |                                      |                         |
|-------------|------------|-----------------|-----------------------|--------------------------------------|--------------------------------------|-------------------------|
|             |            |                 |                       | Rated voltage Edc: 16V               | Rated voltage Edc: 10V               | Rated voltage Edc: 6.3V |
| 33nF        | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B2X5R1C333K050BA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA2B2X5R1C333M050BA</a> |                                      |                         |
| 47nF        | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B2X5R1C473K050BA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA2B2X5R1C473M050BA</a> |                                      |                         |
| 68nF        | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B2X5R1C683K050BA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA2B2X5R1C683M050BA</a> |                                      |                         |
| 100nF       | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B2X5R1C104K050BA</a> | <a href="#">CGA2B2X5R1A104K050BA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA2B2X5R1C104M050BA</a> | <a href="#">CGA2B2X5R1A104M050BA</a> |                         |
| 150nF       | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B1X5R1C154K050BC</a> | <a href="#">CGA2B3X5R1A154K050BB</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA2B1X5R1C154M050BC</a> | <a href="#">CGA2B3X5R1A154M050BB</a> |                         |
| 220nF       | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B1X5R1C224K050BC</a> | <a href="#">CGA2B3X5R1A224K050BB</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA2B1X5R1C224M050BC</a> | <a href="#">CGA2B3X5R1A224M050BB</a> |                         |
|             | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E2X5R1C224K080AA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E2X5R1C224M080AA</a> |                                      |                         |
| 330nF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E2X5R1C334K080AA</a> | <a href="#">CGA3E2X5R1A334K080AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E2X5R1C334M080AA</a> | <a href="#">CGA3E2X5R1A334M080AA</a> |                         |
| 470nF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E2X5R1C474K080AA</a> | <a href="#">CGA3E2X5R1A474K080AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E2X5R1C474M080AA</a> | <a href="#">CGA3E2X5R1A474M080AA</a> |                         |
| 680nF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E2X5R1C684K080AA</a> | <a href="#">CGA3E2X5R1A684K080AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E2X5R1C684M080AA</a> | <a href="#">CGA3E2X5R1A684M080AA</a> |                         |
|             | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J2X5R1C684K125AA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J2X5R1C684M125AA</a> |                                      |                         |
| 1µF         | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E1X5R1C105K080AC</a> | <a href="#">CGA3E2X5R1A105K080AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E1X5R1C105M080AC</a> | <a href="#">CGA3E2X5R1A105M080AA</a> |                         |
|             | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J2X5R1C105K125AA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J2X5R1C105M125AA</a> |                                      |                         |
| 1.5µF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E1X5R1C155K080AC</a> | <a href="#">CGA3E3X5R1A155K080AB</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E1X5R1C155M080AC</a> | <a href="#">CGA3E3X5R1A155M080AB</a> |                         |
|             | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J2X5R1C155K125AA</a> | <a href="#">CGA4J2X5R1A155K125AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J2X5R1C155M125AA</a> | <a href="#">CGA4J2X5R1A155M125AA</a> |                         |
| 2.2µF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E1X5R1C225K080AC</a> | <a href="#">CGA3E3X5R1A225K080AB</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E1X5R1C225M080AC</a> | <a href="#">CGA3E3X5R1A225M080AB</a> |                         |
|             | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J2X5R1C225K125AA</a> | <a href="#">CGA4J2X5R1A225K125AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J2X5R1C225M125AA</a> | <a href="#">CGA4J2X5R1A225M125AA</a> |                         |
| 3.3µF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E1X5R1A335K080AC</a> | <a href="#">CGA3E3X5R0J335K080AB</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA3E1X5R1A335M080AC</a> | <a href="#">CGA3E3X5R0J335M080AB</a> |                         |
|             | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J3X5R1C335K125AB</a> | <a href="#">CGA4J2X5R1A335K125AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J3X5R1C335M125AB</a> | <a href="#">CGA4J2X5R1A335M125AA</a> |                         |
| 1608        | 0.80±0.10  | ±10%            |                       |                                      | <a href="#">CGA3E1X5R0J475K080AC</a> |                         |
|             |            | ±20%            |                       |                                      | <a href="#">CGA3E1X5R0J475M080AC</a> |                         |
| 4.7µF       | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J3X5R1C475K125AB</a> | <a href="#">CGA4J2X5R1A475K125AA</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J3X5R1C475M125AB</a> | <a href="#">CGA4J2X5R1A475M125AA</a> |                         |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                  | <a href="#">CGA5L2X5R1C475K160AA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA5L2X5R1C475M160AA</a> |                                      |                         |
| 6.8µF       | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J1X5R1C685K125AC</a> | <a href="#">CGA4J3X5R1A685K125AB</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J1X5R1C685M125AC</a> | <a href="#">CGA4J3X5R1A685M125AB</a> |                         |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                  | <a href="#">CGA5L2X5R1C685K160AA</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA5L2X5R1C685M160AA</a> |                                      |                         |
| 10µF        | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J1X5R1C106K125AC</a> | <a href="#">CGA4J3X5R1A106K125AB</a> |                         |
|             |            |                 | ±20%                  | <a href="#">CGA4J1X5R1C106M125AC</a> | <a href="#">CGA4J3X5R1A106M125AB</a> |                         |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                  | <a href="#">CGA5L1X5R1C106K160AC</a> |                                      |                         |
|             |            |                 | ±20%                  | <a href="#">CGA5L1X5R1C106M160AC</a> |                                      |                         |
| 15µF        | 3216       | 1.60+0.30,-0.10 | ±20%                  | <a href="#">CGA5L1X5R1C156M160AC</a> |                                      |                         |
| 22µF        | 3216       | 1.60+0.30,-0.10 | ±20%                  | <a href="#">CGA5L1X5R1C226M160AC</a> |                                      |                         |

■ Gray items: These products are not recommended for new designs.

Click the part numbers for details.

# MULTILAYER CERAMIC CHIP CAPACITORS

## Capacitance range table

Temperature characteristic: X7R (-55 to +125 °C, ±15%)

| Capacitance | Dimensions | Thickness (mm) | Capacitance tolerance                | Catalog number                       |                                      |                                      |
|-------------|------------|----------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                |                                      | Rated voltage Edc: 50V               | Rated voltage Edc: 35V               | Rated voltage Edc: 25V               |
| 100pF       | 0603       | 0.30±0.03      | ±10%                                 | <a href="#">CGA1A2X7R1H101K030BA</a> |                                      | <a href="#">CGA1A2X7R1E101K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA1A2X7R1H101M030BA</a> |                                      | <a href="#">CGA1A2X7R1E101M030BA</a> |
| 150pF       | 0603       | 0.30±0.03      | ±10%                                 | <a href="#">CGA1A2X7R1H151K030BA</a> |                                      | <a href="#">CGA1A2X7R1E151K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA1A2X7R1H151M030BA</a> |                                      | <a href="#">CGA1A2X7R1E151M030BA</a> |
| 220pF       | 0603       | 0.30±0.03      | ±10%                                 | <a href="#">CGA1A2X7R1H221K030BA</a> |                                      | <a href="#">CGA1A2X7R1E221K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA1A2X7R1H221M030BA</a> |                                      | <a href="#">CGA1A2X7R1E221M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H221K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H221M050BA</a> |                                      |                                      |
| 330pF       | 0603       | 0.30±0.03      | ±10%                                 | <a href="#">CGA1A2X7R1H331K030BA</a> |                                      | <a href="#">CGA1A2X7R1E331K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA1A2X7R1H331M030BA</a> |                                      | <a href="#">CGA1A2X7R1E331M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H331K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H331M050BA</a> |                                      |                                      |
| 470pF       | 0603       | 0.30±0.03      | ±10%                                 | <a href="#">CGA1A2X7R1H471K030BA</a> |                                      | <a href="#">CGA1A2X7R1E471K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA1A2X7R1H471M030BA</a> |                                      | <a href="#">CGA1A2X7R1E471M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H471K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H471M050BA</a> |                                      |                                      |
| 680pF       | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E681K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H681K050BA</a> |                                      | <a href="#">CGA1A2X7R1E681M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H681K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H681M050BA</a> |                                      |                                      |
| 1nF         | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E102K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H102K050BA</a> |                                      | <a href="#">CGA1A2X7R1E102M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H102M050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H102K080AA</a> |                                      |                                      |
| 1.5nF       | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E152K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H102M080AA</a> |                                      | <a href="#">CGA1A2X7R1E152M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H152K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H152M050BA</a> |                                      |                                      |
| 2.2nF       | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E222K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H152M080AA</a> |                                      | <a href="#">CGA1A2X7R1E222M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H222K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H222M050BA</a> |                                      |                                      |
| 3.3nF       | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E332K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H222M080AA</a> |                                      | <a href="#">CGA1A2X7R1E332M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H332K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H332M050BA</a> |                                      |                                      |
| 4.7nF       | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E472K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H332M080AA</a> |                                      | <a href="#">CGA1A2X7R1E472M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H472K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H472M050BA</a> |                                      |                                      |
| 6.8nF       | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E682K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H472M080AA</a> |                                      | <a href="#">CGA1A2X7R1E682M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B2X7R1H682K050BA</a> |                                      |                                      |
|             |            |                | ±20%                                 | <a href="#">CGA2B2X7R1H682M050BA</a> |                                      |                                      |
| 10nF        | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E103K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H682M080AA</a> |                                      | <a href="#">CGA1A2X7R1E103M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B3X7R1H103K050BB</a> | <a href="#">CGA2B3X7R1V103K050BB</a> | <a href="#">CGA2B2X7R1E103K050BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA2B3X7R1H103M050BB</a> | <a href="#">CGA2B3X7R1V103M050BB</a> | <a href="#">CGA2B2X7R1E103M050BA</a> |
| 15nF        | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E153K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H103M080AA</a> |                                      | <a href="#">CGA1A2X7R1E153M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B3X7R1H153K050BB</a> | <a href="#">CGA2B3X7R1V153K050BB</a> | <a href="#">CGA2B2X7R1E153K050BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA2B3X7R1H153M050BB</a> | <a href="#">CGA2B3X7R1V153M050BB</a> | <a href="#">CGA2B2X7R1E153M050BA</a> |
| 22nF        | 0603       | 0.30±0.03      | ±10%                                 |                                      |                                      | <a href="#">CGA1A2X7R1E223K030BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA3E2X7R1H153M080AA</a> |                                      | <a href="#">CGA1A2X7R1E223M030BA</a> |
|             | 1005       | 0.50±0.05      | ±10%                                 | <a href="#">CGA2B3X7R1H223K050BB</a> | <a href="#">CGA2B3X7R1V223K050BB</a> | <a href="#">CGA2B2X7R1E223K050BA</a> |
|             |            |                | ±20%                                 | <a href="#">CGA2B3X7R1H223M050BB</a> | <a href="#">CGA2B3X7R1V223M050BB</a> | <a href="#">CGA2B2X7R1E223M050BA</a> |
| 1608        | 0.80±0.10  | ±10%           | <a href="#">CGA3E2X7R1H223K080AA</a> |                                      |                                      |                                      |
|             |            | ±20%           | <a href="#">CGA3E2X7R1H223M080AA</a> |                                      |                                      |                                      |

Click the part numbers for details.

 Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.

# MULTILAYER CERAMIC CHIP CAPACITORS

## Capacitance range table

Temperature characteristic: X7R (-55 to +125 °C, ±15%)

| Capacitance | Dimensions | Thickness (mm)  | Capacitance tolerance                | Catalog number                       |                                      |                                      |
|-------------|------------|-----------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                 |                                      | Rated voltage Edc: 50V               | Rated voltage Edc: 35V               | Rated voltage Edc: 25V               |
| 33nF        | 1005       | 0.50±0.05       | ±10%                                 | <a href="#">CGA2B3X7R1H333K050BB</a> | <a href="#">CGA2B3X7R1V333K050BB</a> | <a href="#">CGA2B1X7R1E333K050BC</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA2B3X7R1H333M050BB</a> | <a href="#">CGA2B3X7R1V333M050BB</a> | <a href="#">CGA2B1X7R1E333M050BC</a> |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E2X7R1H333K080AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA3E2X7R1H333M080AA</a> |                                      |                                      |
| 47nF        | 1005       | 0.50±0.05       | ±10%                                 | <a href="#">CGA2B3X7R1H473K050BB</a> | <a href="#">CGA2B3X7R1V473K050BB</a> | <a href="#">CGA2B1X7R1E473K050BC</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA2B3X7R1H473M050BB</a> | <a href="#">CGA2B3X7R1V473M050BB</a> | <a href="#">CGA2B1X7R1E473M050BC</a> |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E2X7R1H473K080AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA3E2X7R1H473M080AA</a> |                                      |                                      |
| 68nF        | 1005       | 0.50±0.05       | ±10%                                 | <a href="#">CGA2B3X7R1H683K050BB</a> | <a href="#">CGA2B3X7R1V683K050BB</a> | <a href="#">CGA2B3X7R1E683K050BB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA2B3X7R1H683M050BB</a> | <a href="#">CGA2B3X7R1V683M050BB</a> | <a href="#">CGA2B3X7R1E683M050BB</a> |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E2X7R1H683K080AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA3E2X7R1H683M080AA</a> |                                      |                                      |
| 100nF       | 1005       | 0.50±0.05       | ±10%                                 | <a href="#">CGA2B3X7R1H104K050BB</a> | <a href="#">CGA2B3X7R1V104K050BB</a> | <a href="#">CGA2B3X7R1E104K050BB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA2B3X7R1H104M050BB</a> | <a href="#">CGA2B3X7R1V104M050BB</a> | <a href="#">CGA2B3X7R1E104M050BB</a> |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E2X7R1H104K080AA</a> |                                      | <a href="#">CGA3E2X7R1E104K080AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E2X7R1H104M080AA</a> |                                      | <a href="#">CGA3E2X7R1E104M080AA</a> |
| 150nF       | 1005       | 0.50±0.05       | ±10%                                 |                                      | <a href="#">CGA2B1X7R1V154K050BC</a> | <a href="#">CGA2B3X7R1E154K050BB</a> |
|             |            |                 | ±20%                                 |                                      | <a href="#">CGA2B1X7R1V154M050BC</a> | <a href="#">CGA2B3X7R1E154M050BB</a> |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E3X7R1H154K080AB</a> | <a href="#">CGA3E3X7R1V154K080AB</a> | <a href="#">CGA3E2X7R1E154K080AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X7R1H154M080AB</a> | <a href="#">CGA3E3X7R1V154M080AB</a> | <a href="#">CGA3E2X7R1E154M080AA</a> |
| 220nF       | 1005       | 0.50±0.05       | ±10%                                 |                                      | <a href="#">CGA2B1X7R1V224K050BC</a> | <a href="#">CGA2B3X7R1E224K050BB</a> |
|             |            |                 | ±20%                                 |                                      | <a href="#">CGA2B1X7R1V224M050BC</a> | <a href="#">CGA2B3X7R1E224M050BB</a> |
|             | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA3E3X7R1H224K080AB</a> | <a href="#">CGA3E3X7R1V224K080AB</a> | <a href="#">CGA3E1X7R1E224K080AC</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X7R1H224M080AB</a> | <a href="#">CGA3E3X7R1V224M080AB</a> | <a href="#">CGA3E1X7R1E224M080AC</a> |
| 330nF       | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA4J2X7R1H334K125AA</a> |                                      | <a href="#">CGA4J2X7R1E224K125AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J2X7R1H334M125AA</a> |                                      |                                      |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA3E3X7R1H334K080AB</a> | <a href="#">CGA3E1X7R1V334K080AC</a> | <a href="#">CGA3E3X7R1E334K080AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA3E3X7R1H334M080AB</a> | <a href="#">CGA3E1X7R1V334M080AC</a> | <a href="#">CGA3E3X7R1E334M080AB</a> |
| 470nF       | 1608       | 0.80±0.10       | ±10%                                 | <a href="#">CGA4J3X7R1H474K125AB</a> | <a href="#">CGA4J3X7R1V474K125AB</a> | <a href="#">CGA4J2X7R1E474K125AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X7R1H474M125AB</a> | <a href="#">CGA4J3X7R1V474M125AB</a> | <a href="#">CGA4J2X7R1E474M125AA</a> |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L2X7R1H474K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L2X7R1H474M160AA</a> |                                      |                                      |
| 680nF       | 1608       | 0.80±0.10       | ±10%                                 |                                      | <a href="#">CGA3E1X7R1V684K080AC</a> | <a href="#">CGA3E1X7R1E684K080AC</a> |
|             |            |                 | ±20%                                 |                                      | <a href="#">CGA3E1X7R1V684M080AC</a> | <a href="#">CGA3E1X7R1E684M080AC</a> |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X7R1H684K125AB</a> | <a href="#">CGA4J3X7R1V684K125AB</a> | <a href="#">CGA4J3X7R1E684K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X7R1H684M125AB</a> | <a href="#">CGA4J3X7R1V684M125AB</a> | <a href="#">CGA4J3X7R1E684M125AB</a> |
| 1µF         | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L2X7R1H684K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA5L2X7R1H684M160AA</a> |                                      |                                      |
|             | 1608       | 0.80±0.10       | ±10%                                 |                                      | <a href="#">CGA3E1X7R1V105K080AC</a> | <a href="#">CGA3E1X7R1E105K080AC</a> |
|             |            |                 | ±20%                                 |                                      | <a href="#">CGA3E1X7R1V105M080AC</a> | <a href="#">CGA3E1X7R1E105M080AC</a> |
| 1.5µF       | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X7R1H105K125AB</a> | <a href="#">CGA4J3X7R1V105K125AB</a> | <a href="#">CGA4J3X7R1E105K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X7R1H105M125AB</a> | <a href="#">CGA4J3X7R1V105M125AB</a> | <a href="#">CGA4J3X7R1E105M125AB</a> |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X7R1H105K160AB</a> | <a href="#">CGA5L3X7R1V105K160AB</a> | <a href="#">CGA5L2X7R1E105K160AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X7R1H105M160AB</a> | <a href="#">CGA5L3X7R1V105M160AB</a> | <a href="#">CGA5L2X7R1E105M160AA</a> |
| 2.2µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA6L2X7R1H105K160AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA6L2X7R1H105M160AA</a> |                                      |                                      |
|             | 4532       | 1.60±0.20       | ±10%                                 | <a href="#">CGA4J3X7R1H155K125AB</a> | <a href="#">CGA4J1X7R1V155K125AC</a> | <a href="#">CGA4J3X7R1E155K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X7R1H155M125AB</a> | <a href="#">CGA4J1X7R1V155M125AC</a> | <a href="#">CGA4J3X7R1E155M125AB</a> |
| 2.2µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X7R1H155K160AB</a> | <a href="#">CGA5L3X7R1V155K160AB</a> | <a href="#">CGA5L2X7R1E155K160AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X7R1H155M160AB</a> | <a href="#">CGA5L3X7R1V155M160AB</a> | <a href="#">CGA5L2X7R1E155M160AA</a> |
|             | 4532       | 1.60±0.20       | ±10%                                 | <a href="#">CGA6M2X7R1H155K200AA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA6M2X7R1H155M200AA</a> |                                      |                                      |
| 2.2µF       | 4532       | 1.60±0.20       | ±10%                                 | <a href="#">CGA8L2X7R1H155K160KA</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA8L2X7R1H155M160KA</a> |                                      |                                      |
|             | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J3X7R1H225K125AB</a> | <a href="#">CGA4J1X7R1V225K125AC</a> | <a href="#">CGA4J3X7R1E225K125AB</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA4J3X7R1H225M125AB</a> | <a href="#">CGA4J1X7R1V225M125AC</a> | <a href="#">CGA4J3X7R1E225M125AB</a> |
| 2.2µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X7R1H225K160AB</a> | <a href="#">CGA5L3X7R1V225K160AB</a> | <a href="#">CGA5L2X7R1E225K160AA</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X7R1H225M160AB</a> | <a href="#">CGA5L3X7R1V225M160AB</a> | <a href="#">CGA5L2X7R1E225M160AA</a> |
|             | 4532       | 1.60±0.20       | ±10%                                 | <a href="#">CGA6M3X7R1H225K200AB</a> |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA6M3X7R1H225M200AB</a> |                                      |                                      |
| 4532        | 1.60±0.20  | ±10%            | <a href="#">CGA8L2X7R1H225K160KA</a> |                                      |                                      |                                      |
|             |            | ±20%            | <a href="#">CGA8L2X7R1H225M160KA</a> |                                      |                                      |                                      |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

⚠ Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use.  
Please note that the contents may change without any prior notice due to reasons such as upgrading.

## MULTILAYER CERAMIC CHIP CAPACITORS



## Capacitance range table

Temperature characteristic: X7R (-55 to +125 °C, ±15%)

| Capacitance | Dimensions | Thickness (mm)  | Capacitance tolerance                | Catalog number                       |                                      |                                      |                                      |
|-------------|------------|-----------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                 |                                      | Rated voltage Edc: 75V               | Rated voltage Edc: 50V               | Rated voltage Edc: 35V               | Rated voltage Edc: 25V               |
| 3.3µF       | 2012       | 1.25±0.20       | ±10%                                 |                                      |                                      | <a href="#">CGA4J1X7R1V335K125AC</a> | <a href="#">CGA4J1X7R1E335K125AC</a> |
|             |            |                 | ±20%                                 |                                      |                                      | <a href="#">CGA4J1X7R1V335M125AC</a> | <a href="#">CGA4J1X7R1E335M125AC</a> |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X7R1H335K160AB</a> | <a href="#">CGA5L1X7R1V335K160AC</a> | <a href="#">CGA5L1X7R1E335K160AC</a> | <a href="#">CGA5L1X7R1E335M160AC</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X7R1H335M160AB</a> | <a href="#">CGA5L1X7R1V335M160AC</a> | <a href="#">CGA5L1X7R1E335M160AC</a> |                                      |
|             | 3225       | 2.50±0.30       | ±10%                                 | <a href="#">CGA6P3X7R1H335K250AB</a> |                                      |                                      |                                      |
| 4532        | 2.00±0.20  | ±20%            | <a href="#">CGA6P3X7R1H335M250AB</a> |                                      |                                      |                                      |                                      |
| 4.7µF       | 2012       | 1.25±0.20       | ±10%                                 | <a href="#">CGA4J1X7R1H475K125AC</a> | <a href="#">CGA4J1X7R1V475K125AC</a> | <a href="#">CGA4J1X7R1E475K125AC</a> |                                      |
|             |            |                 | ±20%                                 |                                      | <a href="#">CGA4J1X7R1V475M125AC</a> | <a href="#">CGA4J1X7R1E475M125AC</a> |                                      |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L3X7R1H475K160AB</a> | <a href="#">CGA5L1X7R1V475K160AC</a> | <a href="#">CGA5L1X7R1E475K160AC</a> | <a href="#">CGA5L1X7R1E475M160AC</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA5L3X7R1H475M160AB</a> | <a href="#">CGA5L1X7R1V475M160AC</a> | <a href="#">CGA5L1X7R1E475M160AC</a> |                                      |
|             | 3225       | 2.50±0.30       | ±10%                                 | <a href="#">CGA6P3X7R1H475K250AB</a> |                                      |                                      |                                      |
|             |            |                 | ±20%                                 | <a href="#">CGA6P3X7R1H475M250AB</a> |                                      |                                      |                                      |
|             | 4532       | 1.60±0.20       | ±10%                                 |                                      |                                      |                                      | <a href="#">CGA8L2X7R1E475K160KA</a> |
|             |            | ±20%            |                                      |                                      |                                      | <a href="#">CGA8L2X7R1E475M160KA</a> |                                      |
| 6.8µF       | 3216       | 1.60+0.30,-0.10 | ±10%                                 |                                      | <a href="#">CGA5L1X7R1V685K160AC</a> | <a href="#">CGA5L1X7R1E685K160AC</a> |                                      |
|             |            |                 | ±20%                                 |                                      | <a href="#">CGA5L1X7R1V685M160AC</a> | <a href="#">CGA5L1X7R1E685M160AC</a> |                                      |
|             | 3225       | 2.50±0.30       | ±10%                                 |                                      |                                      | <a href="#">CGA6P3X7R1E685K250AB</a> | <a href="#">CGA6P3X7R1E685M250AB</a> |
|             |            |                 | ±20%                                 |                                      |                                      |                                      |                                      |
|             | 4532       | 2.50±0.30       | ±10%                                 | <a href="#">CGA8P3X7R1H685K250KB</a> |                                      |                                      |                                      |
| 5750        | 2.50±0.30  | ±10%            | <a href="#">CGA9P2X7R1H685K250KA</a> |                                      |                                      |                                      |                                      |
| 10µF        | 3216       | 1.60+0.30,-0.10 | ±10%                                 | <a href="#">CGA5L1X7R1H106K160AC</a> | <a href="#">CGA5L1X7R1V106K160AC</a> | <a href="#">CGA5L1X7R1E106K160AC</a> |                                      |
|             |            |                 | ±20%                                 |                                      | <a href="#">CGA5L1X7R1V106M160AC</a> | <a href="#">CGA5L1X7R1E106M160AC</a> |                                      |
|             | 3225       | 2.50±0.30       | ±10%                                 | <a href="#">CGA6P1X7R1N106K250AC</a> |                                      | <a href="#">CGA6P1X7R1E106K250AC</a> | <a href="#">CGA6P1X7R1E106M250AC</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA6P1X7R1N106M250AC</a> |                                      | <a href="#">CGA6P1X7R1E106M250AC</a> |                                      |
|             | 4532       | 2.50±0.30       | ±10%                                 |                                      |                                      | <a href="#">CGA8P2X7R1E106K250KA</a> | <a href="#">CGA8P2X7R1E106M250KA</a> |
| 5750        | 2.00±0.20  | ±20%            |                                      |                                      |                                      | <a href="#">CGA9M2X7R1E106M200KA</a> |                                      |
| 15µF        | 3225       | 2.00±0.20       | ±10%                                 |                                      |                                      |                                      | <a href="#">CGA6M3X7R1E156M200AB</a> |
|             |            |                 | ±20%                                 |                                      |                                      |                                      | <a href="#">CGA8Q3X7R1E156M280KB</a> |
|             | 4532       | 2.80±0.30       | ±20%                                 |                                      |                                      |                                      | <a href="#">CGA9N2X7R1E156M230KA</a> |
|             | 5750       | 2.30±0.20       | ±20%                                 |                                      |                                      |                                      | <a href="#">CGA6P3X7R1E226M250AB</a> |
| 22µF        | 4532       | 2.50±0.30       | ±20%                                 |                                      |                                      |                                      | <a href="#">CGA8P1X7R1E226M250KC</a> |
|             |            |                 | ±20%                                 | <a href="#">CGA9P3X7R1H226M250KB</a> |                                      | <a href="#">CGA9P2X7R1E226M250KA</a> |                                      |
| 47µF        | 5750       | 2.30±0.20       | ±20%                                 |                                      | <a href="#">CGA9N1X7R1V476M230KC</a> | <a href="#">CGA9N3X7R1E476M230KB</a> |                                      |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

## MULTILAYER CERAMIC CHIP CAPACITORS



## Capacitance range table

Temperature characteristic: X7R (-55 to +125 °C, ±15%)

| Capacitance | Dimensions      | Thickness (mm) | Capacitance tolerance | Catalog number                       |                                      |                                      |
|-------------|-----------------|----------------|-----------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |                 |                |                       | Rated voltage Edc: 16V               | Rated voltage Edc: 10V               | Rated voltage Edc: 6.3V              |
| 100pF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C101K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C101M030BA</a> |                                      |                                      |
| 150pF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C151K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C151M030BA</a> |                                      |                                      |
| 220pF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C221K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C221M030BA</a> |                                      |                                      |
| 330pF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C331K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C331M030BA</a> |                                      |                                      |
| 470pF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C471K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C471M030BA</a> |                                      |                                      |
| 680pF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C681K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C681M030BA</a> |                                      |                                      |
| 1nF         | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C102K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C102M030BA</a> |                                      |                                      |
| 1.5nF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C152K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C152M030BA</a> |                                      |                                      |
| 2.2nF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C222K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C222M030BA</a> |                                      |                                      |
| 3.3nF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C332K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C332M030BA</a> |                                      |                                      |
| 4.7nF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C472K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C472M030BA</a> |                                      |                                      |
| 6.8nF       | 0603            | 0.30±0.03      | ±10%                  | <a href="#">CGA1A2X7R1C682K030BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA1A2X7R1C682M030BA</a> |                                      |                                      |
| 10nF        | 0603            | 0.30±0.03      | ±10%                  |                                      | <a href="#">CGA1A2X7R1A103K030BA</a> | <a href="#">CGA1A2X7R0J103K030BA</a> |
|             |                 |                | ±20%                  |                                      | <a href="#">CGA1A2X7R1A103M030BA</a> | <a href="#">CGA1A2X7R0J103M030BA</a> |
| 33nF        | 1005            | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X7R1C333K050BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA2B2X7R1C333M050BA</a> |                                      |                                      |
| 47nF        | 1005            | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X7R1C473K050BA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA2B2X7R1C473M050BA</a> |                                      |                                      |
| 68nF        | 1005            | 0.50±0.05      | ±10%                  | <a href="#">CGA2B1X7R1C683K050BC</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA2B1X7R1C683M050BC</a> |                                      |                                      |
| 100nF       | 1005            | 0.50±0.05      | ±10%                  | <a href="#">CGA2B1X7R1C104K050BC</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA2B1X7R1C104M050BC</a> |                                      |                                      |
| 150nF       | 1005            | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X7R1C154K050BA</a> | <a href="#">CGA2B1X7R1A154K050BC</a> | <a href="#">CGA2B3X7R0J154K050BB</a> |
|             |                 |                | ±20%                  | <a href="#">CGA2B2X7R1C154M050BA</a> | <a href="#">CGA2B1X7R1A154M050BC</a> | <a href="#">CGA2B3X7R0J154M050BB</a> |
| 220nF       | 1005            | 0.50±0.05      | ±10%                  | <a href="#">CGA2B2X7R1C224K050BA</a> | <a href="#">CGA2B1X7R1A224K050BC</a> | <a href="#">CGA2B3X7R0J224K050BB</a> |
|             |                 |                | ±20%                  | <a href="#">CGA2B2X7R1C224M050BA</a> | <a href="#">CGA2B1X7R1A224M050BC</a> | <a href="#">CGA2B3X7R0J224M050BB</a> |
| 330nF       | 1608            | 0.80±0.10      | ±10%                  | <a href="#">CGA3E2X7R1C224K080AA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA3E2X7R1C224M080AA</a> |                                      |                                      |
| 470nF       | 1608            | 0.80±0.10      | ±10%                  | <a href="#">CGA3E1X7R1C334K080AC</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA3E1X7R1C334M080AC</a> |                                      |                                      |
| 680nF       | 2012            | 1.25±0.20      | ±10%                  | <a href="#">CGA3E1X7R1C474K080AC</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA3E1X7R1C474M080AC</a> |                                      |                                      |
| 1µF         | 1608            | 0.80±0.10      | ±10%                  | <a href="#">CGA4J2X7R1C684K125AA</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA4J2X7R1C684M125AA</a> |                                      |                                      |
| 1.5µF       | 2012            | 1.25±0.20      | ±10%                  | <a href="#">CGA3E1X7R1C105K080AC</a> |                                      | <a href="#">CGA3E1X7R0J155K080AC</a> |
|             |                 |                | ±20%                  | <a href="#">CGA3E1X7R1C105M080AC</a> |                                      | <a href="#">CGA3E1X7R0J155M080AC</a> |
| 2.2µF       | 1608            | 0.80±0.10      | ±10%                  | <a href="#">CGA4J3X7R1C155K125AB</a> |                                      | <a href="#">CGA3E1X7R0J225K080AC</a> |
|             |                 |                | ±20%                  | <a href="#">CGA4J3X7R1C155M125AB</a> |                                      | <a href="#">CGA3E1X7R0J225M080AC</a> |
| 3.3µF       | 2012            | 1.25±0.20      | ±10%                  | <a href="#">CGA4J3X7R1C225K125AB</a> | <a href="#">CGA4J3X7R1A335K125AB</a> |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA4J3X7R1C225M125AB</a> |                                      |                                      |
| 4.7µF       | 2012            | 1.25±0.20      | ±10%                  | <a href="#">CGA4J3X7R1C335K125AB</a> | <a href="#">CGA4J3X7R1A335K125AB</a> |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA4J3X7R1C335M125AB</a> |                                      |                                      |
| 3216        | 1.60+0.30,-0.10 |                | ±10%                  | <a href="#">CGA5L3X7R1C475K160AB</a> |                                      |                                      |
|             |                 |                | ±20%                  | <a href="#">CGA5L3X7R1C475M160AB</a> |                                      |                                      |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

## Capacitance range table

Temperature characteristic: X7R (-55 to +125 °C, ±15%)

| Capacitance | Dimensions | Thickness (mm)  | Capacitance tolerance | Catalog number                       |                                      |
|-------------|------------|-----------------|-----------------------|--------------------------------------|--------------------------------------|
|             |            |                 |                       | Rated voltage Edc: 16V               | Rated voltage Edc: 6.3V              |
| 6.8µF       | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J1X7R0J685K125AC</a> | <a href="#">CGA4J1X7R0J685M125AC</a> |
|             |            |                 | ±20%                  | <a href="#">CGA5L1X7R1C685K160AC</a> | <a href="#">CGA5L1X7R1C685M160AC</a> |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                  | <a href="#">CGA5L1X7R1C106K160AC</a> | <a href="#">CGA4J1X7R0J106K125AC</a> |
|             |            |                 | ±20%                  | <a href="#">CGA5L1X7R1C106M160AC</a> | <a href="#">CGA4J1X7R0J106M125AC</a> |
| 10µF        | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA5L1X7R1C106K160AC</a> | <a href="#">CGA4J1X7R0J106K125AC</a> |
|             |            |                 | ±20%                  | <a href="#">CGA5L1X7R1C106M160AC</a> | <a href="#">CGA4J1X7R0J106M125AC</a> |
|             | 3216       | 1.60+0.30,-0.10 | ±10%                  | <a href="#">CGA6M3X7R1C106K200AB</a> | <a href="#">CGA6M3X7R1C106M200AB</a> |
|             |            |                 | ±20%                  | <a href="#">CGA6M3X7R1C106M200AB</a> | <a href="#">CGA6M3X7R1C106M200AB</a> |
| 15µF        | 3225       | 2.00±0.20       | ±10%                  | <a href="#">CGA6P3X7R1C156M250AB</a> | <a href="#">CGA5L1X7R0J226M160AC</a> |
|             | 3216       | 1.60+0.30,-0.10 | ±20%                  | <a href="#">CGA6P3X7R1C156M250AB</a> | <a href="#">CGA5L1X7R0J226M160AC</a> |
| 22µF        | 3225       | 2.50±0.30       | ±20%                  | <a href="#">CGA6P1X7R1C226M250AC</a> | <a href="#">CGA6P1X7R1C226M250AC</a> |
|             | 4532       | 2.30±0.20       | ±20%                  | <a href="#">CGA8N3X7R1C226M230KB</a> | <a href="#">CGA8N3X7R1C226M230KB</a> |
| 33µF        | 4532       | 2.50±0.30       | ±20%                  | <a href="#">CGA8P1X7R1C336M250KC</a> | <a href="#">CGA8P1X7R1C336M250KC</a> |
| 47µF        | 5750       | 2.30±0.20       | ±20%                  | <a href="#">CGA9N3X7R1C476M230KB</a> | <a href="#">CGA9N3X7R1C476M230KB</a> |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

## MULTILAYER CERAMIC CHIP CAPACITORS



## Capacitance range table

Temperature characteristic: X7S (-55 to +125 °C, ±22%)

| Capacitance | Dimensions | Thickness (mm) | Capacitance tolerance | Catalog number                       |                                      |                                      |
|-------------|------------|----------------|-----------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                |                       | Rated voltage Edc: 50V               | Rated voltage Edc: 25V               | Rated voltage Edc: 16V               |
| 330nF       | 1005       | 0.50±0.05      | ±10%                  |                                      |                                      | <a href="#">CGA2B1X7S1C334K050BC</a> |
|             |            |                | ±20%                  |                                      |                                      | <a href="#">CGA2B1X7S1C334M050BC</a> |
| 470nF       | 1005       | 0.50±0.05      | ±10%                  |                                      |                                      | <a href="#">CGA2B1X7S1C474K050BC</a> |
|             |            |                | ±20%                  |                                      |                                      | <a href="#">CGA2B1X7S1C474M050BC</a> |
| 1.5µF       | 1608       | 0.80±0.10      | ±10%                  |                                      |                                      | <a href="#">CGA3E1X7S1C155K080AC</a> |
|             |            |                | ±20%                  |                                      |                                      | <a href="#">CGA3E1X7S1C155M080AC</a> |
| 2.2µF       | 1608       | 0.80±0.10      | ±10%                  |                                      |                                      | <a href="#">CGA3E1X7S1C225K080AC</a> |
|             |            |                | ±20%                  |                                      |                                      | <a href="#">CGA3E1X7S1C225M080AC</a> |
| 4.7µF       | 3225       | 2.30±0.20      | ±10%                  | <a href="#">CGA6N3X7S1H475K230AB</a> |                                      |                                      |
|             |            |                | ±20%                  |                                      |                                      | <a href="#">CGA4J1X7S1C685K125AC</a> |
| 6.8µF       | 2012       | 1.25±0.20      | ±10%                  |                                      |                                      | <a href="#">CGA4J1X7S1C685M125AC</a> |
|             |            |                | ±20%                  |                                      |                                      | <a href="#">CGA4J1X7S1C685M125AC</a> |
| 10µF        | 3225       | 2.50±0.30      | ±10%                  | <a href="#">CGA6P3X7S1H685K250AB</a> |                                      |                                      |
|             |            |                | ±20%                  | <a href="#">CGA6P3X7S1H685M250AB</a> |                                      |                                      |
|             | 2012       | 1.25±0.20      | ±10%                  |                                      | <a href="#">CGA4J1X7S1E106K125AC</a> | <a href="#">CGA4J1X7S1C106K125AC</a> |
|             |            |                | ±20%                  | <a href="#">CGA6P3X7S1H106M250AB</a> |                                      | <a href="#">CGA4J1X7S1C106M125AC</a> |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

| Capacitance | Dimensions | Thickness (mm)  | Capacitance tolerance | Catalog number                       |                                      |                                      |
|-------------|------------|-----------------|-----------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                 |                       | Rated voltage Edc: 10V               | Rated voltage Edc: 6.3V              | Rated voltage Edc: 4V                |
| 330nF       | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B3X7S1A334K050BB</a> |                                      |                                      |
|             |            |                 | ±20%                  | <a href="#">CGA2B3X7S1A334M050BB</a> |                                      |                                      |
| 470nF       | 1005       | 0.50±0.05       | ±10%                  | <a href="#">CGA2B3X7S1A474K050BB</a> |                                      |                                      |
|             |            |                 | ±20%                  | <a href="#">CGA2B3X7S1A474M050BB</a> |                                      |                                      |
| 1.5µF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E3X7S1A155K080AB</a> |                                      |                                      |
|             |            |                 | ±20%                  | <a href="#">CGA3E3X7S1A155M080AB</a> |                                      |                                      |
| 2.2µF       | 1608       | 0.80±0.10       | ±10%                  | <a href="#">CGA3E3X7S1A225K080AB</a> |                                      |                                      |
|             |            |                 | ±20%                  | <a href="#">CGA3E3X7S1A225M080AB</a> |                                      |                                      |
| 6.8µF       | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J3X7S1A685K125AB</a> |                                      |                                      |
|             |            |                 | ±20%                  | <a href="#">CGA4J3X7S1A685M125AB</a> |                                      |                                      |
| 10µF        | 1608       | 0.80+0.30,-0.10 | ±20%                  |                                      |                                      | <a href="#">CGA3E1X7S0G106M080AC</a> |
|             | 2012       | 1.25±0.20       | ±10%                  | <a href="#">CGA4J3X7S1A106K125AB</a> |                                      |                                      |
|             |            |                 | ±20%                  | <a href="#">CGA4J3X7S1A106M125AB</a> |                                      |                                      |
| 15µF        | 3216       | 1.60+0.30,-0.10 | ±20%                  | <a href="#">CGA5L1X7S1A156M160AC</a> |                                      |                                      |
| 22µF        | 3216       | 1.60+0.30,-0.10 | ±20%                  | <a href="#">CGA5L1X7S1A226M160AC</a> |                                      |                                      |
| 33µF        | 3225       | 2.00±0.20       | ±20%                  | <a href="#">CGA6M1X7S1A336M200AC</a> |                                      |                                      |
|             |            | 2.50±0.30       | ±20%                  |                                      | <a href="#">CGA6P1X7S0J336M250AC</a> |                                      |
| 47µF        | 3225       | 2.50±0.30       | ±20%                  | <a href="#">CGA6P1X7S1A476M250AC</a> | <a href="#">CGA6P1X7S0J476M250AC</a> |                                      |

■ Gray items: These products are not recommended for new designs.  
Click the part numbers for details.

## Capacitance range table

Temperature characteristic: X7T (-55 to +125 °C, +22,-33%)

| Capacitance | Dimensions | Thickness (mm)  | Capacitance tolerance | Catalog number                       |                                      |                                      |                                      |
|-------------|------------|-----------------|-----------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|             |            |                 |                       | Rated voltage Edc: 10V               | Rated voltage Edc: 6.3V              | Rated voltage Edc: 4V                | Rated voltage Edc: 2.5V              |
| 100nF       | 0603       | 0.30+0.10,-0.03 | ±20%                  |                                      |                                      | <a href="#">CGA1A1X7T0G104M030BC</a> |                                      |
| 1µF         | 1005       | 0.50+0.10,-0.05 | ±20%                  |                                      |                                      | <a href="#">CGA2B1X7T0G105M050BC</a> |                                      |
| 4.7µF       | 1608       | 0.80+0.30,-0.10 | ±10%                  | <a href="#">CGA3E1X7T1A475K080AC</a> | <a href="#">CGA3E3X7T0J475K080AB</a> |                                      |                                      |
| 10µF        | 1608       | 0.80+0.30,-0.10 | ±20%                  | <a href="#">CGA3EDX7T1A106M080AU</a> | <a href="#">CGA3E1X7T0J106M080AC</a> | <a href="#">CGA3E3X7T0G106M080AB</a> |                                      |
| 22µF        | 2012       | 1.25+0.30,-0.15 | ±20%                  |                                      | <a href="#">CGA4J1X7T0J226M125AC</a> |                                      |                                      |
| 47µF        | 3216       | 1.60+0.40,-0.10 | ±20%                  |                                      |                                      | <a href="#">CGA5L1X7T0G476M160AC</a> |                                      |
| 100µF       | 3225       | 2.50+0.40,-0.30 | ±20%                  |                                      |                                      | <a href="#">CGA6P1X7T0G107M250AC</a> | <a href="#">CGA6P3X7T0E107M250AB</a> |

Click the part numbers for details.

CGA3EDX7T1A106M080AU is a derating guarantee product.

When the product temperature exceeds 125°C, please use the product within the derated voltage/temperature condition in the figure below.

### Rated voltage derating



\* Including self-heating.

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View CGA3EDX7T1A106M080AU](#) on WIN SOURCE
- ⊖ [TDK Corporation](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management