



**THE DATASHEET OF
2041021-1**






3

2

1

LOC DW
DST

P	L/R	DESCRIPTION	DATE	DMN	APVD
C		REVISED (ECR-19-015121)	20MAR20	R.M	S.H



CIRCUIT:

WRITE PROTECT	CARD DETECT INDICATION	WRITE PROTECT	CARD DETECT INDICATION	WRITE PROTECT	CARD DETECT INDICATION
GROUND	GROUND	GROUND	GROUND	GROUND	GROUND
WITHOUT CARD	CARD INSERTED	CARD INSERTED	CARD INSERTED	CARD INSERTED	CARD INSERTED
	WRITE PROTECT:LOCK	WRITE PROTECT:LOCK	WRITE PROTECT:UNLOCK	WRITE PROTECT:UNLOCK	WRITE PROTECT:UNLOCK

FINISH	PACKAGE	PART NUMBER
	REEL TRAY	2041021-4
	TRAY	2041021-3
	REEL TRAY	2041021-2
	TRAY	2041021-1

STE TE Connectivity

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN	B	MCMASTER	25FEB2008	NAME	SECURE DIGITAL CARD CONNECTOR TOP MOUNT, SMT TYPE, H=2.80mm		RESTRICTED 3D
DIMENSIONS: mm		CHK	D	GORENC	25FEB2008	SIZE	A3	00779	2041021
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	D	GORENC	25FEB2008	QAGE CODE	C	2041021	
0 PLG	±	PRODUCT SPEC		108-2377	APPLICATION SPEC	SCALE	1	SHEET	1 OF 3
1 PLG	± 0.3	WEIGHT		1.73 GRAMS	CUSTOMER DRAWING	SCALE	1	SHEET	1 OF 3
2 PLG	± 0.2	CUSTOMER DRAWING				SCALE	1	SHEET	1 OF 3
3 PLG	± 0.15	CUSTOMER DRAWING				SCALE	1	SHEET	1 OF 3
4 PLG	± 0.15	CUSTOMER DRAWING				SCALE	1	SHEET	1 OF 3
ANGLES	± 3°	CUSTOMER DRAWING				SCALE	1	SHEET	1 OF 3

ON CONTACT AREA.
PLATED ON SOLDER TAILS.
PLATED OVERALL.

ON CONTACT AREA.
PLATED ON SOLDER TAILS.
PLATED OVERALL.

ON CONTACT AREA.
PLATED ON SOLDER TAILS.
PLATED OVERALL.

ON CONTACT AREA.
PLATED ON SOLDER TAILS.
PLATED OVERALL.

ON B.


A

B


C

D

LOC	DW	DIST	REVISIONS		DATE	DMN	APVD
			P	L/R	DESCRIPTION		
					SEE SHEET 1.		




DETAIL A
SCALE 4:1
PART ORIENTATION
SHOWN FOR REFERENCE




10


10mm
THICKNESS=0.1mm
95mm



THE TOP LAYER IS EMPTY



BAG




BOX

THIS DRAWING IS A CONTROLLED DOCUMENT.



DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DMN	APVD		NAME	
0 R/C	±	1 R/C	±0.3	CHK	-		SECURE DIGITAL CARD CONNECTOR	
1 R/C	±0.3	2 R/C	±0.3	APVD	-		TOP MOUNT, SMT TYPE, H=2.80mm	
3 R/C	±0.15	3 R/C	±0.15	PRODUCT SPEC	-		2041021-3	
4 R/C	±	4 ANGLES	±	APPLICATION SPEC	-		2041021-1	
MATERIAL	FINISH			WEIGHT	-		2041021-1	

GROSS WEIGHT	4.6 KG	NET WEIGHT	2.08 KG	PCS/ TRAY	48	TRAY/ BOX	25	PCS/ BOX	1200	PART NUMBER	2041021-3
--------------	--------	------------	---------	-----------	----	-----------	----	----------	------	-------------	-----------


CUSTOMER DRAWING		SIZE	A3	CAGE CODE	00779	DRAWING NO	2041021	SCALE	1:1	SHEET	2 of 3	REV	C
------------------	--	------	----	-----------	-------	------------	---------	-------	-----	-------	--------	-----	---



REVOLUTION		3		2		1	
LOC	DIST	P	LTR	DESCRIPTION	DATE	DMN	APVD
DW				SEE SHEET 1.			



GROSS WEIGHT	8.8 KG	NET WEIGHT	4.15 KG	PCS/REEL	300	REEL/BOX	8	PCS/BOX	2400	PART NUMBER	2041021-4
--------------	--------	------------	---------	----------	-----	----------	---	---------	------	-------------	-----------



SECURE DIGITAL CARD CONNECTOR
TOP MOUNT, SMT TYPE, H=2.80mm

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PIC ± 0.3
			1 PIC ± 0.2
			2 PIC ± 0.15
			3 PIC ± 0.15
			4 ANGLES ± 3°

MATERIAL: _____

APVD	CHK	DMN	NAME
_____	_____	_____	TE Connectivity
PRODUCT SPEC	APPLICATION SPEC	WEIGHT	CUSTOMER DRAWING
_____	_____	_____	_____
SIZE	CAGE CODE	DRAWING NO	RESTRICTED 3D
A3	00779	2041021	_____
SCALE	SHEET	3 of 3	REV
_____	_____	_____	C

mm
CSS=0.1mm

A



B

C

D

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 2041021-1 on WIN SOURCE](#)
-  [TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management