








- ① HOUSING MATERIAL: GLASS-FILLED POLYMER. COLOR: GRAY.
- ② CONTACT MATERIAL: COPPER ALLOY.
- ③ CONTACT FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN ON POSTS.
- ④ PART NUMBER, DATE CODE IDENTIFICATION, CSA LOGO IN THIS APPROXIMATE AREA.
- ⑤ POINT OF MEASUREMENT FOR DIN 41612 CLASS 2 FINISH.
- ⑥ ACTION PIN POSTS REQUIRE 1.57[.062] MIN THICK PC BOARD. RECOMMENDED PC BOARD HOLES ARE  $\varnothing .151 \pm 0.02$  [.0453 ± .001] DRILLED HOLE WITH 0.02-0.07 [.001-.003] COPPER AND 0.008 [.0003] MIN TIN-LEAD PLATING. FINISHED HOLE AFTER PLATING,  $\varnothing .94-1.09$  [.037-.043].



③	1 THRU 16	X	X	X	48	5535034-5
③	1 THRU 16	X	X	X	48	5535034-4
NOTES	POSITIONS LOADED	C	B	A	NO. OF LOADED POSITION	ASSY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMN: J. POLIGNONE 18APR05. GJK: A. SHARPE 18APR05. NAME: A. SHARPE 18APR05. PRODUCT SPEC: APPLICATION SPEC. MATERIAL: ① ②. FINISH: ③. WEIGHT: A1 00779 C=5535034. CUSTOMER DRAWING. SCALE: 4:1. SHEET: 1 OF 1. REV: 0.

Tyco Electronics Corporation  
 Harrisburg, Pa 17105-3608

ASSEMBLY, RECEPTACLE, EUROCARD, TYPE C/2, LEAD-FREE, 48, .190 TOOLLESS PRESS-FIT

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 5535034-4 on WIN SOURCE](#)

 [TE Connectivity](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management