




**THE DATASHEET OF**  
**5917631-4**





NUMBER C-5917631  
METRIC

DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT

PRINT DIST



- NOTE:
- ① MATERIAL: HOUSING; THERMOPLASTICS (UL 94V-0) BLACK  
CONTACT: COPPER ALLOY
  - ② FINISH: CONTACT: Au AT CONTACT AREA  
TIN AT TINE, OVER Ni
  - 3. THESE PRODUCTS WERE COATED BY ANTI-FLUX MIGRATION AGENT.
  - ④ OBSOLETE



④	29	36.83	49	62.23	—	102.87	38.63	64.03	104.67	108.11	115.49	0.76μm	160	2	7
④	19	24.13	39	49.53	—	77.47	25.93	51.33	79.27	82.71	90.09	0.76μm	120	2	5
④	—	—	—	—	49	62.23	—	—	64.03	67.47	74.85	0.76μm	100	2	4
④	—	—	—	—	39	49.53	—	—	51.33	54.77	62.15	0.76μm	80	2	3
④	39	49.53	49	62.23	—	115.57	51.33	64.03	117.37	120.81	128.19	0.3μm	180	—	8
④	29	36.83	49	62.23	—	102.87	38.63	64.03	104.67	108.11	115.49	0.3μm	160	—	7
	29	36.83	39	49.53	—	90.17	38.63	51.33	91.97	95.41	102.79	0.3μm	140	—	-6
	19	24.13	39	49.53	—	77.47	25.93	51.33	79.27	82.71	90.09	0.3μm	120	—	-5
	—	—	—	—	49	62.23	—	—	64.03	67.47	74.85	0.3μm	100	—	-4
	—	—	—	—	39	49.53	—	—	51.33	54.77	62.15	0.3μm	80	—	-3
	—	—	—	—	29	36.83	—	—	38.63	42.07	49.45	0.3μm	60	—	-2
	—	—	—	—	19	24.13	—	—	25.93	29.37	36.75	0.3μm	40	—	5917631-1
	a	A	b	B	c	C	D	E	F	G	H	GOLD PLATING	Pos.	P/N	A

注記:  
① 材料:ハウジング;熱可塑性樹脂 (UL 94V-0) 色:黒  
          コンタクト:銅合金

鉛フリー  
LEAD FREE

② 表面仕上げ;  
          コンタクト:全面ニッケル下地めっき  
                      接触部金めっき、脚部すずめっき

3. 本製品はフラックス上がり防止処理済み

A	REVISED PER ECR-12-013341	28MAR2013	K.M.E.T
O	RELEASED (FJBO-0582-04)	09JUN04	T.K.I.E
LTR	DESCRIPTION	DATE	DWN APVD

WIRE RANGE		INSULATION DIA		NAME	
mm <sup>2</sup> (AWG - )		- mmφ		AMP FH CONNECTOR PLUG (VERTICAL)	
MATERIAL		FINISH		GENERAL TOLERANCE	
①		②		0<≦10 : ±0.2 10<≦30 : ±0.25 30<≦100 : ±0.3 ANGLES : ±3°	
DE. T.KAWAMAE		APP. IENOMOTO		SIZE	LOC
09JUN04		09JUN04		B	J
09JUN04		09JUN04		NUMBER C-5917631	
IENOMOTO		IENOMOTO		SCALE	REV.
				NTS	A
				SHEET 1 OF 1	

CUSTOMER DRAWING

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 5917631-4](#) on WIN SOURCE

 [TE Connectivity](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management