



# THE DATASHEET OF BNC-0102H





# PRODUCT SPECIFICATIONS

Part number: BNC-0102H

No. 0392665

Drawing number: U-0396552

Nominal 1 Standard JIS C 5412(BNC50Ω)、JEITA RC-5233(BNC75Ω)

2 Power handling 0.5W

3 Rated frequency 1GHz

4 Impedance 75Ω←→50Ω

5 Operating temperature range -20°C~+50°C



		Test Items	Test Method/Value	Remarks
1	E L E C T R I C A L	V.S.W.R.	10MHz~50MHz : 1.3(Max.) 50MHz~1000MHz : 1.2(Max.)	
2		Insertion loss	10MHz~50MHz : 0.8dB(Max.) 50MHz~500MHz : 0.5dB(Max.) 500MHz~1000MHz : 1.0dB(Max.)	
3	M E C H A N I C A L	Compatibility	No defects or abnormalities	Connecting with a standard-compliant connector
	O T H E R S			

※The structural shape is shown in the attached drawing (Drawing number:U-0396552)



	REVISIONS	DATE
1		
2		
3		

Checked	Approved	Inspected	Prepared
三	山	檜	井
24.04.09	24.04.09	24.04.09	24.04.09
村	本	澤	出

GKQM-24

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View BNC-0102H on WIN SOURCE](#)
-  [TYCLON Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management