



THE DATASHEET OF N-0181M



PRODUCT SPECIFICATIONS

Part number: N-0181M

No. 0692669

Drawing number: U-0696556

Nominal 1 Standard JIS C 5411(N type)、JEITA RC-5223(F type)

2 Power handling 10W

3 Voltage rating DC 25V

4 Rated current 2A

5 Rated frequency 1.8GHz

6 Impedance 50Ω←→75Ω



	Test Items	Test Method/Value	Remarks
1 E L E C T R I C A L	V.S.W.R.	N(P)Side : 1.2(Max.) F(J)Side : 1.3(Max.)	
	Insertion loss	900MHz~1800MHz : 0.5dB(Max)	
3 M E C H A N I C A L	Compatibility	No defects or abnormalities	Connecting with a standard-compliant connector
O T H E R S			

※The structural shape is shown in the attached drawing (Drawing number:U-0696556)



	REVISIONS	DATE
1		
2		
3		

Checked	Approved	Inspected	Prepared
三 24.04.10 村	山 24.04.10 本	檜 24.04.10 澤	井 24.04.10 出

GKQM-24

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View N-0181M on WIN SOURCE](#)
-  [TYCLON Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management