



# THE DATASHEET OF N-0301T





# PRODUCT SPECIFICATIONS

Part number: N-0301T

No. 0592587

Drawing number: W-0596410

Nominal 1 Standard	JIS C 5411(N50Ω)、IEC 169-16(N75Ω)
2 Power handling	0.5W
3 Rated frequency	3GHz
4 Impedance	50Ω←→75Ω
5 Operating temperature	-10°C~+40°C
6 Storage temperature	0~90%RH ※No condensation



		Test Items	Test Method/Value	Remarks
1	E L E C T R I C A L	V.S.W.R.	DC~3GHz : 1.2(Max.)	
2		Insertion loss	DC~2GHz : 5.7±0.5dB 2GHz~3GHz : 5.7±0.7dB	
3				
4				
5	M E C H A N I C A L	Compatibility	No defects or abnormalities	Connecting with a standard-compliant connector
6				
7				
8				
9				
10		O T H E R S		
11				



※The structural shape is shown in the attached drawing (Drawing number:W-0596410)

	REVISIONS	DATE
1		
2		
3		

Checked	Approved	Inspected	Prepared
 24.05.17 村	 24.05.17 山本	 24.05.17 澤	 24.05.17 渡邊直弘

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View N-0301T on WIN SOURCE](#)
-  [TYCLON Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management