



**THE DATASHEET OF  
N-9184**





# PRODUCT SPECIFICATIONS

Part number: N-9184

No. 0592678

Drawing number: U-0596565

|                            |                |
|----------------------------|----------------|
| Nominal 1 Standard         | JIS C 5411     |
| 2 Power handling           | 250mW          |
| 3 Rated frequency          | 900MHz~1800MHz |
| 4 Impedance                | 50Ω(unbalance) |
| 5 Operating temprure range | -10°C~+50°C    |



|   |  | Test Items     | Test Method/Value           | Remarks  |
|---|--|----------------|-----------------------------|--|
| 1 | E<br>L<br>E<br>C<br>T<br>R<br>I<br>C<br>A<br>L | Isolation      | 900MHz~1800MHz: 20dB(Min.)  |  |
| 2 |  | VSWR           | 900MHz~1800MHz: 1.3(Max.)   |  |
| 3 |  | Insertion loss | 900MHz~1800MHz: 7.0dB(Max.) |  |
| 4 | M<br>E<br>C<br>H<br>A<br>N<br>I<br>C<br>A<br>L | Compatibility  | No defects or abnormalities | Connecting with a standard-compliant connector |
|   |  |                |                             |  |
|   |  |                |                             |  |
|   |  |                |                             |  |
|   | O<br>T<br>H<br>E<br>R<br>S                     |                |                             |  |
|   |  |                |                             |  |

※The structural shape is shown in the attached drawing (Drawing number:U-0596565)



|   | REVISIONS | DATE |
|---|-----------|------|
| 1 |           |      |
| 2 |           |      |
| 3 |           |      |

| Checked            | Approved           | Inspected          | Prepared           |
|--------------------|--------------------|--------------------|--------------------|
| 三<br>24.04.16<br>村 | 山<br>24.04.16<br>本 | 檜<br>24.04.16<br>澤 | 井<br>24.04.16<br>出 |

GKQM-24

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View N-9184 on WIN SOURCE](#)
-  [TYCLON Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management