





**THE DATASHEET OF
NPJ50AT6G50W-20DB**





- * 1 : TERNARY PLATING
- * 2 : ANODAIZING(BLACK)
- * 3 : PASSIVATE
- * 4 : STAINLESS STEEL
- * 5 : PHOSPHOR BRONZE

12	INSULATOR B	PTFE	1	--		16	BRACKET	* 4
11	CENTER PIN B	* 5	1	Au		15	WASHER	* 4
10	BODY B	BRASS	1	* 1		14	SPRING WASHER	* 4
9	ATTENUATION TERMINAL	--	1	--		13	SOCKET HEAD CAP SCREW	* 4
8	HEAT SINK	ALUMINUM	1	* 2		ND.	DESCRIPTION	MATERIAL
7	O-RING	SILICONE	2	--		SCALE	2/3	INSPECTED
6	INSULATOR A	PTFE	1	--				APPR
5	CENTER PIN A	* 5	1	Au				
4	GASKET	SILICONE	1	--				
3	BODY A	BRASS	1	* 1		UNIT		
2	HOLDING RING	* 4	1	--				
1	COUPLING NUT	BRASS	1	* 1		DATE	2023.12.19	
ND.	DESCRIPTION	MATERIAL	Q'TY	FINISH	REMARK	PROJECTION		



株式会社
70-

'23.12.19
井
出

'23.12.19
檜
澤

PRODUCT SPECIFICATIONS

Part No. NPJ50AT6G50W-20dB

No. 0592413





DWG No. W-0596073

Nominal 1 Standard JIS C 5411
 2 Power handling 50W
 3 Frequency range 6GHz
 4 Impedance 50Ω
 5 [OPR]Temp-Range -45°C~+85°C



		Test Items	Procedures/Test method	Requirements
1 2 3	DESIGN	Design & construction	Specified on relevant product drawing (DWG No. W-0596073)	No defects or abnormalities
		Materials		
		Finishes		
4	ELECTRICAL	Attenuation	DC~6GHz	20±1.1dB
5		V. S. W. R	DC~3GHz 3~6GHz	1.2 (Max.) 1.3 (Max.)
6	MECHANICAL	Compatibility	Connecting with a standard-compliant connector	No defects or abnormalities
7		Tensile strength of coupling mechanism	At axial tensile force 300N	No defects or abnormalities
8		Connection nut tightening torque	0.9~1.7N·m	
9	ENVIRONMENTAL	Waterproof	IPX7	No water ingress inside the connector

	Remarks	Date
1		
2		
3		

Checked	Approved	Inspected	Prepared
 三 22.08.30 村	 山 22.08.30 本	 檜 22.08.30 澤	 渡邊 '22,08,30 直弘

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View NPJ50AT6G50W-20dB on WIN SOURCE](#)
- ⊖ [TYCLON Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management