




**THE DATASHEET OF
SAP0.5WRG58**



REVISION	
----------	--

*1: Items less than 1 meter



The symbol * mark in the product name represents the value of the length and is specified each time.
 Ex: L = In case of 3m → SAP3WRG58
 Ex: L = In case of 5m → SAP5WRG58

※USE LEAD(Pb) FREE SOLDER: Sn-3.0Ag-0.5Cu

6						SCALE	1/1	DRAWN	アイエー '24.08.22	INSPECTED	樽澤 '24.08.22	APPROVED	アイエー '24.08.22
5													
4													
3	COAXIAL CABLE	RG-58A/U	1		FUJIKURA DIA CABLE	COLOR: BLACK							
2	HEAT SHRINK TUBE(ND GLUE)	--	2		--	COLOR: BLACK	UNIT	mm					
1	SMA-TYPE CONNECTOR	SMAP-58A-K	2		TO-CONN	BODY/Ni: CENTER PIN/Au	DATE	2024.08.22	PROJECTION	ISO	70		
NO.	DESCRIPTION	PART NUMBER	Q'TY	MANUFACTURER	FINISH								

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View SAP0.5WRG58](#) on WIN SOURCE

 [TYCLON](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management